

**COUGH AND BRONCHIAL- aconitum napellus, bryonia alba root, calcium cation, spongia officinalis skeleton, roasted, tin syrup  
Schwabe North America**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Cough and Bronchial Daytime**

**Active Ingredient**

Aconitum napellus 3X

Bryonia 3X

Hepar sulphuris calcareum 6C

Spongia tosta 3X

Stannum metallicum 6C

**Inactive Ingredient**

Citric Acid

Ethyl Alcohol

Gum Arabic

Malt Extract

Purified Water

Sodium Benzoate

Sucrose

**Dosage & Administration**

Directions:

Shake well before each use.

Adults & children 12 years of age and older: Take 2 teaspoons (tsp) (10mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours. Do not exceed 8 servings per day.

Children under 12 years of age: Consult a doctor.

**Indications & Usage**

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.  
Soothes the throat.

### **Purpose**

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.  
Soothes the throat.

### **Warnings**

**Sore throat warning:** if sore throat is severe, persists more than 2 days, is accompanied or followed by a fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Ask Doctor**

**Ask a doctor before use if you have** a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, a cough that is accompanied by excessive phlegm (mucus), been taking any medications.

### **Stop Use**

**Stop use and ask a doctor if** new symptoms occur, symptoms get worse or last more than 7 days, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

### **Pregnancy or Breast Feeding**

**If pregnant or breast-feeding,** ask a healthcare professional before use.

### **Keep out of reach of children**

**Keep out of reach of children.**

### **Overdose**

In case of overdose, seek medical help or contact a Poison Control Center right away.



Daytime  
**Cough &  
Bronchial  
Syrup**

621250051-08

*Premium*



NDC 53499-1293-9

BOERICKE & TAFEL  
EST. 1835

Daytime  
**Cough &  
Bronchial  
Syrup**

**NON-DROWSY**

- Expectorant††
- Cough Suppressant††



HOMEOPATHIC

8 FL OZ (240 mL)  
(10.2% Alcohol)

**Daytime**

**Drug Facts** (continued)

**Directions**

- shake well before each use

age	dose
adults & children 12 years of age and older	Take 2 teaspoons (tsp) (10 mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours. Do not exceed 8 servings per day.
children under 12 years of age	consult a doctor

**Other Information**

- store at room temperature 20-25°C (68-77°F)  
in a dry place out of direct sunlight

**Inactive ingredients** citric acid, ethyl alcohol,  
gum arabic, malt extract, purified water, sodium  
benzoate, sucrose

**Questions?** 1-800-9NATURE / natureway.com

††There are no valid studies using current scientific methods  
confirming this product's efficacy. These indications are based  
solely on traditional homeopathic principles.

**TAMPER EVIDENT.** Do not use if tamper-evident  
twist-off cap is missing, broken, or separated from  
the neck ring.

©2023 Distributed by Boericke & Tafel®,  
a division of Nature's Way Brands, LLC  
Green Bay, WI 54311 USA  
Product of Mexico

Daytime  
**Cough &  
Bronchial  
NON-DROWSY Syrup**

- Relieves coughs††
- Clears bronchial congestion††
- Soothes the throat††
- No artificial colors
- Non-narcotic

Boericke & Tafel®  
**Cough & Bronchial Syrup**  
is also available in a  
**Nighttime Formula,**  
to help promote  
**restful sleep††**



**Drug Facts**

**Active Ingredients**  
(2.92 g in two teaspoons [tsp] = 10 mL)

Active Ingredients	Purpose
Aconitum napellus 3X	Cough Suppressant (hoarse, croupy cough); Pain Reliever††
Bryonia 3X	Cough Suppressant (hacking, painful cough); Expectorant††
Hepar sulphuris calcareum 6C	Cough Suppressant (hoarse, painful cough); Expectorant††
Spongia tosta 3X	Cough Suppressant (dry, barking cough)††
Stannum metallicum 6C	Cough Suppressant (spasmodic cough); Expectorant††

**Uses**

- temporarily relieves cough due to minor throat  
and bronchial irritation as may occur with a cold††
- helps loosen phlegm (mucus) and thin  
bronchial secretions to drain bronchial tubes††
- soothes the throat††

**Warnings**

**Sore throat warning:** If sore throat is severe,  
persists more than 2 days, is accompanied or  
followed by a fever, headache, rash, nausea, or  
vomiting, consult a doctor promptly

**Ask a doctor before use if you have**

- a persistent or chronic cough such as occurs  
with smoking, asthma, chronic bronchitis, or  
emphysema
- a cough that is accompanied by  
excessive phlegm (mucus)
- been taking any  
medications

**Stop use and ask a doctor if** ■ new symptoms  
occur, symptoms get worse or last more than  
7 days ■ fever worsens or lasts more than 3 days  
■ cough lasts more than 7 days or occurs with  
rash or persistent headache. These could be signs  
of a serious condition.

**If pregnant or breast-feeding,** ask a healthcare  
professional before use. **Keep out of reach  
of children.** In case of overdose, seek medical  
help or contact a Poison Control Center  
right away.

Flexo Print Carton  
Dieline: turnkey vendor



Plate changes: PMS 273  
Proof: PDF

Schwabe Mexico

**COUGH AND BRONCHIAL**

aconitum napellus, bryonia alba root, calcium cation, spongia officinalis skeleton, roasted, tin syrup

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:53499-1293

**Route of Administration** ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X] in 120 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	3 [hp_X] in 120 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	6 [hp_C] in 120 mL
<b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	3 [hp_X] in 120 mL
<b>TIN</b> (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	6 [hp_C] in 120 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>BARLEY MALT</b> (UNII: R3N8G8914U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-1293-5	1 in 1 CARTON	02/08/2023	
1		120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:53499-1293-9	1 in 1 CARTON	02/08/2023	
2		240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/08/2023	

**Labeler** - Schwabe North America (831153908)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Schwabe Mexico, S.A. de C.V.		812805901	manufacture(53499-1293)

Revised: 12/2025

Schwabe North America