

**SEVERE COUGH AND CONGESTION- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution  
CVS PHARMACY**

-----  
**CVS 44-004**

***Active ingredients (in each 20 mL)***

Dextromethorphan HBr 20 mg  
Guaifenesin 400 mg  
Phenylephrine HCl 10 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- thyroid disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- high blood pressure
- heart disease
- diabetes

- cough that occurs with too much phlegm (mucus)

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

### ***Other information***

- **each 20 mL contains:** sodium 9 mg
- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

### ***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

NDC 69842-942-45

♥CVS™

## **Mixed Berry Flavor**

### **Maximum Strength†**

### **SEVERE CONGESTION & COUGH**

#### **Dextromethorphan HBr**

Cough Suppressant

**Guaifenesin**, Expectorant

**Phenylephrine HCl**, Nasal Decongestant

**DEXTROMETHORPHAN HBr** - Cough suppressant

**GUAIFENESIN** - Expectorant

**PHENYLEPHRINE HCl** - Nasal decongestant

Compare to Maximum Strength

Mucinex® FAST-MAX® Severe

Congestion & Cough active ingredients\*

Multi-Symptom | Relieves Nasal  
& Chest Congestion | Controls Cough  
Thins & Loosens Mucus

### **6 FL OZ (177 mL)**

Ages 12  
& Older

†Under OTC monograph.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

#### **PARENTS:**

**Learn about teen medicine abuse**  
**[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)**

\*This product is not manufactured or distributed by RB  
Health (US) LLC, owner of the registered trademark  
Maximum Strength Mucinex® FAST-MAX® Severe  
Congestion & Cough.      50844      ORG072400445

#### **Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

© 2025 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

**100% money back  
guaranteed.**  
**[CVS.com/returnpolicy](http://CVS.com/returnpolicy)**

NDC 69842-942-45



**Mixed Berry Flavor**

**Maximum Strength<sup>†</sup>**  
**SEVERE CONGESTION & COUGH**  
 Dextromethorphan HBr  
 Cough Suppressant  
 Guaifenesin, Expectorant  
 Phenylephrine HCl, Nasal Decongestant

Compare to Maximum Strength Mucinex<sup>®</sup> FAST-MAX<sup>®</sup> Severe Congestion & Cough active ingredients\*

Multi-Symptom | Relieves Nasal & Chest Congestion | Controls Cough Thins & Loosens Mucus

**6 FL OZ (177 mL) | Ages 12 & Older**

<sup>†</sup>Under OTC monograph.

F-004-45 ORG

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**PEEL BACK TAB TO READ COMPLETE DRUG FACTS AND INFORMATION**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

Active ingredients (in each 20 mL)	Purpose
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 400 mg.....	Expectorant
Phenylephrine HCl 10 mg.....	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

#895137 FPO 80% UPC# 050428055175 X XXXXXX XXXXXX X B-004-45 ORG

No print/No varnish Lot & Exp date

**Drug Facts (continued)**

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- thyroid disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- high blood pressure
- heart disease
- diabetes
- cough that occurs with too much phlegm (mucus)

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

HINGE

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

**Other information**

- each 20 mL contains: sodium 9 mg
- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

**Questions or comments?**  
1-800-426-9391

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex<sup>®</sup> FAST-MAX<sup>®</sup> Severe Congestion & Cough. 50844 ORG072400445  
 Distributed by: CVS Pharmacy, Inc.  
 One CVS Drive, Woonsocket, RI 02895  
 © 2025 CVS/pharmacy  
 CVS.com<sup>®</sup> 1-800-SHOP CVS  
 V-19849

 100% money back guaranteed.  
[CVS.com/returnpolicy](http://CVS.com/returnpolicy)

HINGE

**CVS 44-004**

<b>SEVERE COUGH AND CONGESTION</b>			
dextromethorphan hbr, guaifenesin, phenylephrine hcl solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-942
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY (Mixed)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-942-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/17/2020	

**Labeler** - CVS PHARMACY (062312574)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(69842-942) , pack(69842-942)

Revised: 12/2025

CVS PHARMACY