

ARAMARK ASPIRIN- aspirin tablet
Western First Aid Safety DBA Aramark

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aramark Aspirin

Drug Facts

Active Ingredients

(in Each Tablet)

Aspirin USP (NSAID)* 325 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain Reliever/Fever Reducer

Uses: temporarily relieves minor pain due to:

- headache
- menstrual pain
- minor pain of arthritis
- muscle pain
- pain and fever of colds
- toothache
- temporarily reduces fever

Warnings:

Reye's Syndrome: • Children and teenagers should not use this medicine for chicken pox or flu symptoms before a doctor is consulted about Reye's Syndrome, a rare but serious illness reported to be associated with aspirin

Allergy Alert - Do not use:

- if you are allergic to aspirin or any other salicylate
- if you have ever had an allergic reaction to any other pain reliever/fever reducer

Stomach Bleeding Warning:

This product contains nonsteroidal anti-inflammatory drugs (NSAIDs), which may cause stomach bleeding.

The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing an NSAID (aspirin, ibuprofen, naproxen, or others)

- take more or for a longer time than directed

Do not use:

- with any other pain reliever/fever reducer

Ask doctor before using if you have:

- upset stomach or stomach pain
- ulcers
- bleeding problems
- high blood pressure
- heart or kidney disease
- taken a diuretic
- reached age 60 or older

Ask a doctor or pharmacist before use if you are:

- taking any other drug containing an NSAID (prescription or nonprescription) taking a blood thinning (anticoagulant) or steroid drug

Stop use and ask a doctor if: ringing in the ears or loss of hearing occurs

- pain or fever persists or gets worse
- new symptoms occur
- redness or swelling is present
- you feel faint, vomit blood, or have bloody or black stools. These are signs of stomach bleeding.

If pregnant or breast-feeding baby, ask a health professional before use. IT IS ESPECIALLY IMPORTANT NOT TO USE ASPIRIN DURING THE LAST 3 MONTHS OF PREGNANCY UNLESS SPECIFICALLY DIRECTED TO DO SO BY A DOCTOR BECAUSE IT MAY CAUSE PROBLEMS IN THE UNBORN CHILD OR COMPLICATIONS DURING DELIVERY.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions:

- Adults and children 12 years of age and older:
- Children under 12 years:

Take 2 tablets every 4 to 6 hours as needed. Do not exceed 12 tablets in 24 hours or as directed by a doctor.

Consult a doctor.

Inactive Ingredients: FD&C Yellow #6,
Magnesium Stearate, Microcrystalline
Cellulose, Povidone, Starch, Stearic Acid

Product Package

aramark

Aspirin

Part # 556R23

100 TABLETS PER BOX

Compare active ingredient to:

BAYER®

Registered Trademark of Bayer Corp.

Retain carton for complete product information


MANUFACTURED FOR:

Aramark

Lenexa, KS 66219

(913) 269-9611

Box



aramark

Aspirin

Temporary relief of minor aches and pains associated with the common cold, headache, toothache, muscular aches and for the reduction of fever.

Part # 556R23

100 TABLETS PER BOX

Drug Facts

Active ingredient (in each tablet): Aspirin 100 mg. — Pain Reliever/Fever Reducer

Warnings: Do not use this medicine for children and teenagers. Do not use this medicine for children or teenagers unless a doctor has checked the child's temperature, a rash or other signs that reported to be associated with aspirin.

Do not use:

- if you are allergic to aspirin or any other salicylates
- if you have ever had a allergic reaction to any other pain reliever/fever reducer

See back for bleeding warning: The production of the reconstituted aspirin may cause stomach bleeding.

100 TABLETS PER BOX Part # 556R23

Aspirin

Full to Open

Temporary relief of minor aches and pains associated with the common cold, headache, toothache, muscular aches and for the reduction of fever.

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are:

- taking any other drug or using an NSAID (ibuprofen or acetaminophen) using a blood thinning, anticoagulant, or blood thinning drug

Stop use and ask a doctor if: ringing in the ears or loss of hearing occurs

- stomach or heart problems or pain occur
- stomach or heart is present
- you breathe, vomit blood, or have bloody or black stools. These are signs of stomach bleeding.

If pregnant or breastfeeding baby, ask a health professional before use. IT IS ESPECIALLY IMPORTANT NOT TO USE ASPIRIN DURING THE LAST 3 MONTHS OF PREGNANCY UNLESS SPECIALLY INSTRUCTED TO DO SO BY A DOCTOR BECAUSE IT MAY CAUSE PROBLEMS.

Drug Facts (continued)

IN THE UNBORN CHILD OR COMPLICATIONS DURING DELIVERY: AVOID USE OF ASPIRIN DURING DELIVERY. IN CASE OF EMERGENCY, get medical help or contact a Poison Control Center right away.

Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions:

- Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours as needed. Do not exceed 12 tablets in 24 hours or as directed by a doctor.
- Children under 12 years: Consult a doctor.

Inactive ingredients: FD&C Yellow 28, Magnesium Stearate, Hydroxyethyl Cellulose, Polyethylene Glycol, Stearic Acid

MANUFACTURED FOR:

Aramark
Lenexa, KS 66219
(913) 269-9611

5 81238 12566 9

Retain carton for complete product information

Compare active ingredients to: **ASA Y&R**®
Registered Trademark of Bayer Corp.

Retain carton for complete product information

aramarkuniform.com

Packet



ASPIRIN

Pain Reliever/Fever Reducer

2 Tablets

Active Ingredients (In Each Tablet)	Purpose
--	---------

Aspirin USP (NSAID)* 325 mg.....	pain reliever *nonsteroidal anti-inflammatory drug
-------------------------------------	---

Uses: temporarily relieves minor pain due to: • headache • menstrual pain • minor pain of arthritis • muscle pain • pain and fever of colds • toothache • temporarily reduces fever

Warnings: Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

FOR COMPLETE WARNINGS/CAUTIONS: SEE BOX

Warnings (continued)

Stomach Bleeding Warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs prescription or non-prescription containing an NSAID [aspirin, ibuprofen, naproxen, or others] • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed.

Keep out of reach of children.

Directions: Adults and children 12 years of age and older: 2 tablets every 4 to 6 hours, do not exceed 12 tablets in 24 hours. Children under 12: Consult a doctor.

Other information: Store at a controlled room temperature 15°-30° (59°-86°F). Tamper evident: Do not use packet if torn or cut.

Contact: Aramark Lenexa, KS 66219

REV 3/2021

Made in USA

res

ARAMARK ASPIRIN

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81238-0232
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

POVIDONE (UNII: FZ989GH94E)

STARCH, CORN (UNII: O8232NY3SJ)

STEARIC ACID (UNII: 4ELV7Z65AP)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	FR21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81238-0232-2	50 in 1 BOX	05/01/2021	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/01/2021	

Labeler - Western First Aid Safety DBA Aramark (043861524)

Registrant - Western First Aid Safety DBA Aramark (043861524)

Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	pack(81238-0232)

Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		944090448	manufacture(81238-0232)

Revised: 5/2021

Western First Aid Safety DBA Aramark