

**SANI-DYNE 175- iodine solution, concentrate**  
**Dairy Dynamics L.L.C.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**SANI-DYNE 175**

Iodine Udderwash

1.75% Available Iodine

Usage Washing of teats and udders. May be used in drop hoses for cleaning of milking units and hands.  
□

**DIRECTION FOR USE**

**WASHING OF TEATS AND UDDERS:**

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Prepare a solution of 1 ounce SANI-DYNE 175 to 5 gallons warm water.
- Wipe each teat with a single service towel immersed in the solution wiping soil from teat surface.
- Dry with a single service towel and attach milking unit.

\*It is common practice to “fore-strip” teats prior to milking for purposes of milk letdown and mastitis detection. The procedure for fore-stripping may be performed prior to or after application of SANI-DYNE 175.

**DROP-HOSE APPLICATIONS:**

- Set equipment to meter a minimum of 25 ppm titratable Iodine.
- Wash teats with Iodine solution using a minimum amount of water.
- Dry thoroughly with a single service towel and attach milking unit.

**ALWAYS DILUTE THIS PRODUCT!**

IF PREPARED SOLUTION BECOME CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH SOLUTION OF SANI-DYNE 175.

**If original container becomes frozen, thaw completely then mix thoroughly before use.**

**PRECAUTIONARY STATEMENTS**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN.**

**CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing.

Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

**Eyes:** In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.

**Internal:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

**For Hazardous Materials (or dangerous goods) Incidents ONLY (spill, leak, fire, exposure or accident)**

Call CHEMTREC At 800-424-9300

HEALTH - 2

FLAMMABILITY - 0

REACTIVITY - 1

PERSONAL PROTECTION - B

Dairy Dynamics

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED

SANI-DYNE 175

Iodine Udderwash

Active Ingredient: 1.75% Available Iodine

TAKE TIME OBSERVE LABEL DIRECTIONS

NET CONTENTS U.S. GALLONS

WAS-60E-DDC

**DIRECTIONS FOR USE**  
Read Material Safety Data Sheet(MSDS) Before Using This Product!

**WASHING OF TEATS AND UDDERS:**

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Prepare a solution of 1 ounce SANI-DYNE 175 to 5 gallons warm water.
- Wipe each teat with a single service towel immersed in the solution wiping soil from teat surface.
- Dry with single service towel and attach milking unit.

\* It is a common practice to "fore-strip" teats prior to milking for purposes of milk letdown and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of SANI-DYNE 175.

**DROP-HOSE APPLICATIONS:**

- Set equipment to meter a minimum of 25 ppm titratable iodine.
- Wash teats with iodine solution using a minimum amount of water.
- Dry thoroughly with a single service towel and attach milking unit.

**ALWAYS DILUTE THIS PRODUCT!**

IF PREPARED SOLUTION BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH SOLUTION OF SANI-DYNE 175

If original container becomes frozen, thaw completely then mix thoroughly before use.



INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED 

**PRECAUTIONARY STATEMENTS**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN.  
CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing.  
Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

**Eyes:** In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.

**Inhalation:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately.  
Never give anything by mouth to an unconscious person.

**For Hazardous Materials (or dangerous goods) Incidents ONLY**

(spill, leak, fire, exposure or accident)  
Call CHEMTREC At 800-424-9300

**SANI-DYNE 175**  
**Iodine Udderwash**

Active Ingredient: 1.75% Available Iodine

**SANI-DYNE 175**

SANI	Sanitizing Udderwash
175	1.75% Titratable Iodine
Usage	Washing of teats and udders. May be used in drop hoses for cleaning of milking units and hands.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	B

TAKE TIME  OBSERVE LABEL DIRECTIONS

NET CONTENTS U.S. GALLONS



WAS-60E-DDC

Manufactured by: Dairy Dynamics 17820 Washington St Union, IL 60180

WAS-60E-DDC 05.07

SANI-DYNE 175

iodine solution, concentrate

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:67351-600
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	17.5 g in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67351-600-05	18.9 L in 1 DRUM		
2	NDC:67351-600-15	56.8 L in 1 DRUM		
3	NDC:67351-600-30	113.6 L in 1 DRUM		
4	NDC:67351-600-55	208.2 L in 1 DRUM		
5	NDC:67351-600-01	3.78 L in 1 BOTTLE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		01/01/2007	

**Labeler** - Dairy Dynamics L.L.C. (142010953)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dairy Dynamics L.L.C.		142010953	manufacture, api manufacture, pack, label

Revised: 12/2014

Dairy Dynamics L.L.C.