

**CAPSAICIN- capsaicin patch
SA3, LLC**

Capsaicin Patch

**CAPSAICIN - Capsaicin 0.025% Patch
SA3, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Capsaicin 0.025% Patch

Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

External analgesic

Uses

Temporarily relieves minor aches and pains of muscles and joints due to:

- arthritis
- simple backache
- strains
- bruises
- sprains

Warnings

For external use only. Use only as directed or as directed by a health care professional

Read all warnings and directions before use.

Discontinue use at least one hour prior to bath, shower, or swimming; do not use immediately after bath, shower, or swimming.

Do not use

- On wounds, cuts, damaged or infected skin
- On eyes, mouth, genitals, or any other mucous membranes

Allergy Alert: if you are allergic to capsicum or chili peppers or any inactive ingredient of this product, contact a doctor before use.

When using this product

- You may experience a burning sensation. The intensity of this reaction varies among individuals and may be severe. With regular use, this sensation generally disappears after several days.
- Avoid contact with the eyes, lips, nose and mucous membranes
- Do not tightly wrap or bandage the treated area
- Do not apply heat to the treated area immediately before or after use

Stop use and ask a physician:

- If pregnant or breast feeding
- If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician.
- If severe burning persists or blistering occurs

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 18 years of age and older:

Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time.

- Clean and dry the affected area.
- Open pouch and remove one patch.
- Remove any protective film and apply directly to affected area of pain. Apply immediately after removal from the protective envelope.
- Wash hands with soap and water after handling the patches.
- Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope.
- Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them.

Children under 18 years: Ask a physician

Other information

Store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

Aqua (Deionized Water), Sodium Polyacrylate, Glycerin, Sorbitol, Sodium Cellulose Glycolate, Polysorbate 80, Lemon Oil, Aluminum Glycinate, Eucalyptus Oil, Methylparaben, EDTA Disodium Salt


PRINCIPAL DISPLAY PANEL


Capsaicin 0.025% Patch

NDC 69420-7025-1

10 Patches (5 per Resealable Pouch)

SA3, LLC





Drug Facts

Active Ingredients: Capsaicin 0.025% **Purpose:** Topical Anesthetic

Uses:
For temporary relief of minor aches & pains of muscles & joints associated with arthritis, simple backache, strains, bruises, and sprains.

Directions:
Adults and children 18 years and over: Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time.
Instructions for Use:
- Clean and dry the affected area.
- Open pouch and remove one patch.
- Remove any protective film and apply directly to affected area of pain. Apply immediately after removal from the protective envelope.
- Wash hands with soap and water after handling the patches.
- Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope.
- Discontinue use at least 1 hour before a bath or shower and do not use immediately after a bath or shower.
- Fold used patches so that the adhesive side sticks to itself and safely discard used patches or places of cut patches where children and pets cannot get to them.
Children under 18 years: ask a physician

Warnings:
- For external use only. Use only as directed or as directed by a health professional.
- Do not use: On wounds, cuts, damaged or infected skin.
On eyes, mouth, genitals, or any other mucous membranes.
- Keep out of reach of children and pets. Consult physician for children under 18.
- Stop and ask a physician:
- If pregnant or breast feeding
- If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician.
- If severe burning persists or blistering occurs
- **Allergy Alert:** If you are allergic to any ingredients of this product or chili peppers contact a doctor before use.
- When using this product, you may experience a burning sensation. The intensity of this reaction varies among individuals and may be severe. With regular use, this sensation generally disappears after several days. - Do not apply heat to the treated area immediately before or after use.

Other Ingredients:
Aqua (Distilled Water), Sodium Polyacrylate, Glycerin, Sorbitol, Sodium Cellulose Glycolate, Polysorbate 80, Lemon Oil, Aluminum Glycinate, Escalypus Oil, Methylparaben, EDTA Disodium Salt

Store in a dry, cool place

Capsaicin 0.025% Patch
External Anesthetic

Provides Warming Pain Relief

NDC: 69420-7025-1

10 Patches

Manufactured for: SA3, LLC
Los Angeles, CA 90064
Tel: 888.486.6078



CAPSAICIN

capsaicin patch

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69420-7025 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-------------------------------------------------------------------|-------------------|------------------|
| CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM) | CAPSAICIN | 0.025 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SORBITOL (UNII: 506T60A25R) | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| LEMON OIL (UNII: I9GR0824LL) | |
| DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |

| | |
|---------------------------------------------------------|--|
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L) | |

| Packaging | | | | |
|------------------|------------------|-----------------------------------------------------|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:69420-7025-1 | 10 in 1 CARTON | 06/11/2021 | |
| 1 | | 100 g in 1 PATCH; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------------|------------------------------------------|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | 505G(a)(3) | 06/11/2021 | |

Labeler - SA3, LLC (079627454)

Revised: 12/2024

SA3, LLC