

CORALITE ODOR FREE PAIN RELIEF- lidocaine patch

United Exchange Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coralite Odor Free Max Strength 4% Lidocaine Patch 1ct (90159, 2018)

Active ingredient Purpose

Lidocaine 4%.....Topical analgesic

Uses

- temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- at the same time as other topical analgesics
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warning on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens
- redness is present
- symptoms persist for more than 7 days or clear up and occur again within a few days
- irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area

- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area.
- use 1 patch for up to 12 hours
- children 12 years or younger: ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide

Questions or comments?

Call 1-800-814-8028 Monday-Friday 9AM-5PM (PST)

Distributed By: UNITED EXCHANGE CORPORATION

Cypress, CA 90630 USA | 1-888-645-8204

Made in China

Compare to the active ingredient in Maximum Strength ASPERCREME[®] Lidocaine Patch*

Cut open pouch
CHILD-RESISTANT PACKAGING

CORALITE

LIDOCAINE 4%

MAXIMUM STRENGTH PAIN RELIEF PATCH

TOPICAL ANESTHETIC
lidocaine 4%

FAST ACTING
pain relief of minor aches & pains

NUMBS
away pain

APPLY
for arthritis, bruises, strains & sprains

ODOR-FREE
pain patch

1 PATCH
3.9 in x 5.5 in
(10 cm x 14 cm)

Cut open pouch

CORALITE

LIDOCAINE 4%

MAXIMUM STRENGTH PAIN RELIEF PATCH

Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical anesthetic
Use temporarily relieves minor pain	
Warnings For external use only	
Do not use more than 1 patch on your body at a time or on cut, irritated or swollen skin at the same time as other topical analgesics on puncture wounds for more than one week without consulting a doctor	
When using this product use only as directed. Read and follow all directions and warnings on this label. do not allow contact with the eyes do not bandage tightly or apply local heat (such as heating pads) to the area of use discontinue use at least 1 hour before a bath or shower do not use immediately after a bath or shower dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.	
Stop use and ask a doctor if condition worsens symptoms persist for more than 7 days or clear up and occur again within a few days you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions adults and children over 12 years: clean and dry affected area remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area use 1 patch for up to 12 hours children 12 years or younger: ask a doctor	
Other information store at room temperature 20-25°C (68-77°F)	
Inactive ingredients alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide	
Questions or comments? 1-888-645-8204 Monday-Friday 9AM-5PM (PST)	

Distributed By:
UNITED EXCHANGE CORP.
Cypress, CA 90630 USA
1-888-645-8204 | Made in China
90159-ZDP-PH-RZ | PR-MD-ZDP103-R1

Lot:
Exp:

CORALITE ODOR FREE PAIN RELIEF
lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65923-149
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
ALCOHOL (UNII: 3K9958V90M)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYL PARABEN (UNII: A2I8C7H9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TARTARIC ACID (UNII: W48881119H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65923-149-01	1 in 1 POUCH	10/29/2018	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/29/2018	

Labeler - United Exchange Corporation (840130579)

Revised: 11/2019

United Exchange Corporation