FOSTER AND THRIVE ALL DAY ALLERGY D- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release Strategic Sourcing Services LLC

McKesson All Day Allergy-D Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - · itching of the nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

heart disease

- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- · if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

call **1-833-358-6431**

Package/Label Principal Display Panel

COMPARE TO ZYRTEC-D® ACTIVE INGREDIENTS

Foster & Thrive®

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets, 5 mg/120 mg

ANTIHISTAMINE/NASAL DECONGESTANT

ALLERGY + SINUS

Indoor & Outdoor Allergies

NASAL CONGESTION + SINUS PRESSURE

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Nose or Throat

ACTUAL SIZE

12 Hour Relief

24 EXTENDED RELEASE TABLETS

■ see side panel for lot number and expiration date ■ meets USP Dissolution Test 2

Ther information $\,$ m store between 30° to 88° (68° to 77° F) $\,$ m do no tuse if blister unit is broken or torn

Inactive ingredients coloidal alicon dioxide, hypromelbse, lactose

Drug Facts (confined)





lss. 09/25

©2023 Norths fur Heal thcare UC
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com

*This product is not manufactured or dis tributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.

consumers with liver SSK S GOCLDL 1.5 years of age

SSK S GOCLDI children under sak a doctor ad ults 65 years and over take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hou*rs*. 12 years and over ad uits and child ren

■ do not break of chew tablet swallow tablet whole Directions

■ if pregnant ask a health professional before use. Keep out of reach of children. In case of overdose, get med isal help or contact a Poison Control Center right away (1-900-222-1222)

If pregnant or bre ast-feeding.

If breast-feeding not recomme nded

■ symptoms do not improve within 7 days or are accompanied ■ yougetnervous, dizzy, or sleepless Man angn

■ an allerg is reaction to this product occurs. Seek medical help Stop use and ask a doctor if

■ be careful when driving a motor vehide or operating machinery ■ drowsinessmay occur ■ avoid alcoholic drinks ■ drowsinessmay occur = avoid alcoholic drinks alcohol, sed afaves, and tranquilizers may increase drows in ess alcohol, sed afaves, and tranquilizers may increase drows in ess

■ do not use more than directed tauborq sirb gnisu narl W

tranqu ilizers or sedatives. Ask a doctor or pharmacist before use if you are taking Ung Facts (continued)

■ liver or kidney disease. You'r doctor s hould determine if you need a ■ frou ble unnating due to an enlarged prostate gland

■ pleart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ high b b od pressure Ask a doctor be fore use if you have

MAO) drug. If you donot know if your prescription drug contains an MAO), ask a doctor or pharmacist before taking this product. conditions, or Parkinson's disease), or for 2 weeks after stopping the (MAO)) (certain drugs for depression, psychiatric, or emotional

■ it you are now taking aprescription monoamine ox dase inhibitor Do not use ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. s6u rur eM

■ pemporarly refleves are breathing through the nose pemporarly restores freet breathing through the nose

■ reduces swe ling of nasal passages ■ itching of the nose or throat ■ nasal congestion

тісһу, матепу еуез up per respiratory allergies:

■ temporarily relieves these symptoms due to hay fever or other sasn

Pseud oephed rin e H Cl 1 20 mg. Triat agnocab lissalt. Cetifizine HCI 5 m (in each extended release tablet)

Purpose Active ingredients

Drug Facts

Important Read all product information before using. Keep this box for important in formation.

Foster & Thrive®

All Day A<mark>ll</mark>ergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets, 5 mg/120 mg ANTIHISTAMINE/NASAL DECONGESTANT

NDC70677-1311-2

Foster & Thrive®

ORIGINAL PRESCRIPTION STRENGTH

ay Allergy-D

Cetirizine Hydrochloride and Pseudoephédrine Hydrochloride Extended Release Tablets, 5 mg/120 mg

ANTIHISTAMINE/NASAL DECONGESTANT

ALLERGY + SINUS

Indoor & Outdoor Allergies

NASAL CONGESTION + SINUS PRESSURE

- Sneezing Itchy, Watery Eyes
- Runny Nose Itchy Nose or Throat

12 Hour Relief

24 EXTENDED RELEASE TABLETS













FOSTER AND THRIVE ALL DAY ALLERGY D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-1311

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg		
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg		

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677- 1311-2	24 in 1 CARTON	12/10/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:70677- 1311-1	12 in 1 CARTON	12/10/2025	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA210719	12/10/2025		

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 12/2025 Strategic Sourcing Services LLC