# ITCH REL SPR CVS- diphenhydramine hcl 2% zinc acetate 0.1% spray CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

#### Active ingredients

Diphenhydramine HCl – 2% Zinc Acetate – 0.1%

Topical analgesic Skin Protectant

**Purpose** 

#### Uses

temporarily relieves itching and pain associated with minor irritations, burns, scrapes, cuts, insect bites and rashes due to poison oak & poison sumac. Dries the oozing and weeping of poison ivy, poison oak & poison sumac.

#### Warnings

For external use only.

Flammable. Keep away from fire or flame.

**Do not use •** with any other product containing Diphenhydramine, even onetaken by mouth • on large areas of the body

#### Ask a doctor before use

- on chicken pox
- on measles

**■When using this product** • avoid contact with eyes

#### Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist more than 7 days or clear up and occur again within a few days

#### Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

#### **Directions**

• do not use more than directed • **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily • **Children under 2 years of age:** ask a doctor

#### Other information

Store at  $20^{\circ}$  -  $25^{\circ}$  C (68  $^{\circ}$  -  $77^{\circ}$  C)

#### **Inactive ingredients**

Alcohol, Glycerin, Povidone, Purified Water, Tromethamine





Drug Facts

DO NOT USE IF SAFETY SEAL LABEL IS TORN OR MISSING

Active ingredient Purpose
Diphenhydramine HCL 2% Topical analgesic

Diphenhydramine HCl 2%...Topical analgesic Zinc Acetate – 0.1%.....Skin protectant

Uses temporarily relieves itching and pain associated with minor irritations, burns, scrapes, cuts, insect

## Drug Facts (continued)

bites and rashes due to poison ivy, poison oak & poison sumac. Dries the oozing and weeping of poison ivy, poison oak & poison sumac.

## Warnings

For external use only. Flammable, Keep away from fire or flame.

Do not use • with any other product containing diphenhydramine, even one taken by mouth • on large areas of the body

Ask a doctor before use • on chicken pox • on measles

When using this product • avoid contact with the eyes

Stop use and ask doctor if • condition
worsens or does not improve within 7 days

 symptoms persist for more than 7 days or clear up and occur again in a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • do not use more than directed • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor.

Inactive ingredients Glycerin, PVP, SD Alcohol 40, Tromethamine, Water.

#### ITCH REL SPR CVS

diphenhydramine hcl 2% zinc acetate 0.1% spray

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-845 Route of Administration TOPICAL

| Active Ingredient/Active Moiety |                   |          |
|---------------------------------|-------------------|----------|
| Ingredient Name                 | Basis of Strength | Strength |

| <b>DIPHENHYDRAMINE HYDRO CHLO RIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE<br>HYDROCHLORIDE | 2 g<br>in 100 mL   |
|---|----------------------------------|--------------------|
| ZINC ACETATE ANHYDROUS (UNII: H2ZEY72PME) (ZINC CATION - UNII: 13S1S8SF37)                    | ZINC CATION                      | 0.1 g<br>in 100 mL |

| Inactive Ingredients            |          |
|---------------------------------|----------|
| Ingredient Name                 | Strength |
| ALCOHOL (UNII: 3K9958V90M)      |          |
| GLYCERIN (UNII: PDC6A3C0OX)     |          |
| PO VIDO NE (UNII: FZ989 GH94E)  |          |
| WATER (UNII: 059QF0KO0R)        |          |
| TROMETHAMINE (UNII: 023C2WHX2V) |          |

| Packaging |                    |   |                             |                           |
|-----------|--------------------|---|-----------------------------|---------------------------|
| ı         | # Item Code        | Package Description                               | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| ı         | 1 NDC:69842-845-02 | 59 mL in 1 CAN; Type 0: Not a Combination Product | 02/14/2014                  |                           |

| Marketing Information   |  |                      |                    |
|-------------------------|--|----------------------|--------------------|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part348                                  | 02/14/2014           |                    |
|                         |  |                      |                    |

## **Labeler -** CVS (062312574)

## Registrant - Product Quest Mfg (927768135)

| Establishment     |         |           |  |
|-------------------|---------|-----------|--|
| Name              | Address | ID/FEI    | Business Operations                      |
| Product Quest Mfg |         | 927768135 | manufacture(69842-845), label(69842-845) |

Revised: 12/2017 CVS