

MEIJER ANTI-ITCH- diphenhydramine hydrochloride and zinc acetate cream

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

meijer™

anti-itch

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Diphenhydramine hydrochloride 2%	Topical analgesic
Zinc acetate 0.1%	Skin protectant

Uses

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor skin irritations
 - minor cuts
 - scrapes
 - rashes due to poison ivy, poison oak, and poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end of cap to puncture seal.
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

Questions?

Call **1-866-923-4914**

**DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

meijer™

Skin Protectant

Compare to BENADRYL®
active ingredient*

Extra Strength

Anti-Itch Cream 2%
Diphenhydramine Hydrochloride

NET WT 1 OZ (28.4 g)

Topical Analgesic / Antihistamine • Skin Protectant

meijerTM

Skin Protectant

Compare to **BENADRYL**[®]
active ingredient*

Anti-Itch Cream 2%

Relieves pain and itch from insect bites, minor skin irritations and rashes from poison ivy, poison oak and poison sumac

meijer

Skin Protectant

Extra Strength

Anti-Itch Cream 2%

Diphenhydramine Hydrochloride

Topical Analgesic / Antihistamine • Skin Protectant

LPK-5933-2
0111-2
M113

meijer

Skin Protectant

Compare to **BENADRYL**[®]
active ingredient*

Extra Strength

Anti-Itch Cream 2%


Diphenhydramine Hydrochloride

Topical Analgesic / Antihistamine • Skin Protectant

NET WT 1 OZ (28.4 g)

meijer
Anti-Itch Cream 2%
Diphenhydramine Hydrochloride

T51



Drug Facts (continued)
Other Information
• To open, unscrew cap, use pointed end of cap to puncture seal.
• Store at room temperature.
• See carton or tube crimp for lot number and expiration date.
Inactive ingredients cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water.
Questions? Call 1-866-823-4914

NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT



DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com
Made in Canada.

This product is not
manufactured or
distributed by
Warner-Lambert
Consumer
Healthcare, owner
of the registered
trademark Benadryl[®]

Drug Facts
Active ingredients
Diphenhydramine hydrochloride 2%
Zinc acetate 0.1%
Purpose
..... Topical analgesic
..... Skin protectant
Uses
• temporarily relieves pain and itching associated with:
• insect bites • minor burns • sunburn • minor skin irritations • minor cuts
• rashes due to poison ivy, poison oak, and poison sumac
• chaps • the oozing and weeping of pox on ivy, poison oak, and poison sumac
Warnings
For external use only
Do not use
• on large areas of the body
• with any other product containing diphenhydramine, even one taken by mouth
Ask a doctor before use • on chicken pox • on measles
When using this product • avoid contact with eyes
Stop use and ask a doctor if
• condition worsens or does not improve within 7 days
• symptoms persist for more than 7 days or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• do not use more often than directed
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
• children under 2 years of age: ask a doctor
Caution
• children under 2 years of age: ask a doctor

MEIJER ANTI-ITCH

diphenhydramine hydrochloride and zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-089
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
diphenhydramine hydrochloride (UNII: TC2D6JAD40) (diphenhydramine - UNII:8GTS82S83M)	diphenhydramine hydrochloride	20 mg in 1 g
zinc acetate (UNII: FM5526K07A) (zinc cation - UNII:13S1S8SF37)	zinc acetate	1 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
cetyl alcohol (UNII: 936JST6JCN)	
glyceryl monostearate (UNII: 230OU9XXE4)	
PEG-100 stearate (UNII: YD01N1999R)	
methylparaben (UNII: A218C7H9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-089-02	1 in 1 CARTON	09/20/2005	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	09/20/2005	

Labeler - Meijer Distribution Inc (006959555)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41250-089)