

BC CHERRY- aspirin and caffeine powder
Lil' Drug Store Products, Inc

BC™ Cherry, Lil' Drug Store®

Drug Facts

Active ingredients (in each powder)	Purposes
Aspirin (NSAID *) 845 mg	Pain reliever
Caffeine 65 mg	Pain reliever aid

* nonsteroidal anti-inflammatory drug

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - backache
 - minor arthritis pain
 - muscle aches
 - colds
 - toothache
 - menstrual cramps

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- facial swelling
- asthma (wheezing)
- shock
- hives

Stomach bleeding warning

This product contains a NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed.

Caffeine warning

This product contains caffeine. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- diabetes
- gout
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **Adults and children 12 years of age and over:** place 1 powder on tongue every 6 hours, while symptoms last. Drink a full glass of water with each dose, or may stir powder into a glass of water or other liquid.
- do not take more than 4 powders in 24 hours unless directed by a doctor
- **children under 12 years of age:** ask a doctor

Other information

- store below 25°C (77°F)

Inactive ingredients

acesulfame potassium, colloidal silicon dioxide, flavor, guar gum, mannitol, microcrystalline cellulose, sucralose

Questions?

1-866-255-5197

TO OPEN CHILD-RESISTANT PACKAGE

[visual aid]

1. Shake pack so powder settles on bottom.

[visual aid]

2. Pinch and tear at either arrow or use scissors.

Keep carton for future reference.

Product manufactured for:

Dist. by Medtech Products Inc., Tarrytown, NY 10591

A Prestige Consumer Healthcare company

© 2022 Trade dress is owned by Medtech Products Inc. All rights reserved.

Product repackaged and distributed with permission of Medtech Products Inc. by:

Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404

1-877-507-6516 M-F (8 AM-4:30 PM CST) www.lildrugstore.com

PRINCIPAL DISPLAY PANEL - 2 Pack Carton

BC

ASPIRIN (NSAID) PAIN RELIEVER. CAFFEINE, PAIN RELIEVER AID

FAST PAIN RELIEF

POWDER

CHERRY

FLAVOR

[picture of stemmed cherries]

2 PACKS

[Lil' Drug Store® logo]



BC CHERRY

aspirin and caffeine powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9815
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	845 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GUAR GUM (UNII: E89I1637KE)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9815-2	2 in 1 CARTON	01/11/2019	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/01/2014	

Labeler - Lil' Drug Store Products, Inc (093103646)

Revised: 12/2023

Lil' Drug Store Products, Inc