

OXYGEN- oxygen gas
Dade Medical, Inc. dba Integrated Home Care

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

DO NOT REMOVE THIS PRODUCT LABEL

**OXYGEN,
COMPRESSED
USP**
UN 1072

C.A.S. NO: 7782-44-7



Manufactured / Filled by:
Representative Labeling
pursuant to 21 CFR 207.3 (10)
Company name and contact
information are printed in this
box.

PRODUCED BY AIR LIQUEFACTION

- ⚠ **WARNING:** CONTENTS UNDER HIGH PRESSURE AND CAN VIGOROUSLY ACCELERATE COMBUSTION. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME AND USE ONLY WITH EQUIPMENT CONDITIONED FOR OXYGEN SERVICE.
- ⚠ **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required.**
Caution: Federal Law prohibits dispensing without prescription.
- ⚠ **WARNING:** Uninterrupted use of high concentrations of oxygen for more than five (5) hours may may be harmful. Do NOT attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

KEEP OUT OF REACH OF CHILDREN.

- ⚠ **Caution:** Keep free from oil and grease. Open valve slowly and close valve after each use and when empty. Federal Law Requires that this Container be Filled with Oxygen U.S.P. Only by Establishments Registered as a Drug Producer in accordance with the Federal Food, Drug and Cosmetic Act.

Size	Contents
<input type="checkbox"/> "E"	682 Liters
<input type="checkbox"/> "D"	415 Liters
<input type="checkbox"/> "C"	248 Liters
<input type="checkbox"/> "B"	165 Liters
<input type="checkbox"/> "H"	6900 Liters
<input type="checkbox"/> "Other"	_____ Liters

**SMOKING, VAPING & OPEN FLAMES
NEAR OXYGEN ARE DANGEROUS.**



DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN, COMPRESSED USP

UN 1072

C.A.S. NO: 7782-44-7

Manufactured / Filled by:

PRODUCED BY AIR LIQUEFACTION

WARNING: CONTENTS UNDER HIGH PRESSURE AND CAN VIGOROUSLY ACCELERATE COMBUSTION.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME AND USE ONLY WITH EQUIPMENT CONDITIONED FOR OXYGEN SERVICE.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required. Caution: Federal Law prohibits dispensing without prescription.

WARNING: Uninterrupted use of high concentrations of oxygen for more than five (5) hours may be harmful. Do NOT attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

KEEP OUT OF REACH OF CHILDREN.

Caution: Keep free from oil and grease. Open valve slowly and close valve after each use and

when empty. Federal Law Requires that this Container be Filled with Oxygen U.S.P. Only by Establishments Registered as a Drug Producer in accordance with the Federal Food, Drug and

Cosmetic Act.

SMOKING, VAPING & OPEN FLAMES

NEAR OXYGEN ARE DANGEROUS.

NO SMOKING NO VAPING NO OPEN FLAME

OXYGEN, REFRIGERATED LIQUID

**USP
UN1073**



CONTENTS: _____ LITERS



↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

⚠ WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.
VIGOROUSLY ACCELERATES COMBUSTION.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.
CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use in accordance with the Material Safety Data Sheet (MSDS).

⚠ FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Manufactured / Filled By:
Representative Labeling
pursuant to 21 CFR 207.3 (10)
Company name and contact
information are printed in this box.

Keep Out of Reach of Children

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL

CAS NO: 7782-44-7

**SMOKING, VAPING & OPEN FLAMES
NEAR OXYGEN ARE DANGEROUS.**

NO SMOKING



NO OPEN FLAME



NO VAPING



UN1073

CONTENTS: _____ LITERS

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Keep Out of Reach of Children

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL

SMOKING, VAPING & OPEN FLAMES

NEAR OXYGEN ARE DANGEROUS.
 NO SMOKING NO OPEN FLAME NO VAPING

LOT
EXPIRATION DATE

Representative Labeling
 pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:70672-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70672-001-03	415 L in 1 CYLINDER; Type 0: Not a Combination Product	10/06/2009	
2	NDC:70672-001-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	10/06/2009	
3	NDC:70672-001-01	165 L in 1 CYLINDER; Type 0: Not a Combination Product	10/06/2009	
4	NDC:70672-001-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	10/06/2009	
5	NDC:70672-001-05	45 L in 1 DEWAR; Type 0: Not a Combination Product	10/06/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/06/2009	

Labeler - Dade Medical, Inc. dba Integrated Home Care (808840953)

Establishment

Name	Address	ID/FEI	Business Operations
Dade Medical, Inc. dba Integrated Home Care		080197951	manufacture(70672-001)

Establishment

Name	Address	ID/FEI	Business Operations
Dade Medical, Inc. dba Integrated Home Care		117328961	manufacture(70672-001)

Establishment

Name	Address	ID/FEI	Business Operations
Dade Medical, Inc. dba Integrated Home Care		808840953	manufacture(70672-001)

Revised: 10/2025

Dade Medical, Inc. dba Integrated Home Care