

**EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**gc204**

**Active Ingredients**

Acetaminophen 500 mg

**Purpose**

Pain Reliever/Fever Reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use..

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- **do not take more than directed**
- adults and children 12 years and over: Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

### Other Information

- store at 20°C-25°C (68°F-77°F)

### Inactive Ingredients

povidone, sodium starch glycolate, starch, stearic acid.

### Questions or comments?

**1-800-540-3765**

NDC 57896-204-01

**GERI-CARE**®

**EXTRA STRENGTH**  
**ACETAMINOPHEN**  
**500 mg**  
PAIN RELIEVER/ FEVER REDUCER

Compare to the active ingredient in Extra Strength **TYLENOL**®\*

**100 Tablets 500 mg each**

**Drug Facts**

**Active ingredient (in each tablet)**  
Acetaminophen 500 mg.....Pain Reliever / Fever Reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**
- adults and children 12 years and over: Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

**Other information**

- store at 20°C-25°C (68°F-77°F)

**Inactive ingredients:** povidone, sodium starch glycolate, starch, stearic acid.

**Questions or comments? 1-800-540-3765**

\* This product is not manufactured or distributed by the owner of the registered trademark **TYLENOL**®.  
DISTRIBUTED BY: GERI-CARE PHARMACEUTICALS CORP.  
1295 Towbin Avenue, Lakewood, NJ 08701  
REV 0524A1

**3 57896 20101 2**

## EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-204	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
STARCH, CORN (UNII: O8232NY3SJ)				
POVIDONE (UNII: FZ989GH94E)				
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
<b>Product Characteristics</b>				
<b>Color</b>	white (WHITE)	<b>Score</b>	no score	
<b>Shape</b>	ROUND (Round)	<b>Size</b>	12mm	
<b>Flavor</b>		<b>Imprint Code</b>	AZ011	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57896-204-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	02/28/2027
2	NDC:57896-204-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	10/31/2026
3	NDC:57896-204-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	10/31/2023
4	NDC:57896-204-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	02/28/2027
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M013	07/01/2018	02/28/2027	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)