

TUSSIN DM- tussin dm liquid
Allegiant Health

477 - Tussin DM

Active ingredient(s)

Dextromethorphan HBr 20 mg
Guaifenesin 200 mg

Purpose

Cough Suppressant
Expectorant

Use(s)

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Do not exceed recommended dosage

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24 hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product
- TSP=teaspoon • mL=milliliter • dose as follows:

Age	Dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- store at 15-30°C (59-86°F). Do not refrigerate
- alcohol-free
- see bottom panel for lot number and expiration date.


Inactive ingredients

Anhydrous citric acid, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sucralose, xanthan gum.

Questions/Comments

Call **1-888-952-0050** (Monday-Friday 9 AM – 5 PM EST)

Principal Display Panel



Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg.....Cough Suppressant
Guaifenesin 200 mg.....Expectorant

Purposes

Uses: • temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold, • helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.

Warnings

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

Do not exceed recommended dosage.

If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

Tussin Label



Tussin Carton

TUSSIN DM

tussin dm liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69168-477
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg in 10 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	RASPBERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-477-66	1 in 1 CARTON	07/23/2025	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		07/23/2025	

Labeler - Allegiant Health (079501930)

Revised: 7/2025

Allegiant Health