

**TUSSIN DM- tussin dm liquid**  
**Allegiant Health**

-----  
**477 - Tussin DM**

**Active ingredient(s)**

Dextromethorphan HBr 10 mg  
Guaifenesin 100 mg

(In each 5mL)

**Purpose**

Cough Suppressant  
Expectorant

**Use(s)**

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

**Do not exceed recommended dosage**

**If pregnant or breastfeeding,**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24 hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product
- TSP=teaspoon • mL=milliliter • dose as follows:

<b>Age</b>	<b>Dose</b>
adults and children 12 years and over	10 mL (2 Teaspoonfuls) every 4 hours
children under 12 years	do not use

**Other information**

- store at 15-30°C (59-86°F). Do not refrigerate
- alcohol-free
- see bottom panel for lot number and expiration date.

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.


**Inactive ingredients**

Anhydrous citric acid, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sucralose, xanthan gum.

**Questions/Comments**

Call **1-888-952-0050** (Monday-Friday 9 AM – 5 PM EST)

**Principal Display Panel**



**Drug Facts**

<b>Active ingredients (in each 5 mL)</b>		<b>Purposes</b>
Dextromethorphan HBr 10 mg	.....	Cough Suppressant
Guaifenesin 100 mg	.....	Expectorant

**Uses:** • temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold. • helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.

**Warnings**

**Do not use** • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use** if you have • cough that occurs with too much phlegm (mucus) • cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

**Do not exceed recommended dosage.**

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

**Tussin Label**



Tussin Carton

## TUSSIN DM

tussin dm liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69168-477
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL

<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 5 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>		
<b>Shape</b>		<b>Size</b>		
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69168-477-66	1 in 1 CARTON	07/23/2025	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M012	07/23/2025		

**Labeler - Allegiant Health (079501930)**

Revised: 7/2025

Allegiant Health