

**CHLORPHENIRAMINE MALEATE- chlorpheniramine maleate tablet**  
**PD-Rx Pharmaceuticals, Inc.**

-----

***Active ingredient (in each tablet)***

Chlorpheniramine maleate 4 mg

***Purpose***

Antihistamine

***Uses***

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

***Warnings***

**Do not use**

to make a child sleepy.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor

adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use

**Other information**

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from excessive moisture
- use by expiration date on package
- TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING FROM BOTTLE

**Inactive ingredients**

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

**Questions or comments?**

**1-800-645-2158**

**Principal Display Panel**

Drug Facts	
<b>Active Ingredient</b> (in each tablet)	<b>Purpose</b> Chlorpheniramine maleate 4 mg ... Antihistamine
<b>Uses</b>	Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • runny nose • sneezing • itchy nose or throat • itchy, watery eyes
<b>Warnings</b>	Do not use to make a child sleepy.
<b>Ask a doctor before use if you have</b>	• a breathing problem such as emphysema or chronic bronchitis • difficulty in urination due to enlargement of the prostate gland • glaucoma
<b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b>	
<b>When using this product</b>	• drowsiness may occur • avoid alcoholic beverages • alcohol, sedatives, and tranquilizers may increase drowsiness • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children


 GTIN: 00355289560241  
 SNO: I19D650005  
 EXP: 09/2021  
 LOT: I19D65


NDC 55289-560-24



# Chlorpheniramine Maleate

Marketed and Packaged By: **Antihistamine**  
 PD-Rx Pharmaceuticals, Inc  
 Oklahoma City, OK 73127  
 1-405-942-3040 v.18.19.0

## 4 mg



3 55289 56024 1

**24 Tablets**

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING FROM BOTTLE.

Drug Facts (continued)	
<b>If pregnant or breastfeeding</b> , ask a health professional before use.	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222	
<b>Directions:</b> • take every 4 to 6 hours, or as directed by a doctor	
Adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 years to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use
<b>Other information</b> • store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) • protect from excessive moisture	
<b>Inactive Ingredients</b> corn starch, D&C yellow # 10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose	
<b>Question or comments</b> 1-800-645-2158	

## CHLORPHENIRAMINE MALEATE

chlorpheniramine maleate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55289-560(NDC:0536-1006)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	8mm

<b>Flavor</b>		<b>Imprint Code</b>	44;194	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55289-560-24	24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
2	NDC:55289-560-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
3	NDC:55289-560-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	12/19/1992		

**Labeler** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Registrant** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Establishment**

Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(55289-560)

Revised: 6/2025

PD-Rx Pharmaceuticals, Inc.