

CHLORPHENIRAMINE MALEATE- chlorpheniramine maleate tablet
PD-Rx Pharmaceuticals, Inc.

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor

adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING FROM BOTTLE.

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-645-2158

Principal Display Panel

**Chlorpheniramine Maleate
4 mg**

Drug Facts	
Active Ingredient (in each tablet)	Purpose Chlorpheniramine maleate 4 mg ... Antihistamine
Uses	Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • runny nose • sneezing • itchy nose or throat • itchy, watery eyes
Warnings	Do not use to make a child sleepy.
Ask a doctor before use if you have	• a breathing problem such as emphysema or chronic bronchitis • difficulty in urination due to enlargement of the prostate gland • glaucoma
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
When using this product	• drowsiness may occur • avoid alcoholic beverages • alcohol, sedatives, and tranquilizers may increase drowsiness • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children


 GTIN: 00355289560241
 SNO: I19D650005
 EXP: 09/2021
 LOT: I19D65


NDC 55289-560-24



Chlorpheniramine Maleate

Marketed and Packaged By: **Antihistamine**
 PD-Rx Pharmaceuticals, Inc
 Oklahoma City, OK 73127
 1-405-942-3040 v.18.19.0

4 mg



3 55289 56024 1

24 Tablets

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING FROM BOTTLE.

Drug Facts (continued)	
If pregnant or breastfeeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222	
Directions: • take every 4 to 6 hours, or as directed by a doctor	
Adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 years to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use
Other information • store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) • protect from excessive moisture	
Inactive Ingredients corn starch, D&C yellow # 10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose	
Question or comments 1-800-645-2158	

CHLORPHENIRAMINE MALEATE

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55289-560(NDC:0536-1006)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	8mm

Flavor		Imprint Code	44;194	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55289-560-24	24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
2	NDC:55289-560-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
3	NDC:55289-560-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/26/2011	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	12/19/1992		

Labeler - PD-Rx Pharmaceuticals, Inc. (156893695)

Registrant - PD-Rx Pharmaceuticals, Inc. (156893695)

Establishment			
Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(55289-560)

Revised: 1/2025

PD-Rx Pharmaceuticals, Inc.