#### FAGOPYRUM ESCULENTUM- fagopyrum esculentum pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Fagopyrum esculentum 30C

Fagopyrum esculentum 30C HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves itching worsened by heat \*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

## BoironUSA.com Info@boiron.com

**1-800-BOIRON-1** (1-800-264-7661) Distributed by Boiron, Inc. Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.




# **Drug Facts**

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.







# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



| FAGOPYRUM ESCUL                                 | ENTUM                     |              |          |               |  |  |
|---|---------------------------|--------------|----------|---------------|--|--|
| fagopyrum esculentum pellet                     | :                         |              |          |               |  |  |
|   |                           |              |          |               |  |  |
| Product Information                             |                           |              |          |               |  |  |
| Product Type                                    | HUMAN OTC DRUG            | Item Code (S | ource)   | NDC:0220-2045 |  |  |
| Route of Administration                         | ORAL                      |              |          |               |  |  |
|   |                           |              |          |               |  |  |
| Active Ingredient/Active                        | Mojoty                    |              |          |               |  |  |
| Active ingredient/Active                        | Molety                    |              | Basis of |               |  |  |
| Ingre   | Strength                  |              |          |               |  |  |
| FAGOPYRUM ESCULENTUM (UNI<br>- UNII:B10M69172N) | 30 [hp_C]<br>in 30 [hp_C] |              |          |               |  |  |
|   |                           |              |          |               |  |  |
|   |                           |              |          |               |  |  |
| Inactive Ingredients                            |                           |              |          |               |  |  |
|   | Strength                  |              |          |               |  |  |
| LACTOSE, UNSPECIFIED FORM                       |                           |              |          |               |  |  |
| SUCROSE (UNII: C151H8M554)                      |                           |              |          |               |  |  |
|   |                           |              |          |               |  |  |
| Product Characteristics                         |                           |              |          |               |  |  |
| Color   | vhite                     | Score        |          |               |  |  |

|           | nape                               |                         | ROUND   | Size      |                         | 4mm                   |  |
|-----------|------------------------------------|-------------------------|---|-----------|-------------------------|-----------------------|--|
| Flavor    |                                    |                         | Imprint Code                                      |           |                         |                       |  |
| Contains  |                                    |                         |   |           |                         |                       |  |
|           |                                    |                         |   |           |                         |                       |  |
|           |                                    |                         |   |           |                         |                       |  |
| Packaging |                                    |                         |   |           |                         |                       |  |
| #         | ltem Code                          | Р                       | Package Description                               |           | Marketing Start<br>Date | Marketing End<br>Date |  |
| L         | NDC:0220-2045-<br>41               | 30 [hp_C] in<br>Product | [hp_C] in 1 TUBE; Type 0: Not a Combination oduct |           | 03/03/1983              |                       |  |
|           |                                    |                         |   |           |                         |                       |  |
|           |                                    |                         |   |           |                         |                       |  |
|           |                                    |                         |   |           |                         |                       |  |
| M         | larketing                          | Informa                 | tion  |           |                         |                       |  |
| Μ         | larketing<br>Marketing<br>Category |                         | <b>tion</b><br>ation Number or I<br>Citation      | Monograph | Marketing Start<br>Date | Marketing Enc<br>Date |  |

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

| Establishment |         |           |                            |  |  |  |  |  |
|---------------|---------|-----------|----------------------------|--|--|--|--|--|
| Name          | Address | ID/FEI    | <b>Business Operations</b> |  |  |  |  |  |
| Boiron        |         | 282560473 | manufacture(0220-2045)     |  |  |  |  |  |

Revised: 4/2024

Boiron