

FILIX MAS- dryopteris filix-mas root pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Filix mas 30C

Filix mas 30C HPUS

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves worms in children *

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

BoironUSA.com Info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

***C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.**

Filix mas

30^c

Relieves worms in children *

Made in France HOMEOPATHIC MEDICINE
HPUS NDC 0220-2127-41

Do not use if pellet dispenser seal is broken

| | LOT | EXP |
|---|-------|-------|
| 3 | 06960 | 31013 |

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Filix mas 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



Filix mas

30^c

HPUS NDC 0220-2127-41

HOMEOPATHIC MEDICINE Made in France

Worms in children.*

Filix mas 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

0 c

HOMEOPATHIC PRACTICE,
CE. NOT FDA EVALUATED.



Lot:

Exp:

3

06960

31013

6

Contains approx. 80 pellets.

US



Peel for **Drugs Facts** and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BeiverUSA.com Info@Beiver.com

BOIRONUSA.COM INFO@BOIRON.COM

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?



Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.

FILIX MAS

dryopteris filix-mas root pellet

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-2127 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------------|---------------------------|
| DRYOPTERIS FILIX-MAS ROOT (UNII: C0ZK0RRF5X) (DRYOPTERIS FILIX-MAS ROOT - UNII:C0ZK0RRF5X) | DRYOPTERIS FILIX-MAS ROOT | 30 [hp_C] in 30 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SUCROSE (UNII: C151H8M554) | |
| LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) | |

Product Characteristics

| | | | |
|----------|-------|--------------|-----|
| Color | white | Score | |
| Shape | ROUND | Size | 4mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0220-2127-41 | 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 03/03/1983 | |

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| Boiron | | 282560473 | manufacture(0220-2127) |

Revised: 6/2024

Boiron