

**CIRCLE K ALLERGY ANTIHISTAMINE- diphenhydramine hydrochloride tablet, film coated  
Lil' Drug Store Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Circle K™ Allergy  
Antihistamine**

***Drug Facts***

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control

Center right away (1-800-222-1222).

### Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

### Other information

- **each tablet contains:** calcium 25 mg
- store at 68°-77°F (20°-25°C)
- protect from light and moisture

### Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin<sup>1</sup>, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol<sup>1</sup>, purified water<sup>1</sup>, talc<sup>1</sup>, titanium dioxide

<sup>1</sup> contains one or more of these ingredients

### Questions or comments ?

Call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

**Proudly distributed by Circle K Stores Inc.**

**PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton - NDC 66715-5354-0**

**Compare to the Active Ingredient  
in Benadryl® Allergy\*\***

**CIRCLE K™**

**Allergy**

Diphenhydramine HCl 25 mg, Antihistamine

**ACTUAL SIZE**

**Relieves**

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

**24 Tablets**

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine

Compare to the Active Ingredient  
in Benadryl<sup>®</sup> Allergy\*\*

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine



ACTUAL SIZE

## Relieves

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

24 Tablets

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine

24 Tablets

Product manufactured for:  
Lil' Drug Store Products, Inc.  
9300 Earhart Lane SW



Cedar Rapids, IA 52404

Proudly distributed by Circle K Stores Inc.

PLD-C56Q FC006251

Lot No:  
Exp Date:



**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF  
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Drug Facts**

**Active ingredient  
(in each tablet)**

Diphenhydramine HCl 25 mg.....Antihistamine

**Purpose**

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children ▶

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

**Other information**

- each tablet contains: calcium 25 mg
- store at 68°-77°F (20°-25°C)
- protect from light and moisture

**Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol\*, purified water\*, talc\*, titanium dioxide  
 \* contains one or more of these ingredients

**Questions or comments ?**

Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

Diphenhydramine HCl 25 mg, Antihistamine

**Allergy**



**24 Tablets**



\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

57540C-US-05-16-A



**PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton - NDC 66715-5454-0**

**Compare to the Active Ingredient  
in Benadryl® Allergy\*\***

**CIRCLE K™**

**Allergy**

Diphenhydramine HCl 25 mg, Antihistamine

**ACTUAL SIZE**

**Relieves**

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

**24 Tablets**

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine

Compare to the Active Ingredient  
in Benadryl<sup>®</sup> Allergy\*\*

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine



ACTUAL SIZE

## Relieves

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

24 Tablets

CIRCLE K<sup>®</sup>

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine

24 Tablets

Product manufactured for:  
Lil' Drug Store Products, Inc.  
9300 Earhart Lane SW





Cedar Rapids, IA 52404

Proudly distributed by Circle K Stores Inc.

PLD-C56Q FC006251

Lot No:  
Exp Date:



**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF  
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Drug Facts**

**Active ingredient  
(in each tablet)**

Diphenhydramine HCl 25 mg.....Antihistamine

**Purpose**

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children ▶

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

**Other information**

- each tablet contains: calcium 25 mg
- store at 68°-77°F (20°-25°C)
- protect from light and moisture

**Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol\*, purified water\*, talc\*, titanium dioxide  
 \* contains one or more of these ingredients

**Questions or comments ?**

Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

Diphenhydramine HCl 25 mg, Antihistamine

**Allergy**



**24 Tablets**



\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

57540C-US-05-16-A



## CIRCLE K ALLERGY ANTIHISTAMINE

diphenhydramine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5354
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Diphenhydramine Hydrochloride</b> (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>Carnauba Wax</b> (UNII: R12CBM0EIZ)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>Croscarmellose Sodium</b> (UNII: M28OL1HH48)	
<b>D&amp;C red No. 27 Aluminum Lake</b> (UNII: ZK64F7XSTX)	
<b>Dibasic Calcium Phosphate Dihydrate</b> (UNII: O7TSZ97GEP)	
<b>Hypromellose, Unspecified</b> (UNII: 3NXW29V3WO)	
<b>Egg Phospholipids</b> (UNII: 1Z74184RGV)	
<b>Magnesium Stearate</b> (UNII: 70097M6I30)	
<b>Microcrystalline Cellulose</b> (UNII: OPIR32D61U)	
<b>Polyethylene Glycol 400</b> (UNII: B697894SGQ)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Polyvinyl Alcohol, Unspecified</b> (UNII: 532B59J990)	
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Talc</b> (UNII: 7SEV7J4R1U)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	V;25
<b>Contains</b>			



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5354-0	2 in 1 CARTON	01/30/2017	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	11/01/2014	

**CIRCLE K ALLERGY ANTIHISTAMINE**

diphenhydramine hydrochloride tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5454
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Diphenhydramine Hydrochloride</b> (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>Carnauba Wax</b> (UNII: R12CBM0EIZ)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>Croscarmellose Sodium</b> (UNII: M28OL1HH48)	
<b>D&amp;C red No. 27 Aluminum Lake</b> (UNII: ZK64F7XSTX)	
<b>Dibasic Calcium Phosphate Dihydrate</b> (UNII: O7TSZ97GEP)	
<b>Hypromellose, Unspecified</b> (UNII: 3NXW29V3WO)	
<b>Egg Phospholipids</b> (UNII: 1Z74184RGV)	
<b>Magnesium Stearate</b> (UNII: 70097M6I30)	
<b>Microcrystalline Cellulose</b> (UNII: OP1R32D61U)	
<b>Polyethylene Glycol 400</b> (UNII: B697894SGQ)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Polyvinyl Alcohol, Unspecified</b> (UNII: 532B59J990)	
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Talc</b> (UNII: 7SEV7J4R1U)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm

<b>Flavor</b>		<b>Imprint Code</b>	S4	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66715-5454-0	2 in 1 CARTON	01/30/2017	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH FINAL	part341	11/01/2014		

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Elysium Pharmaceuticals Limited		915664486	MANUFACTURE(66715-5454) , ANALYSIS(66715-5454) , PACK(66715-5454) , LABEL(66715-5454)

Revised: 11/2019

Lil' Drug Store Products, Inc.