BLUE ICE TOPICAL ANALGESIC- menthol and camphor gel CONVENIENT CASH AND CARRY INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Blue Ice Topical Analgesic Gel

Active Ingredients

Menthol 1.0%

Camphor 0.5%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor pains and aches of your muscles and joints associated with:

- Sports Injuries
- Sprains
- Arthritis
- Bruises

Warnings

For external use only. Avoid contact with eyes.

Ask a doctor before use if you have cough associated with :

- smoking
- excessive phlegm
- asthma
- emphysema
- persistent or chronic cough

When using this product, do not

- heat
- microwave
- add to hot water or any container where heating water may cause splattering and result in burns
- use in eyes or directly on mucous membranes
- take by mouth or place in nostrils
- apply to wounds or damaged skin
- bandage skin

Do not use with heating devices or pads.

Consult a doctor and discontinue use if condition worsens, persists for more than 1 week or tends to recur.

Keep out of reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions: see important warnings under "When using this product"

adults and children 2 years and over:

- apply to the affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult a physician.

Inactive Ingredients

Aqua, Isopropyl Alcohol, Propylene Glycol, Carbopol, PEG-40 Hydrogenated Castor Oil, Sodium Hydroxide , Disodium EDTA, Benzyl Alcohol, BHT & FD&C Blue No.1

PRINCIPAL DISPLAY PANEL

BLUE ICE TOPICAL ANALGESIC GEL

NET WT. 8 OZ (227g)

RINUDA RIBUED BY: Convenient Cash & Carry Inc. 120 Brow River Ave. Brox. NY 10472 3 6 6 5 3 5 6 9 8 5 6 3 4	TEMPORARY PAIN RELIEF WITH MENTHOL	Purpose Purpose Topical Analgesic	tor pains and aches of your this. Bhuises ontact with eyes. • estuma = emphysema	or any container where d result in burns = use in = take by mouth or place d skin = bandage skin	inue use if condition worsens, rtends to recur t: seek professional assistance or immediately.	rnings under "When using this over: more than 3 to 4 times daily consult a physician.	yl Alcohol rogenated Castor Oil, ryl Alcohol, BHT &
5 Convenient Car 1120 Bronx River Aver Aver Aver Aver Aver Aver Aver A	BLUE CE	ents 	emporary relief of minor pains djoints associated with: juries "Sprains "Arthritis " 5; all use only, Avoid contact 1 all use only, Avoid contact 1 or before use if you have cough the arcessive phelom " assthm at or chronic cough	his product, do not wave = add to hot water or may cause splattering and on mucous membranes = i ply to wounds or damaged th heating devices or pads.	1 week o thildren destion, ol Center	portant wa 2 years and ed area not ears of age	dients: Aqua, Isopropri Alcohol Carbopol, PEG-40 Hydrogenated Castor e, Disodium EDTA, Benzyl Alcohol, BHT &
	COOL GREASELESS FAST ACTING NET WT. 80Z (227g)	Drug Facts Active Ingredients Menthol Camphor	For the the uscles ar externing or externing or externing persiste	When using this pro Theat = microwave = heating water may can eyes or directly on mu in nostrils = apply to w Do not use with heating	Consult a doctor and persists for more than Keep out of reach of In case of accidental in contact a Poison Contr	Directions: see im product" adults and children. apply to the affect children under 2 y	Inactive Ingredi Propylene Glycol, Ca Sodium Hydroxide, I FD&C Blue No. 1

menthol and camphor gel						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source	e (Source) NDC:69		312-006	
Route of Administration	TOPICAL					
Active Ingredient/Active Mo	iety					
I	ngredient Name		Basis of S	Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) MENTHOL					1 g in 100 g	
CAMPHOR (SYNTHETIC) (UNII: 5TJ UNII:5TJD82A1ET)	D82A1ET) (CAMPHOR (SYNTHE	TIC) -	CAMPHOR (SYNTHETIC)	.5 g in 100	
. , , ,	D82A1ET) (CAMPHOR (SYNTHE	TIC) -)	.5 g in 100	
,	D82A1ET) (CAMPHOR (SYNTHE	TIC) -)	.5 g in 100	
UNII:5TJD82A1ET)	D82A1ET) (CAMPHOR (SYNTHE Ingredient Name)	.5 g in 100 Strength	
UNII:5TJD82A1ET) Inactive Ingredients)		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0K00R)	Ingredient Name)		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0K00R) ISOPROPYL ALCOHOL (UNII: ND2)	Ingredient Name M416302))		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0K00R) ISOPROPYL ALCOHOL (UNII: ND2) PROPYLENE GLYCOL (UNII: 6DC90	Ingredient Name W416302) Q167V3)		(SYNTHETIC))		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0KO0R) ISOPROPYL ALCOHOL (UNII: ND21 PROPYLENE GLYCOL (UNII: 6DC90 CARBOMER HOMOPOLYMER TYP	Ingredient Name M416302) Q167V3) E B (ALLYL SUCROSE CROSS	SLINKED) (UNII: Z135W	(SYNTHETIC))		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0K00R) ISOPROPYL ALCOHOL (UNII: ND2) PROPYLENE GLYCOL (UNII: 6DC9) CARBOMER HO MOPOLYMER TYP POLYOXYL 40 HYDROGENATED (Ingredient Name M416302) Q167V3) E B (ALLYL SUCROSE CROSS CASTOR OIL (UNII: 7YC686GQ	SLINKED) (UNII: Z135W	(SYNTHETIC))		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0KO0R) ISOPROPYL ALCOHOL (UNII: ND21 PROPYLENE GLYCOL (UNII: 6DC90 CARBOMER HOMOPOLYMER TYP POLYOXYL 40 HYDROGENATED (SODIUM HYDROXIDE (UNII: 55X040	Ingredient Name M416302) Q167V3) E B (ALLYL SUCROSE CROSS CASTOR OIL (UNII: 7YC686GQ QC32I)	SLINKED) (UNII: Z135W	(SYNTHETIC))		
UNII:5TJD82A1ET) Inactive Ingredients WATER (UNII: 059QF0K00R) ISOPROPYL ALCOHOL (UNII: ND21 PROPYLENE GLYCOL (UNII: 6DC90 CARBOMER HOMOPOLYMER TYP POLYOXYL 40 HYDROGENATED (SODIUM HYDROXIDE (UNII: 55X040 EDETATE DISODIUM (UNII: 7FLD910	Ingredient Name M416302) Q167V3) E B (ALLYL SUCROSE CROSS CASTOR OIL (UNII: 7YC686GQ QC32I) C86K)	SLINKED) (UNII: Z135W	(SYNTHETIC))		
	Ingredient Name W416302) Q167V3) E B (ALLYL SUCROSE CROSS CASTOR OIL (UNII: 7YC686GQ QC32I) C86K) WWBH)	SLINKED) (UNII: Z135W	(SYNTHETIC))		

Packaging					
# Item Code	Package Description	Marketi	ing Start Date	Marketing End Date	
1 NDC:69312-006-15	127 g in 1 TUBE				
2 NDC:69312-006-16	170 g in 1 TUBE				
B NDC:69312-006-13	170 g in 1 BOTTLE, PLASTIC				
4 NDC:69312-006-17	227 g in 1 BOTTLE, PLASTIC				
5 NDC:69312-006-18	300 g in 1 BOTTLE, PLASTIC				
6 NDC:69312-006-19	500 g in 1 BOTTLE, PLASTIC				
Marketing Info	rmation				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Dat	
			12/19/2014		

Labeler - CONVENIENT CASH AND CARRY INC (078633121)

Registrant - Anicare Pharmaceuticals Pvt. Ltd (916837425)

Establishment

E.

Name	Address	ID/FEI	Business Operations
Anicare Pharmaceuticals Pvt. Ltd		916837425	manufacture(69312-006)

Revised: 12/2014

CONVENIENT CASH AND CARRY INC