

PSEUDOEPHEDRINE HCL- pseudoephedrine hydrochloride tablet
Innovida Pharmaceutique Corporation

Active Ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years take 2 tablets every 4 to 6 hours; do not take more than 8

and older	tablets in 24 hours
children ages 6 to 12 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Other Information

- Store in a dry place at 15°-30°C (59°-86°F)

Inactive Ingredients

calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide

Questions or Comments? 1-888-462-4166

Product label

Pseudoephedrine HCL

NDC: 71800-054-08

Pseudoephedrine HCL

30 mg

NASAL DECONGESTANT

24 Tablets

Pseudoephedrine HCL

NASAL DECONGESTANT

24 Tablets

Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg.....Nasal decongestant

Purpose

Drug Facts (continued)

Uses • temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies • temporarily restores freer breathing through the nose

Warnings

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains and MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product • do not exceed recommended dose

Stop use and ask a doctor if • nervousness, dizziness, or sleeplessness occur • symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and older	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 12 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Mfd. for:
Innovide Pharmaceutique
Corporation
Phoenix, AZ 85040
Tel: 888-462-4166

Other information Store in a dry place at 15° – 30°C (59° – 86°F).

Inactive ingredients: calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide

Questions or Comments? 1-888-462-4166



PSEUDOEPHEDRINE HCL

pseudoephedrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71800-054
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
KAOLIN (UNII: 24H4NWX5CO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
TALC (UNII: 7SEV7J4R1U)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71800-054-08	24 in 1 BLISTER PACK; Type 0: Not a Combination Product	02/10/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/10/2025	

Revised: 3/2025

Innovida Pharmaeutique Corporation