SLMD BP BODY WASH- benzoyl peroxide gel Owen Biosciences Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Benzoyl Peroxide 5.0%

Use

For the management of acne.

Warnings For external use only.

When using this product:

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this products
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration

Do not use if you

- have sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor if

•irriatation becomes servere

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Lather between palms with water. Massage in circular motion on wet skin for 20-30 seconds and rinse thoroughly.
- Because excessive drying of the skin may occur, start with one application daily. Then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.
- Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Store in a cool, dry place.

Water, Sodium C14-16 Olefin Sulfonate,
Coco-Betaine, Acrylates/C10-30 Alkyl Acrylate
Crosspolymer, Cocoyl Arginine Amide,
Niacinamide, Mandelic Acid, Malic Acid,
Safflower Acids, Syringa Vulgaris (Lilac) Extract,
Penthenol, Aloe Barbadensis Leaf Extract,
Allantoin, Tocopheryl Acetate, Myristoyl
Tetrapeptide-13, Myristoyl Hexapeptide-23,
Lauric Acid, Lactobacillus Ferment Lysate,
Beta-glucan, Butylene Glycol, Eucalyptus
Globulus Leaf Oil, Pentylene Glycol,
Hydroxyphenyl Propamidobenzoic Acid,
Phenoxyethanol, Caprylyl Glycol.

For the treatment of Acne

BP Body Wash.jpg



Drug Facts

Active Ingredients Purpose

Use for the management of some

Warnings For external use only.

- When using this product:

 skin irritation and dryness is more likely to occur if you use another topical some medication at the same time. If inflation occurs, only use one topical some medication is a simple of the same time. at a time
- avoid unnecessary sun exposure and use a
- avoid unnecessory sun exposure and use a sunscreen
 avoid contact with the eyes, ips, and mouth avoid contact with their and dyed tabrics, which may be bleached by this product
 akin inhabon may occur, characterized by redness, burning, fiching, pealing, or possibly swelling, inhabon may be reduced by using the product less frequently or in a lower concentration

De not use if you • have sensitive skin • are sensitive to benzoyl peroxide

Stop use and ask a doctor If imitation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Directions

 Lather between paims with water. Massage in closular motion on wet sidn for 20-30 seconds and rinse thorsughly.

 Bocause excessive drying of the skin may coost, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.

 If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

 If going cutaide, apply sunscreen after using this product. If imitation or sensitivity develops, stop use of both products and esk a doctor.

 Sansitivity Test for a New Liser: Apply product sparingly to one or two small affected areas during the first 3 days. If no disconfrot occurs, follow the circotions stated above.

Other information Store in a cool, dry place.

Drug Facts (continued)

Inactive Ingredients
Water, Sodium C14-16 Olefin Sulfonate,
Coco Betaine, Acrylates/C10-20 Aliefa Acrylate
Crosspolymer, Cocoyi Agrinine Amide,
Nischamide, Mandelic Acid, Malic Acid,
Distriction of Cocoyi Agrinine Amide Nischaemick, Mandelic Act, Marik Add, Saffower Acids, Syringa Wilgarte Lilaci, Estract, Parthenot, Aloe Bartodonski Loaf Estract, Alarstoin, Tocophenyi Acetato, Myristoyi Taraspacido 13, Myristoyi Hosopapitole-23, Lauric Acid, Lacobacilus Ferment Lyoste, Betr-glucan, Bulylence Gyood, Betr-glucan, Bulylence Gyood, Hydrosophenyi Proparaldolerardo Acid, Phencoyethenol, Caprylyi Glycol.





skin approved

MD to bridge the gap between the cluttered skincare asie and a doctor's visit. You can trust each bottle will contain only the most effective ingradients, in formulas that your skin will love. Think of it as a trip to Dr. Rimple Popper's office, no appointment necessary.

BP Body Wash

shoulders. And anywhere else, its strength comes from Berazyl Percelole - on core-fighting powerhouse that attacks Proplanibacterium acres, or the Invades that cause Inflammatory breakouts. In a dearwing gel formula, it's strong enough to manage body one and quell inflammation, but gentle enough for everyday use. Your bottle won't stand a chance.

How to use:

Apply onto hands & create a lather. Massage into wet skin, focusing on cone-prone creas. Rinse thoroughly with warm water. For bast results, use once dely and follow with Solicylic Add Body.

BP Body Wash

all-over acne cleanser



7.5 fl. oz. / 222 ml.

BP Body Wash.jpg



Drug Facts

Active Ingredients Purpose

Use for the management of some

Warnings For external use only.

- When using this product:

 skin inflation and dryness is more likely to occur if you use another topical acre medication at the same time. If inflation occurs, only use one topical acre medication. at a time

- at a time
 avoid unnecessary sun exposure and use a
 sunscreen
 avoid contact with the eyes, ipe, and mouth
 avoid contact with their and dyed labrics,
 which may be bleached by this product
 skin intration may occur, characterized by
 redress, burning, itching, peeling, or possibly
 swelling, intration may be reduced by using
 the product less frequently or in a lower
 concentration

Stop use and sak a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Directions

 Lather between palms with water. Massage in drouter motion on wet skin for 20-30 seconds and rinse thoroughly.

 Seconds expected by the palms with may occur, start with one application daily, then grackastly increase to two or three times daily. If needed or as directed by a doctor.

 If botheroome dryness or peeding occurs, reduce application to once a day or every other day.

 If going outside, apply sunscreen after using this product. If installion or sensitivity develops, stop use of both products and ask a doctor.

 Sensitivity Test for a New Lear: Apply product sparingly to one or two small.

- product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions

Other information Store in a cool, dry place.

Drug Facts (continued)

Inactive Ingredients
Water, Sodium C14-16 Olefin Sulfonate, Coco-Betaine, Acrylates/C10-30 Allyl Acrylate Crosspolymer, Cocoyl Arginine Amide, Nacinamide, Mandelic Acid, Melic Acid, Nischamick, Nisndalic Acid, Nislic Add, Safflower Acids, Syringa Niljayate (Lilad) Estract, Parthanol, Aloo Batrodonski Loaf Estract, Allantoin, Tocophenyi Acetata, Myristoyi Tarispacidda 13, Myristoyi Fiscopapitisi-20, Lauric Acid, Lacobacillus Perment Lycelle, Belar-glucan, Belylence Gyod, Eucatyptus Globuso Leaf Oli, Pornylenc Gyod, Hydracophenyi Penparidoleraziok Acid, Phencoyethenol, Caprylyi Olycol.





skin approved

MD to bridge the gap between the clustered skincare alsie and a doctor's visit. You can trust each bottle will contain only the most effective ingredients, in formulas that your skin will love. Think of it as a trip to Dr. Rimple Popper's office,

BP Body Wash

acres, or the invoders that cause inflammatory bank, or he involved that observations to breakouts. In a decreting get formula, its strong enough to manage body othe and quell inflammation, but gettle enough for everyday use. Your bothe won't stand a chance.

How to use:

Apply onto hands & create a lather. Massage into wet skin, focusing on oone-prone creas. Rinse thoroughly with warm water. For best results, use once dely and follow with Soliopic Add Body.

BP Body Wash

all-over acne cleanser



7.5 fl. oz. / 222 ml.

SLMD BP BODY WASH

benzoyl peroxide gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59958-406
Route of Administration	Topical		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BENZO YL PERO XIDE (UNII: W9 WZN9 A0 GM) (BENZO YL PERO XIDE - UNII:W9 WZN9 A0 GM)	BENZOYL PEROXIDE	5 g in 100 g		

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)	70 g in 100 g	
SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)	15 g in 100 g	
COCO-BETAINE (UNII: 03DH2IZ3FY)	5 g in 100 g	

	Packaging				
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:59958-406-02	1 in 1 CARTON	08/30/2019		
	NDC:59958-406-01	222 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333D	08/30/2019		

Labeler - Owen Biosciences Inc. (790003045)

Registrant - Owen Biosciences Inc. (790003045)

Establishment				
Name	Address	ID/FEI	Business Operations	
Owen Biosciences Inc.		790003045	manufacture(59958-406)	

Revised: 8/2019 Owen Biosciences Inc.