

**COLD AND FLU DAYTIME- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled
Safeway, Inc.**

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCL 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves common cold and flu symptoms:
 - minor aches & pains
 - headache
 - sore throat
 - nasal congestion
 - fever
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness or sleeplessness occur
- fever gets worse or last more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults and for children even if you do not notice any signs or symptoms

Directions

- **do not take more than directed (see overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

Other information

- store between 15– 30°C (59-86°F)
- avoid excessive heat

Inactive ingredients

FD&C Yellow #6, FD&C red #40, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call **1-877-753-3935** Monday- Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO Vicks® DayQuil® Cold & Flu LiquiCaps® active ingredients†

Non-Drowsy Daytime**Cold & Flu Relief**

ACETAMINOPHEN 325mg - Pain Reliever/Fever Reducer

DEXTROMETHORPHAN HBr 10 mg - Cough Suppressant

PHENYLEPHRINE HCL 5mg - Nasal Decongestant

- Non-drowsy
- Alcohol-free
- Antihistamine-free

SOFTGELS**

(**Liquid-filled capsules)

†This product is not manufactured or distributed by The Procter & Gamble Company, Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

Product Label

<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p> <p>Inactive ingredients FD&C yellow #6, FD&C red #40, gelatin, glycerin, lecithin, light mineral oil, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink</p> <p>Other information ■ store between 15-30°C (59-86°F) ■ avoid excessive heat</p>	<p>When using this product, do not exceed recommended dosage.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>■ cough that occurs with too much phlegm (mucus) ■ emphysema ■ persistent or chronic cough such as occurs with smoking, asthma, or trouble urinating due to an enlarged prostate gland</p> <p>■ heart disease ■ thyroid disease ■ high blood pressure</p> <p>Ask a doctor before use if you have ■ liver disease ■ diabetes</p>
<p>Directions ■ do not take more than directed (see Overdose warning) ■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing</p> <p>■ children under 12 years: do not use ■ swallow whole; do not crush, chew, or dissolve ■ adults and children 12 years and over: take 2 softgels with water every 4 hours ■ do not take more than 4 doses in 24 hours</p>	<p>Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</p> <p>■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p>
<p>Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Keep out of reach of children.</p> <p>If pregnant or breast-feeding, ask a health professional before use. These could be signs of a serious condition.</p> <p>■ cough comes back or occurs with rash or headache that lasts. ■ redness or swelling is present ■ new symptoms occur ■ fever gets worse or lasts more than 3 days ■ nervousness, dizziness, or sleeplessness occur ■ pain, cough, or nasal congestion gets worse or lasts more than 7 days</p> <p>Stop use and ask a doctor if</p> <p>Drug Facts (continued)</p>	<p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product</p> <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash</p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p>Drug Facts (continued)</p>

<p>Drug Facts (continued)</p> <p>Uses ■ temporarily relieves common cold and flu symptoms: ■ minor aches and pains ■ headache ■ sore throat ■ nasal congestion ■ fever ■ cough due to minor throat and bronchial irritation</p>	<p>Drug Facts</p> <p>Active ingredients (in each softgel) Acetaminophen 325 mg.....Pain reliever/fever reducer Dextromethorphan HBr 10 mg.....Cough suppressant Phenylephrine HCl 5 mg.....Nasal decongestant</p>
---	---



Compare to
Vicks® DayQuil®
Cold & Flu LiquiCaps®
active ingredients†

NDC 21130-598-24

Non-Drowsy Daytime Cold & Flu Relief

ACETAMINOPHEN 325 mg - Pain Reliever/Fever Reducer
DEXTROMETHORPHAN HBr 10 mg - Cough Suppressant
PHENYLEPHRINE HCl 5 mg - Nasal Decongestant

Actual Size



24 SOFTGELS**

- Non-drowsy
- Alcohol-free
- Antibismine-free

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Antihistamine-free

(**Liquid-filled capsules)

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com

OUR PROMISE

QUALITY & SATISFACTION

100% GUARANTEED

OR YOUR MONEY BACK.

PLD-H584B FC008036 Product of China

PAPER BOX

MULTI-LAYER TRAY

how2recycle.info

Scan here for more information

S2801 RD 21343

3 2 1130 76334 5

This product is not manufactured or distributed by The Procter & Gamble Company.

Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

SIGNATURE CARE Non-Drowsy Daytime Cold & Flu Relief

COLD AND FLU DAYTIME			
acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-598
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg
Inactive Ingredients			
Ingredient Name			Strength
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ989GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SORBITAN (UNII: 6O92ICV9RU)			
SORBITOL (UNII: 506T60A25R)			
MANNITOL (UNII: 3OWL53L36A)			
LIGHT MINERAL OIL (UNII: N6K5787QVP)			
Product Characteristics			
Color	orange	Score	no score

Shape	CAPSULE	Size	20mm	
Flavor		Imprint Code	PC9	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-598-24	24 in 1 CARTON	12/27/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		12/27/2019	

Labeler - Safeway, Inc. (009137209)