

**SHISEIDO ULTIMATE SUN PROTECTOR- octisalate, homosalate, octocrylene,
and avobenzone lotion
SHISEIDO AMERICAS CORPORATION**

SHISEIDO ULTIMATE SUN PROTECTOR LOTION

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Octisalate 5.0%	Sunscreen
Avobenzone 2.3%	Sunscreen
Homosalate 10.0%	Sunscreen
Octocrylene 5.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame, or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every two hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

:WATER■DIISOPROPYL SEBACATE■TALC■METHYL METHACRYLATE
CROSSPOLYMER■DIMETHICONE■PEG/PPG-9/2 DIMETHYL ETHER■SD ALCOHOL 40-
B■LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL
DIMETHICONE■TRIETHYLHEXANOIN■GLYCERIN■DEXTRIN PALMITATE■SUCROSE
TETRASTEARATE TRIACETATE■ISODODECANE■PPG-3
DIPIVALATE■TRIMETHYLSILOXYSILICATE■SILICA■SODIUM CHLORIDE■PEG/PPG-14/7
DIMETHYL ETHER■SAXIFRAGA SARMENTOSA EXTRACT■CAMELLIA SINENSIS LEAF
EXTRACT■SOPHORA ANGUSTIFOLIA ROOT EXTRACT■PPG-17■DISTEARDIMONIUM
HECTORITE■CALCIUM STEARATE■ISOSTEARIC ACID■PALMITIC ACID■TRISODIUM
EDTA■ALCOHOL■SILICA DIMETHYL Silylate■VINYL DIMETHICONE/METHICONE
SILSESQUIOXANE CROSSPOLYMER■PEG-6■BHT■TOCOPHEROL■BUTYLENE
GLYCOL■STEARIC ACID■SODIUM METABISULFITE■SYZYGIUM JAMBOS LEAF
EXTRACT■POLYSILICONE-2■METHYLPARABEN■FRAGRANCE■IRON OXIDES■

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 150 mL Bottle Label

SHISEIDO
GINZA TOKYO

Ultimate
Sun Protector Lotion

50+

SynchroShield
WetForce x HeatForce

Turns Invisible

BROAD SPECTRUM
SPF 50+

For Face/Body

WATER RESISTANT
(80 MINUTES)

SUNSCREEN

150mL 5 FL. OZ.

SHISEIDO
GINZA TOKYO

Ultimate
Sun Protector Lotion

50+



SynchroShield
WetForce x HeatForce

Turns Invisible

BROAD SPECTRUM
SPF 50+

For Face/Body

WATER RESISTANT
(80 MINUTES)
SUNSCREEN

150mL 5 FL. OZ.



SHISEIDO
ULTIMATE SUN PROTECTOR LOTION
BROAD SPECTRUM SPF 50+

Powerful sun protection with SynchroShield™. The protective veil becomes even stronger whenever it senses heat, water or perspiration*. This lotion provides a seamless protection against UVA/UVB rays, urban pollutants** and dryness. Blends in rapidly. Enriched with skincare ingredients to help prevent the appearance of fine lines, wrinkles and uneven skin tone.

•Featuring HeatForce & WetForce technology. With heat, water or perspiration, additional strength within the protective veil is activated.*

NON-COMEDOGENIC. DERMATOLOGIST AND OPHTHALMOLOGIST-TESTED.

*The HeatForce technology is activated on hot days, after the formula is applied to the skin. To activate the WetForce technology, expose the applied area to water or perspiration for 30 minutes. ** dust and soot

Drug Facts

Active ingredients

Active ingredients	Purpose
AVOBENZONE 2.3%	Sunscreen
HOMOSALATE 10.0%	Sunscreen
OCTISALATE 5.0%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

Uses ■helps prevent sunburn ■if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable : Do not use near heat, flame, or while smoking.

Directions For sunscreen use: ■apply liberally 15 minutes before sun exposure ■reapply: · after 80 minutes of swimming or sweating · immediately after towel drying · at least every 2 hours ■Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: · limit time in the sun, especially from 10 a.m. - 2 p.m. · wear long-sleeve shirts, pants, hats, and sunglasses ■children under 6 months: Ask a doctor

Inactive ingredients WATER · DIISOPROPYL SEBACATE · TALC · METHYL METHACRYLATE COPOLYMER · DIMETHICONE · PEG/PPG-9/2 DIMETHYL ETHER · SD ALCOHOL 40-B · LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · TRIETHYLHEXANOIN · GLYCERIN · DEXTRIN PALMITATE · SUCROSE TETRASTEARATE TRIACETATE · ISODODECANE · PPG-3 DIPIVALATE · TRIMETHYLSILOXYMETHYL DIMETHICONE · SILICA · SODIUM CHLORIDE · PEG/PPG-14/7 DIMETHYL ETHER · SAXIFRAGA SARMENTOSA EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · SOPHORA ANGUSTIFOLIA ROOT EXTRACT · PPG-17 · DISTEARDIMONIUM HECTORITE · CALCIUM STEARATE · ISOSTEARIC ACID · PALMITIC ACID · TRISODIUM EDTA · ALCOHOL · SILICA DIMETHYL Silylate · VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER · PEG-6 · BHT · TOCOPHEROL · BUTYLENE GLYCOL · STEARIC ACID · SODIUM METABISULFATE · SYZYGIUM JAMBOS LEAF EXTRACT · POLYSILOXANE-2 · METHYLPARABEN · FRAGRANCE · IRON OXIDES ·

Other Information ■protect this product in this container from excessive heat and direct sun.

Questions or Comments? Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.





SHISEIDO ULTIMATE SUN PROTECTOR

octisalate, homosalate, octocrylene, and avobenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-481
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	50 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	23 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
TALC (UNII: 7SEV7J4R1U)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-9/2 DIMETHYL ETHER (UNII: LM6Q66468X)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
GLYCERIN (UNII: PDC6A3C0OX)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
SUCROSE TETRASTEARATE TRIACETATE (UNII: 1K7LBQ045N)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	

GREEN TEA LEAF (UNII: W2ZU1RY8B0)
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)
PPG-17 (UNII: OVOQ322E0U)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CALCIUM STEARATE (UNII: 776XM7047L)
ISOSTEARIC ACID (UNII: X33R8U0062)
PALMITIC ACID (UNII: 2V16EO95H1)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
STEARIC ACID (UNII: 4ELV7Z65AP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
SYZYGIIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
METHYLPARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-481-10	1 in 1 CARTON	01/01/2020	
1		150 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58411-481-11	1 in 1 CARTON	01/01/2020	
2		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:58411-481-12	1 in 1 CARTON	01/01/2020	
3		300 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	01/01/2020	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-481) , MANUFACTURE(58411-481)

Revised: 3/2025

SHISEIDO AMERICAS CORPORATION