

**PAIN RELIEVER PM- acetaminophen, diphenhydramine hcl tablet, coated  
Family Dollar (FAMILY WELLNESS)**

-----  
**Drug Facts**

**Active ingredients (in each caplet)**

**Acetaminophen 500 mg**

Diphenhydramine HCL 25 mg

**Purpose**

**Pain reliever**

Nighttime sleep-aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other products containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or last more than 10 days
- fever gets worse or last more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients**

croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide,

sodium starch glycolate, talc, titanium dioxide

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH TYLENOL® PM†

#### **EXTRA STRENGTH**

#### **PAIN RELIEVER PM**

Acetaminophen 500 mg Pain Reliever

Diphenhydramine HCL 25 mg Nighttime Sleep Aid

Non-Habit Forming

For ages 12 years and over

CAPLETS

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY

MIDWOOD BRANDS LLC

500 VOLVO PKWY,

CHESAPEAKE, VA 23320

### **Package Label**

PLD-B596A FC008670 Lot No.: Exp. Date:

100% SATISFACTION GUARANTEE

RETURN WITHIN 30 DAYS TO THE STORE OF PURCHASE FOR A REFUND WITH RECEIPT OR EXCHANGE.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA  
PRODUCT OF INDIA

SKU 900559  
0 32251 92098 1

**Drug Facts (continued)**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see Overdose warning)
- adults and children 12 years of age and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years of age: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients** croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromelloses, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Drug Facts (continued)**

- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleepiness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.**

\*This product is not manufactured or distributed by McKell Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Drug Facts**

**Active ingredients (in each caplet)**  
Acetaminophen 500 mg.....Pain Reliever  
Diphenhydramine HCl 25 mg.....Nighttime Sleep-Aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleepiness.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin

FAMILY Wellness™

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH TYLENOL® PM†

**EXTRA STRENGTH PAIN RELIEVER PM**

**Acetaminophen 500 mg Pain Reliever**  
Diphenhydramine HCl 25 mg Nighttime Sleep-Aid

Non Habit-Forming  
For Ages 12 Years & Over

**24 CAPLETS**

NIGHT-TIME

ACTUAL SIZE

MDC 55319-562-24

**FAMILY WELLNESS Extra Strength Pain Reliever PM**

**PAIN RELIEVER PM**

acetaminophen, diphenhydramine hcl tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-562
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	P525
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-562-10	1 in 1 BOX	07/01/2023	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:55319-562-50	1 in 1 BOX	07/01/2023	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:55319-562-24	1 in 1 BOX	07/01/2023	
3		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/01/2023	

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 3/2024

Family Dollar (FAMILY WELLNESS)