SINSINPAS PAIN RELIEVING PATCH- dl-camphor, l-menthol, methyl salicylate patch Sinsin Pharmaceutical Co., Ltd.

SINSINPAS Pain Relieving Patch

Active Ingredients

DL-Camphor (1.21%) L-Menthol (5.54%) Methyl Salicylate (6.11%)

Purpose

Topical Analgesic

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Uses

For the temporarily relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- Simple backache
- Strains
- Bruises
- Sprains

Warnings

For external use only

Do not use

- on wounds or damaged skin
- if you are allergic to any ingredients of this product
- with a heating pad
- with, or at the same time as, other external analgesic products

When using this product

- do not use otherwise than directed
- avoid contact with eyes, mucous membranes or rashes

• do not bandage tightly

Ask a doctor before use if you are prone to allergic reaction from aspirin or salicylates

Stop use and ask a doctor if

- rash, itching, or excessive skin irritation develops
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Directions

Adults and children 12 years of age and over:

- Clean and dry affected area
- Remove patch from film
- Apply to affected area no more than 3 to 4 times daily for 7 days
- Remove patch from skin after at most 8 hours' application

Children undress 12 years of age: consult a doctor

Inactive Ingredients

Butylated Hydroxytoluene, Ester Gum, Natural Rubber, Polybutene, Polyisobutylene, Precipitated Calcium Carbonate, Quintone, Sorbitan Stearate, Tocopherol Acetate, YS Resin, Zinc Oxide

SINSINPAS Pain Relieving Patch

Signability in the state of the state

SINSINPAS®

Topical Analgesic

 Clean and dry affecta area Remove patch from film Apply to affecta area more than 3 to 4 times daily for 7 days Remove patch from skin after at most 8 hours' application Remove patch from skin after at most 8 hours' application Remove patch from skin after at most 8 hours' application Remove patch from skin after at most 8 hours' application Remove patch from skin after at most 8 hours' application Remove patch from execsive mosture. Rotact product contains natural rubber flatex which may cause allegit reactions. Rotact product from execsive mosture. Rostate (Ratural Rubber, Polybutene, Polyscolutylene, Glyceryl Rostate, Satural Rubber, Polybutene, Coloran Skeatate, YS Resin, Zinc Oxide Tocopherol Acetate, YS Resin, Zinc Oxide Tocopherol Acetate, YS Resin, Zinc Oxide 	When using this product > do not use other than directed > avoid contact with eyes, muccus membranes, and rashes > do not bandage tightly Ask a doctor before use if you are prone to allergic reactions from scipin or salicylates from aspin or salicylates
Directions Directions Adults and children 12 years of age and over:	Serinsew Fire external ruse only Contraction of Contraction
contact a Poison Control Center (1-800-222-1222)right away. If pregnant or breast-feeding. ask a healthcare professional before use.	of muscles and joints associated with: A Administ A Straints A Straint A Straints A Straints A
Stop use and ask a doctor if A ratio, if othing, or excessive skin intitation develops A condition worsens A symptoms persist for longer than 7 days A symptoms clear up and reoccur writhin a few days Meep out of reach of children. If swallowed, get medical help or Keep out of reach of children.	Active ingredients strange DL-Camphor (1, 21%) Topical marginesic DL-Camphor (1, 21%) Topical marginesic L-Menthol (5, 54%) Topical marginesic Lefterthol (5, 54%) Topical margines Lefterthol (5,
Drug Facts (continued)	DRUG FACTS

SINSINPAS PAIN RELIEVING PATCH

dl-camphor, l-menthol, methyl salicylate patch

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:55264-101	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	Strength				
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)			CAMPHOR (SYNTHETIC)	5.56 g in 459.93 g	
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7) LEVOMENTHOL				25.48 g in 459.93 g	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:0414PZ4LPZ) METHYL SALICYLA				ATE 28.1 g in 459.93 g	
Inactive Ingredients					
Ingredient Name				Strength	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)					
ZINC OXIDE (UNII: SOI2LOH54Z)					
CALCIUM CARBONATE (UNII: H0G9379FGK)					

-		-
Dac	120	Ind
Pac	NGU	ши

SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X) NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)

POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)

GLYCERYL ABIETATE (UNII: 2F22LY70Q1)

QUINONE (UNII: 3T006GV98U)

POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52) BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55264-101- 03	2 in 1 PACKAGE	05/01/2017		
1	NDC:55264-101- 02	20 in 1 POUCH			
1		459.93 g in 1 PATCH; Type 0: Not a Combination Product			
M	larketing l	nformation			
M	larketing l Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

Establishment					
Name	Address	ID/FEI	Business Operations		
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-101)		

Revised: 1/2024

Sinsin Pharmaceutical Co., Ltd.