TAGRID ANTIFUNGAL- tolnaftate soap TAGRID LLC

Initial Drug Listing-Tagrid Antifungal Soap

Tolnaftate

Uses

For effective treatment of jock itch, ringworm, athlete's foot, folliculitnost tinea For effective relief of itching, burning, and cracking sking skin.

For external use only

Do not use on children under 2 years of age exceptunder the advice and supervision of a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if irritation occurs or if there is no improvement within 2weeks for jock itch.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Wash the affected area well and let the product sit for 1-2 minutes before rinsing.
- Ensure thorough drying of the affected area.
- Supervise children when using this product.
- For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment.
- Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients.
- Endure any discomfort for 5-10 minutes before experiencing immediate relief.
- Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor.

Users may experience a burning or stinging sensation upon application. This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.

If you have any questions about this product, please contact us at support@tagridllc.com, or visit www.tagridllc.com for more information. Tested and designed in the USA.

Ingredients:

- GLEDITSIA SINENSIS FRUIT
- MENTHA CANADENSIS WH LE
- STELLERA CHAMAEJASME WHOLE
- OATMEAL
- SOPHORA FLAVESCENS ROOT
- PHELLODENDRON CHINENSE WHOLE
- CNIDIUM MONNIERI FRUIT
- STEMONA SESSILIFOLIA ROOT
- EUCALYPTUS GLOBULUS LEAF OIL
- DICTAMNUS DASYCARPUS ROOT BARK

• MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL

TAGRID® 尺寸:85X33X100,mm **ANTIFUNGAL SOAP** INACTIVE INGREDIENTS Eucalyptus Globulus Leaf Oil, Melaleuca Alternifolia, (Tea Tree) Leaf Oil, Mentha canadensis, Sophora flavescen Ditany Bark, Glabrous Greenbrier Rhizome, Mosla cavaleriei Levi ,Stellera chamaojasme, Huang Bai, Sesaile Stemona Root, Gleditsi sinensis, Commo Cnidium Fruit, Fructus Kochiae IMPORTANT INFORMATION The cream provided is intended for severe cases, and users may experience a burning or stinging sensation upon application. This DRUG FACTS TAGRID® TOP-NOTCH ACTIVE INGREDIENTS PURPOSE Tolnaftate 1.0% ------ANTIFUNGAL Uses For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. For effective relief of itching, burning, and cracking skin. WARNINGS For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If svallowed, get medical help or contact a Poison Control Center right away. SOAP NET WT. 4 OZ MAXIMUM STRENGTH DIRECTIONS DIRECTIONS What the affected area well and let the product sit for 1-2 minutes before rinsing, III Ensure thorough drying of the affected area. III Supervise children when using this product. III For patients seeking immodate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensition after application, primarily due to menthal and other natural ingredients. Endater any disconfort for 5-10 minutes before experiencing immediate relief. III Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. 🖌 ЈОСК ІТСН NOT TESTED ON ANIMALS 🗹 RINGWORM 14 FOR ALL SKIN TYPES ✓ ATHLETE'S FOOT If you have any questions about this product call: support@tagridlic.com or visit www.tagridlic.com for more information. TEST & DESIGN IN THE USA ADVANCED ADVANCED MANUFACTURED AT THE TAGRID LICENSED FACILITY IN THE PRC. FOLLICULITIS TINEA VERSICOLOR

olnaftate soap						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC		NDC:85	C:85384-0013	
Route of Administration	TOPICAL					
Active Ingredient/Active	e Moiety					
Ingredient Name			Basis of Strength		Strength	
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)			TOLNAFTATE		10 mg in 1 g	
Inactive Ingredients						
mactive myredients	lu u us dis ut No us s				Strength	
Ingredient Name						
GLEDITSIA SINENSIS FRUIT (UN	•					
MENTHA CANADENSIS WHOLE	(UNII: J1BO4MHT2L)					
· · · · ·	(UNII: J1BO4MHT2L)					
MENTHA CANADENSIS WHOLE	(UNII: J1BO4MHT2L)					
MENTHA CANADENSIS WHOLE STELLERA CHAMAEJASME WHO	(UNII: J1BO4MHT2L) DLE (UNII: 80N0P0DD9J)					
MENTHA CANADENSIS WHOLE STELLERA CHAMAEJASME WHO OATMEAL (UNII: 8PI54V663Y)	(UNII: J1BO4MHT2L) DLE (UNII: 80N0P0DD9J) (UNII: IYR6K8KQ5K)					
MENTHA CANADENSIS WHOLE STELLERA CHAMAEJASME WHO OATMEAL (UNII: 8PI54V663Y) SOPHORA FLAVESCENS ROOT	(UNII: J1BO4MHT2L) DLE (UNII: 80N0P0DD9J) (UNII: IYR6K8KQ5K) VHOLE (UNII: QKA3ZK8IIE)					

EUCALYPTUS GLOBULUS LEAF OIL (UNII: 2R04ONI662)							
DICTAMNUS DASYCARPUS ROOT BARK (UNII: LA97176ILS)							
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)							
Packaging							
				Marketing Start	Marketing End		
#	Item Code	Package Description		Date	Date		
1	NDC:85384-	113.4 g in 1 BOX; Type 0: Not a Combination	06	/09/2025			
-	0013-1	Product	00/	109/2023			
Marketing Information							
Marketing		Application Number or Monograph		Marketing Start	Marketing End		
	Category	Citation		Date	Date		
OTC Monograph Drug		M005	(06/09/2025			

Labeler - TAGRID LLC (118778969)

Revised: 6/2025

TAGRID LLC