

TAGRID ANTIFUNGAL- tolnaftate soap
TAGRID LLC

Initial Drug Listing-Tagrid Antifungal Soap

Tolnaftate

Uses

For effective treatment of jock itch, ringworm, athlete's foot, folliculitnost tinea
For effective relief of itching, burning, and cracking skin.

For external use only

Do not use on children under 2 years of age except under the advice and supervision of a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Wash the affected area well and let the product sit for 1-2 minutes before rinsing.
- Ensure thorough drying of the affected area.
- Supervise children when using this product.
- For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment.
- Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients.
- Endure any discomfort for 5-10 minutes before experiencing immediate relief.
- Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor.

Users may experience a burning or stinging sensation upon application. This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.

If you have any questions about this product, please contact us at support@tagridllc.com, or visit www.tagridllc.com for more information.

Tested and designed in the USA.

Ingredients:

- GLEDITSIA SINENSIS FRUIT
- MENTHA CANADENSIS WH LE
- STELLERA CHAMAEJASME WHOLE
- OATMEAL
- SOPHORA FLAVESCENS ROOT
- PHELLODENDRON CHINENSE WHOLE
- CNIDIUM MONNIERI FRUIT
- STEMONA SESSILIFOLIA ROOT
- EUCALYPTUS GLOBULUS LEAF OIL
- DICTAMNUS DASYPARPUS ROOT BARK

- MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL

Available in 1 bar per box and 2 bars per box.

**TAGRID®
ANTIFUNGAL SOAP**

尺寸: 85X33X100, mm

<p>IMPORTANT INFORMATION The cream provided is intended for severe cases, and users may experience a burning or stinging sensation upon application. This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">DRUG FACTS</th> </tr> <tr> <th style="text-align: left;">ACTIVE INGREDIENTS</th> <th style="text-align: left;">PURPOSE</th> </tr> <tr> <td>Tolnaftate 1.0%</td> <td>Antifungal</td> </tr> <tr> <td colspan="2">Uses</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. </td> </tr> <tr> <td colspan="2">WARNINGS</td> </tr> <tr> <td colspan="2"> <p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> </td> </tr> <tr> <td colspan="2">DIRECTIONS</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients. Endure any discomfort for 5-10 minutes before experiencing immediate relief. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. </td> </tr> <tr> <td colspan="2"> <p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p> </td> </tr> </table>	DRUG FACTS		ACTIVE INGREDIENTS	PURPOSE	Tolnaftate 1.0%	Antifungal	Uses		<ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. 		WARNINGS		<p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>		DIRECTIONS		<ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients. Endure any discomfort for 5-10 minutes before experiencing immediate relief. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. 		<p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p>		<p>INACTIVE INGREDIENTS Eucalyptus Globulus Leaf Oil, Melaleuca Alternifolia, (Tea Tree) Leaf Oil, Mentha canadensis, Sophora flavescens, Dittany Bark, Glabrous Greenbrier Rhizome, Mosla cavaleriei Lev, Stelleria chamaejasme, Huang Bai, Sessile Stemona Root, Gleditsia sinensis, Common Cnidium Fruit, Fructus Kochiae</p>	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <p>TAGRID® ANTIFUNGAL SOAP</p> <p>NET WT. 4 OZ</p> </div> <div style="border: 1px solid black; padding: 2px; font-weight: bold; color: white; background-color: #0070c0;">TOP-NOTCH</div> </div> <p style="text-align: center; font-weight: bold; font-size: 1.2em;">MAXIMUM STRENGTH</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 45%;"> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> JOCK ITCH <input checked="" type="checkbox"/> RINGWORM <input checked="" type="checkbox"/> ATHLETE'S FOOT <input checked="" type="checkbox"/> FOLLICULITIS <input checked="" type="checkbox"/> TINEA VERSICOLOR </div> <div style="width: 45%; text-align: center;"> <p>7 DAYS</p> </div> </div> <div style="text-align: right; margin-top: 10px;"> <p style="font-size: 0.8em; color: #c00000;">BE COMPLETELY RELIEF FOR ALL SKIN TYPES ADVANCED TENDER LOVING CARE</p> </div>
DRUG FACTS																							
ACTIVE INGREDIENTS	PURPOSE																						
Tolnaftate 1.0%	Antifungal																						
Uses																							
<ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. 																							
WARNINGS																							
<p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>																							
DIRECTIONS																							
<ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients. Endure any discomfort for 5-10 minutes before experiencing immediate relief. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. 																							
<p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p>																							
<p style="font-size: 0.8em;">X004641QSZ</p>		<p style="font-size: 0.8em; margin-top: 5px;">MANUFACTURED AT THE TAGRID LICENSED FACILITY IN THE PRC.</p>																					

**TAGRID®
ANTIFUNGAL SOAP**

95x70x55 mm

<p>DRUG FACTS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">ACTIVE INGREDIENTS</th> <th style="text-align: left;">PURPOSE</th> </tr> <tr> <td>Tolnaftate 1.0%</td> <td>Antifungal</td> </tr> <tr> <td colspan="2">Uses</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. </td> </tr> <tr> <td colspan="2">WARNINGS</td> </tr> <tr> <td colspan="2"> <p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> </td> </tr> <tr> <td colspan="2">DIRECTIONS</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. </td> </tr> <tr> <td colspan="2"> <p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p> </td> </tr> </table>	ACTIVE INGREDIENTS	PURPOSE	Tolnaftate 1.0%	Antifungal	Uses		<ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. 		WARNINGS		<p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>		DIRECTIONS		<ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. 		<p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p>		<p>INACTIVE INGREDIENTS Eucalyptus Globulus Leaf Oil, Melaleuca Alternifolia, (Tea Tree) Leaf Oil, Mentha canadensis, Sophora flavescens, Dittany Bark, Glabrous Greenbrier Rhizome, Mosla cavaleriei Lev, Stelleria chamaejasme, Huang Bai, Sessile Stemona Root, Gleditsia sinensis, Common Cnidium Fruit, Fructus Kochiae, Oatmeal</p>	<p>TAGRID® ANTIFUNGAL SOAP</p> <p>MAXIMUM STRENGTH</p>	<p style="text-align: center; font-weight: bold; font-size: 1.1em;">TAG THE SWEAT RID THE FUNGUS</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 45%;"> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> FOLLICULITIS <input checked="" type="checkbox"/> TINEA VERSICOLOR <input checked="" type="checkbox"/> FACE & BODY ACNE </div> <div style="width: 45%;"> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> JOCK ITCH <input checked="" type="checkbox"/> RINGWORM <input checked="" type="checkbox"/> ATHLETE'S FOOT </div> </div> <p style="text-align: center; font-size: 0.8em;">NET WT. 4OZ / 122G x 2</p>
ACTIVE INGREDIENTS	PURPOSE																				
Tolnaftate 1.0%	Antifungal																				
Uses																					
<ul style="list-style-type: none"> ■ For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea. ■ For effective relief of itching, burning, and cracking skin. 																					
WARNINGS																					
<p>For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>																					
DIRECTIONS																					
<ul style="list-style-type: none"> ■ Wash the affected area well and let the product sit for 1-2 minutes before rinsing. ■ Ensure thorough drying of the affected area. ■ Supervise children when using this product. ■ Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor. 																					
<p>If you have any questions about this product call: support@tagridllc.com or visit www.tagridllc.com for more information. TEST & DESIGN IN THE USA</p>																					
<p style="font-size: 0.8em; margin-top: 5px;">MANUFACTURED AT THE TAGRID LICENSED FACILITY IN THE PRC.</p>		<p style="font-size: 0.8em;">NET WT. 4OZ / 122G x 2</p>																			

TAGRID ANTIFUNGAL
tolnaftate soap

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85384-0013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLEDITSIA SINENSIS FRUIT (UNII: A6W0J6UO7Q)	
MENTHA CANADENSIS WHOLE (UNII: J1BO4MHT2L)	
STELLERA CHAMAEJASME WHOLE (UNII: 80N0P0DD9J)	
OATMEAL (UNII: 8PI54V663Y)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
PHELLODENDRON CHINENSE WHOLE (UNII: QKA3ZK8IIE)	
CNIDIUM MONNIERI FRUIT (UNII: V1A3S3CUS)	
STEMONA SESSILIFOLIA ROOT (UNII: EKG8030U4N)	
EUCALYPTUS GLOBULUS LEAF OIL (UNII: 2R04ONI662)	
DICTAMNUS DASYCARPUS ROOT BARK (UNII: LA97176ILS)	
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85384-0013-1	113.4 g in 1 BOX; Type 0: Not a Combination Product	06/09/2025	
2	NDC:85384-0013-2	226.8 g in 1 BOX; Type 0: Not a Combination Product	12/09/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	06/09/2025	

Labeler - TAGRID LLC (118778969)