

**GERI-KOT- standardized senna concentrate tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**gc 454**

**Active ingredient (in each tablet)**

Sennosides 8.6 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

for more than 1 week unless directed by a doctor.

**Ask a doctor before use if you**

- have abdominal pain, nausea or vomiting
- have noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if** you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition .

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed 8 tablets in 24 hours

<b>Age</b>	<b>Starting Dose</b>	<b>Maximum Dose</b>
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
children under 12		

Children under 12  
years

ask a doctor

## Other information

- **each tablet contains:** calcium 40 mg
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken
- store at room temperature

## Inactive ingredients

cellulose, croscarmellose sodium,  
dicalcium phosphate, hypromellose\*, magnesium silicate\*,  
magnesium stearate, mineral oil\*, PEG\*, silica\*, wax\*.

\*May contain these ingredients

## Package Label

<b>Drug Facts</b> <b>Active ingredient (in each tablet)</b> Sennosides 8.6 mg..... Laxative <b>Purpose</b> Laxative <b>Uses</b> • relieves occasional constipation (irregularity) • this product generally produces a bowel movement in 6 to 12 hours <b>Warnings</b> Do not use for more than one week unless directed by a doctor. Ask a doctor before use if you have • abdominal pain, nausea or vomiting • noticed a change in bowel habits that lasts over two weeks Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	<b>VALUE SIZE</b> NDC 57896-454-20 <b>GERI-CARE</b> <b>GERI-KOT</b> STANDARDIZED SENNA CONCENTRATE NATURAL VEGETABLE LAXATIVE Compare to active ingredient in <b>SENOKOT</b> ® 200 Tablets 8.6 mg each	<b>Directions</b> • do not exceed 8 tablets in 24 hours <table border="1"><thead><tr><th>Age</th><th>Starting Dose</th><th>Maximum Dose</th></tr></thead><tbody><tr><td>Adults and children 12 years of age and older</td><td>2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor</td><td>4 tablets in the morning and 4 tablets at bedtime</td></tr></tbody></table> Children under 12 years   Ask a doctor <b>Other information</b> • each tablet contains: calcium 40 mg • <b>Tamper Evident:</b> Do not use if imprinted seal under cap is missing or broken • store at room temperature <b>Inactive ingredients:</b> cellulose, croscarmellose sodium, dicalcium phosphate, hypromellose*, magnesium silicate*, magnesium stearate, mineral oil*, PEG*, silica*, wax*. *May contain these ingredients †This product is not manufactured or distributed by owner of the registered trademark SENOKOT®. REV 0525AICT Dist.by: Geri-Care Pharmaceutical Corp. 1295 Towbin Ave, Lakewood, NJ 08701	Age	Starting Dose	Maximum Dose	Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Age	Starting Dose	Maximum Dose						
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime						

## GERI-KOT

standardized senna concentrate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-454
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: L11K75P92J)	
<b>MAGNESIUM SILICATE</b> (UNII: 9B9691B2N9)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ217
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-454-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2018	08/31/2026
2	NDC:57896-454-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2018	10/31/2024
3	NDC:57896-454-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2018	03/31/2027

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	04/01/2018	03/31/2027

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)