EXTRA STRENGTH PAIN RELIEVER- acetaminophen capsule, liquid filled PuraCap Pharmaceutical LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Extra Strength Pain Reliever

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- • the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - o premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see Overdose warning)

adults and children 12 years and over	 take 2 softgels every 6 hours while symptoms last do not take more than 6 softgels in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

• store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white edible ink

Questions or Comments?

Call: 1-888-309-9030

PRINCIPAL DISPLAY PANEL - Bottle Label 20ct

DG Extra Strength Pain Reliever 20 Softgels

Acetaminophen 500mg

NDC 51013-172-15

^{*}Compare to the active ingredient in TYLENOL® Extra Strength



PRINCIPAL DISPLAY PANEL - Bottle Label 40ct

DG Extra Strength Pain Reliever 40 Softgels

Acetaminophen 500mg

NDC 51013-172-25

*Compare to the active ingredient in TYLENOL® Extra Strength



If pregnant or breast-feeding, ask a health professional do not use for more than 10 days do not take more than 6 softgels Overdose warning: In case of overdose, get medical (1-800-222-1222). Quick medical attention is critical if you are allergic to acetaminophen or any of the in 24 hours, unless directed by for adults as well as for children even if you do not help or contact a Poison Control Center right away Ask a doctor or pharmacist before use if you are acetaminophen (prescription or nonprescription). Ask a doctor before use if you have liver disease take 2 softgels every 6 hours unless directed by a doctor Do not use with any other drug containing acetaminophen, ask a doctor or pharmacist pain gets worse or lasts more than 10 days If you are not sure whether a drug contains fever gets worse or lasts more than 3 days These could be signs of a serious condition while symptoms last taking the blood thinning drug warfarin inactive ingredients in this product do not take more than directed redness or swelling is present notice any signs or symptoms. ask a doctor *Drug Facts* (continued Keep out of reach of children. Stop use and ask a doctor if see Overdose warning new symptoms occur years and over children under Directions children 12 adults and before use. 12 years

PRINCIPAL DISPLAY PANEL - Bottle Label 24ct

contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for

children even if you do not notice any signs or symptoms

Overdose warning: In case of overdose, get medical help or

pregnant or breast-feeding, ask a health professional

hese could be signs of a serious condition before use. Keep out of reach of children,

Drug Facts (continued)

Slop use and ask a doctor if

do not take more than directed

Directions

(see Overdose warning) take 2 softgets every 6 hours do not use for more than 10 days unless

directed by a doctor

ask a doctor

children under 12 years

in 24 hours, unless directed by a doctor

do not take more than 6 softgets

while symptoms ast

adults and children 12 years and over

DG Extra Strength Pain Reliever 24 Softgels

Acetaminophen 500mg

NDC 51013-172-43

*Compare to the active ingredient in TYLENOL $^{\mathbb{R}}$ Extra Strength



nactive ingredients Foat red #40, Foat yelow gelatin, glycerin, polyethylene glycol, povidone, propylene ycol, purified water, sorbitol sorbitan solution and while ink

Store at room temperature 15"-30"C (59"-86"F)

Other information

Johnson Consumer Inc., McNeil Consumer Healthcare Division.

his product is not manufactured or distributed by Johnson & wher of the registered trademark TYLENOL® Extra Strength.

Questions or comments?

Call to free: 1-888-309-9030

This product is not manufactured or distributed by McNeil Consumer Healthcare

Questions or comments?

Call: 1-888-309-9030

owner of the registered trademark TYLENDL® Extra Strength.


povidone, propylene glycol, purified water, sorbitol

special and white edible ink

yellow #6, gelatin, glycerin, polyethylene glycol,

■ store at room temperature 15°-30°C (59°-86°F) Inactive ingredients FD&C red #40, FD&C

Other information



EXTRA STRENGTH PAIN RELIEVER

acetaminophen capsule, liquid filled

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51013-172	
Route of Administration	ORAL			

	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
l	ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	500 mg

Inactive Ingredients				
Ingredient Name	Strength			
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PO VIDO NE (UNII: FZ989 GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
SORBITAN (UNII: 6O92ICV9RU)				

Product Characteristics				
Color	red (clear)	Score	no score	
Shape	capsule (oblong)	Size	27mm	
Flavor		Imprint Code	PC24	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51013-172-15	20 in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2016		
2	NDC:51013-172-25	40 in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2016		
3	NDC:51013-172-43	24 in 1 BOTTLE; Type 0: Not a Combination Product	08/22/2017		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part343	06/08/2016		

Labeler - PuraCap Pharmaceutical LLC (962106329)

Establishment			
Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(51013-172), analysis(51013-172)

Revised: 11/2019 PuraCap Pharmaceutical LLC