

**REXALL ANTIBIOTIC- bacitracin ointment**  
**Dolgencorp, LLC**

-----  
**Dolgencorp, LLC Antibiotic Ointment Drug Facts**

**Active ingredient (each gram contains)**

Bacitracin 500 units

**Purpose**

First aid antibiotic

**Uses**

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Other information**

- store at 20°-25°C (68°-77°F)

## **Inactive ingredients**

light mineral oil, white petrolatum

## **Questions or comments?**

**1-866-4-REXALL**

## **Principal Display Panel**

Since 1903 Rexall®

Antibiotic Ointment

First Aid Antibiotic

BACITRACIN

- | Helps prevent infection in minor cuts, scrapes, and burns


NET WT 1 OZ (28g)



# Antibiotic Ointment

First Aid Antibiotic  
BACITRACIN


- Helps prevent infection in minor cuts, scrapes, and burns



NET WT 1 OZ (28g)

**CODE AREA**





## REXALL ANTIBIOTIC

bacitracin ointment

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55910-536 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength           |
|---|-------------------|--------------------|
| <b>BACITRACIN</b> (UNII: 58H6RW052I) (BACITRACIN - UNII:58H6RW052I) | BACITRACIN        | 500 [USP'U] in 1 g |

### Inactive Ingredients

| Ingredient Name                             | Strength |
|---|----------|
| <b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP) |          |
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)        |          |

**Packaging**

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55910-536-64 | 1 in 1 CARTON                                     | 09/22/2015           |                    |
| 1 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M004                                     | 09/22/2015           |                    |

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 9/2024

Dolgencorp, LLC