

**ASPERCREME WITH LIDOCAINE- lidocaine patch**  
**Chattem, Inc.**

-----  
**Aspercreme Lidocaine Patch**

***Active ingredient***

Lidocaine 4%

***Purpose***

Topical anesthetic

***Use***

for the temporary relief of pain

***Warnings***

**For external use only**

**Do not use**

- on wounds or on irritated or damaged skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

Used patches may still contain the drug product that can produce serious adverse effects if ingested by children or pets. If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

■ adults and children 12 years of age and older:

■ clean and dry affected area

■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area

■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area

■ apply to the affected area not more than 3 to 4 times daily

■ wash hands after applying or removing patch. Throw away the patch after folding sticky ends together.

■ children under 12 years of age: ask a doctor

***Inactive ingredients***

aluminum glycinate, aluminum hydroxide, cellulose gum, glycerin, methyl acrylate/2-ethylhexyl acrylate copolymer, methylparaben, nonoxynol-30, polyacrylic acid, polysorbate 80, propylene glycol, silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

**PRINCIPAL DISPLAY PANEL**

Aspercreme  
with 4% Lidocaine  
PAIN RELIEVING PATCH



## ASPERCREME WITH LIDOCAINE

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0584
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM GLYCINATE</b> (UNII: 1K713C615K)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	

<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0584-0	5 in 1 CARTON	02/01/2016	
1		0.246 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:41167-0584-7	1 in 1 POUCH	02/01/2016	
2		0.246 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:41167-0584-3	6 in 1 CARTON	01/01/2026	
3		0.246 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/01/2016	

**Labeler** - Chattem, Inc. (003336013)

Revised: 1/2026

Chattem, Inc.