

**MUCUS RELIEF CHILDRENS- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution  
TOPCO ASSOCIATES LLC**

-----  
**TopCare 44-057**

***Active ingredients (in each 5 mL)***

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 2.5 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - nasal congestion due to a cold
  - the intensity of coughing
  - stuffy nose
  - the impulse to cough to help the child get to sleep

***Warnings***

**Do not use**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- diabetes
- heart disease
- thyroid disease
- high blood pressure
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

## When using this product

**do not exceed recommended dosage.**

### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

### Other information

- **each 5 mL contains:** sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### Inactive ingredients

anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

### Questions or comments?

**1-888-423-0139**

### Principal display panel

**+TopCare®**  
health

NDC 76162-057-88

COMPARE TO MUCINEX®  
CHILDREN'S MULTI-SYMPATOM COLD  
ACTIVE INGREDIENTS\*

*children's*

**Multi-Symptom  
Cold  
Mucus  
Relief**

**DEXTROMETHORPHAN HBr** - COUGH SUPPRESSANT  
**GUAIFENESIN** - EXPECTORANT  
**PHENYLEPHRINE HCl** - NASAL DECONGESTANT

**ORAL SOLUTION**

- **Controls Cough**
- **Relieves Chest Congestion**
- **Breaks Up Mucus**
- **Relieves  
Stuffy Nose**

**Ages 4  
to  
11 Years**

**6.8 FL OZ (201 mL)**

BERRY  
FLAVOR

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143  
©TOPCO LNKA0923  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com

\*This product is not manufactured or distributed by  
RB Health (US) LLC, owner of the registered trademark  
Mucinex® Children's Multi-Symptom Cold.  
50844 ORG022305788

**PARENTS:  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org**

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Drug Facts**

Active ingredients (in each 5 mL)	Purpose
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - nasal congestion due to a cold
  - the intensity of coughing
  - stuffy nose
  - the impulse to cough to help the child get to sleep

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- glaucoma
- heart disease
- thyroid disease
- high blood pressure
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nausea, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

**Other information**

- each 5 mL contains: sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

**Questions or comments?** 1-888-423-0139

**TopCare**  
health

NDC 76162-057-88

COMPARE TO MUCINEX®  
CHILDREN'S MULTI-SYMPOM COLD  
ACTIVE INGREDIENTS\*

## children's Multi-Symptom Cold Mucus Relief

TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143  
©TOPCO LNKAD923  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more  
information or call 1-888-423-0139

QUALITY GUARANTEED

\*This product is not manufactured or distributed by  
RB Health (US) LLC, owner of the registered trademark  
Mucinex® Children's Multi-Symptom Cold.  
50844 ORG022305788

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

B-1910-057-88  
ORG022305788

**TopCare**  
health

## children's Multi-Symptom Cold Mucus Relief

6.8 FL OZ (201 mL)

**TopCare**  
health

NDC 76162-057-88

COMPARE TO MUCINEX®  
CHILDREN'S MULTI-SYMPOM COLD  
ACTIVE INGREDIENTS\*

## children's Multi-Symptom Cold Mucus Relief

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT  
GUAIFENESIN - EXPECTORANT  
PHENYLEPHRINE HCl - NASAL DECONGESTANT

ORAL SOLUTION

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves Stuffy Nose

Ages 4  
to  
11 Years



BERRY  
FLAVOR

6.8 FL OZ (201 mL)

**TopCare**  
health

NDC 76162-057-88

COMPARE TO MUCINEX®  
CHILDREN'S MULTI-SYMPOM COLD  
ACTIVE INGREDIENTS\*

## children's Multi-Symptom Cold Mucus Relief

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT  
GUAIFENESIN - EXPECTORANT  
PHENYLEPHRINE HCl - NASAL DECONGESTANT

ORAL SOLUTION

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves Stuffy Nose

Ages 4  
to  
11 Years



BERRY  
FLAVOR

6.8 FL OZ (201 mL)



No Print/No Varnish  
Lot & EXP

TopCare 44-057

## MUCUS RELIEF CHILDRENS

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:76162-057

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-057-88	1 in 1 CARTON	03/07/2024	
1		201 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/07/2024	

**Labeler** - TOPCO ASSOCIATES LLC (006935977)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(76162-057) , pack(76162-057)

Revised: 3/2025

TOPCO ASSOCIATES LLC