

STUDIO BLEND COVER FOUNDATION SPF 15- studio blend cover foundation spf 15 lotion
Modern Basic Cosmetics Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

titanium dioxide, 6.7%

ethylhexyl methoxycinnamate, 2%

purpose:

- sunscreen
- helps prevent sunburn
- if used as directed with other sun protection measures (see directions), it decreases the risk of skin cancer and early skin aging caused by the sun

when using:

For external use only
Do not use on damaged or broken skin
Remove with water and mild cleanser

do not use:

- do not use on damaged or broken skin

ask doctor:

- stop use and ask doctor if rash occurs

keep out of reach of children

- keep out of reach of children. if swallowed, get medical help or contact a poison control center right away

Directions

*apply liberally 15 minutes before sun exposure

*reapply:

*after 40 minutes of swimming or sweating

*immediately after towel drying

*at least every 2 hours

*Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

*limit time in the sun, especially from 10am-2 pm

*wear long-sleeved shirts, pants, hats and sunglasses

*children under 6 months of age: Ask a doctor

inactive ingredients :

WATER, ISODODECANE, CYCLOPENTASILOXANE, BUTYLENE GLYCOL, PROPYLENE GLYCOL, GLYCERIN, DICAPRYLYL CARBONATE, PROPYLENE CARBONATE, DISTEARDIMONIUM HECTORITE, CETYL PEG/PPG-10/1 DIMETHICONE, PEG-10 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA, METHICONE, DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, SODIUM CHLORIDE, MAGNESIUM SULFATE, DISODIUM EDTA, MAGNESIUM STEARATE, MAGNESIUM PALMITATE, CI 77492, CI 77499, CI77491

other information:

protect this product from excessive heat and direct sun

questions :

call toll free 1-877-438-1120



See use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed,
 get medical help or contact a Poison Control
 Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age, ask a doctor Sun Protection Measures.
- Spending time in the sun increases your risk of skin cancer and early skin aging. Decrease this risk by regular use of sunscreen with a Broad Spectrum SPF value of 18 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am-2pm
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age, ask a health care professional such as a Doctor

INACTIVE INGREDIENTS:

AQUA, ISODODECANE, CYCLOPENTASILOXANE, BUTYLENE GLYCOL, PROPYLENE GLYCOL, GLYCERIN, DICAPRYLYL CARBONATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, CETYL PEG/PPG-10/1 DIMETHICONE, PEG-10 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA, METHICONE, DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, SODIUM CHLORIDE, MAGNESIUM SULFATE, DISODIUM EDTA, MAGNESIUM STEARATE, MAGNESIUM PALMITATE, MAY CONTAIN: (CI 77881, CI 77492, CI 77491, CI 77499)

Other information:

Store this product in a cool place away from heat or direct sunlight

Questions?

Call toll free 1-877-438-1120

Perfect your complexion with this full coverage formulation that is long wearing and blends easily to even out skin tone and has a matte finish



Studio Blend
 Cover Foundation
 SPF15
 fond de teint
paraben free/sans parabènes
 e net wt/poids net 35ml/1.2 US fl oz

STUDIO BLEND COVER FOUNDATION SPF 15

studio blend cover foundation spf 15 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71305-500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2 mg in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.7 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
GLYCERIN (UNII: PDC6A3C0OX)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
WATER (UNII: 059QF0KO0R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM PALMITATE (UNII: JJ0UR696JR)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71305-500-10	35 mL in 1 TUBE; Type 0: Not a Combination Product	11/01/2018	11/01/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	12/31/2021

Labeler - Modern Basic Cosmetics Ltd (208909999)

Revised: 2/2020

Modern Basic Cosmetics Ltd