

MICONAZOLE 7- miconazole nitrate cream
Cardinal Health (Leader) 49781

Miconazole Nitrate Vaginal Cream, USP

Drug Facts

Active ingredient

Miconazole nitrate, USP 2% (100 mg in each applicator)

Purpose

Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use

if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are

taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product.

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- **adults and children 12 years of age and over:**
 - **applicator:** insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Wash applicator after use.
 - use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days as needed.
- **children under 12 years of age: ask a doctor**

Other information

- to open tube use cap to puncture seal
- do not use if seal over tube opening has been punctured or is not visible
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F).

Inactive ingredients

benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxylglycerides, pegoxol 7 stearate, purified water

Questions?

1-800-432-8534 between 9 am and 4 pm EST, Monday–Friday.

Principal display panel

NDC 49781-064-75

LEADER[®]

Compare to Monistat[®] 7
active ingredient*

Miconazole 7

Miconazole Nitrate Vaginal Cream, USP 2%

VAGINAL ANTIFUNGAL

(Miconazole Nitrate 100 mg per applicator)

Cures most vaginal yeast infections
Relieves associated external itching and irritation

SATISFACTION GUARANTEED

7 DAY VAGINAL CREAM (1 TUBE)
WITH 1 REUSABLE APPLICATOR

NET WT. 1.59 OZ (45 g) Tube



MICONAZOLE 7

miconazole nitrate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49781-064
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
MINERAL OIL (UNII: T5L8T28FGP)	
APRICOT KERNEL OIL PEG-6 ESTERS (UNII: DRG3KJZ1TJ)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49781-064-75	1 in 1 CARTON	05/31/2014	
1		45 g in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074164	05/31/2014	

Labeler - Cardinal Health (Leader) 49781 (097537435)