

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray  
Rite Aid Corporation**

---

**Rite Aid D41.000/D41AA  
Sport Sunscreen Spray SPF 30**

**Active Ingredients**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable**

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor**

rash occurs

### **Keep out of reach of children.**

If swallowed, seek immediate medical attention or call a poison control center.

### **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

### **Disclaimers**

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone Sunscreen Spray Sport Broad Spectrum SPF 30.

### **Adverse Reaction**

DISTRIBUTED BY:

RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

[www.riteaid.com](http://www.riteaid.com)

SATISFACTION GUARENTEE:

if you're not satisfied, we'll happily refund your money.

**Principal display panel**

Compare to Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 30\*

SPORT

WATER RESISTANT (80 MINUTES)

SUNSCREEN SPRAY

BROAD SPECTRUM SPF 30

Avobenzone 3%

Homosalate 10%

Octisalate 5%

30

NET WT 5.5 OZ (156 g)

Compare to **Coppertone®**  
**Sunscreen Spray Sport**  
**Broad Spectrum SPF 30\***

**Drug Facts**

**Active ingredients**

Avoxyzone 3%	Purpose
	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**

Helps prevent sunburn when used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Flammable: Keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Spray liberally and spread evenly by hand 15 minutes before sun exposure.

Apply to all skin exposed to the sun hold container 4 to 6 inches from the skin to apply.

Do not spray directly into face. Spray on hands then apply to face.

Do not apply in windy conditions use in a well-ventilated area and avoid inhalation.

Reapply after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

Alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/cetyl acrylate copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linoleol, tocopheryl acetate.

**May stain or damage some fabrics or surfaces**

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 30.

**DISTRIBUTED BY:** RITE AID  
200 NEWBERRY COMMONS  
ETTERS, PA 17319  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION GUARANTEE:** If you're not satisfied, we'll happily refund your money.

11822-0941

0

10021080WA

QR code

**SPORT**

**WATER RESISTANT (80 MINUTES)**

**SUNSCREEN SPRAY**

**BROAD SPECTRUM SPF 30**

**AVOBENZONE 3%,  
HOMOSALATE 10%,  
OCTISALATE 5%**

**30**



**NET WT**  
**5.5 OZ (156 g)**

## AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0941
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWB3C543X)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>.ALPHA.-AMYLCINNAMALDEHYDE</b> (UNII: WC51CA3418)	
<b>HYDROXYCITRONELLAL</b> (UNII: 8SQ0VA4YUR)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0941-1	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/25/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/25/2023	

**Labeler** - Rite Aid Corporation (014578892)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11822-0941)

Revised: 2/2026

Rite Aid Corporation