

**PANOXYL- benzoyl peroxide cream**  
**Crown Laboratories**

-----  
**Panoxyl Acne Creamy Wash**

***Active ingredient***

Benzoyl peroxide 4%

***Purpose***

Acne medication

***Use***

- for the treatment of acne

***Warnings***

**For external use only**

**Do not use if you**

- have very sensitive skin
- are sensitive to benzoyl peroxide

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

**Stop use and ask a doctor if**

- irritation becomes severe

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

**Other information**

- Store at 20 ° - 25 °C (68 ° - 77 °F) [see USP Controlled Room Temperature].

**Inactive ingredients (4%)**

Aqua, Carbomer, Decyl Glucoside, Diethylhexyl Sodium Sulfosuccinate, Dimethicone, Glycerin, Oleic Acid, Palmitic Acid, PEG-40 Stearate, Polyacrylate Crosspolymer-6, Propanediol, Silica, Sodium Chloride, Sodium Citrate, Sodium Hydroxide, Sodium Laurylglucosides Hydroxypropylsulfonate, Sorbitan Stearate, Sorbitol, Stearic Acid, t-Butyl alcohol, Xanthan Gum

**Questions or comments?**

call **1-833-279-6522**

**Panoxyl 4% Tube**

**PanOxyl®**

**ACNE CREAMY WASH**

**for Face & Body**

4% Benzoyl Peroxide

Acne Treatment Wash

Daily Control

Clears existing acne and helps prevent new breakouts

Net wt. 6oz (170g)

# PanOxyl®

## Acne Creamy Wash

for Face & Body

4% BENZOYL PEROXIDE  
ACNE TREATMENT WASH  
DAILY CONTROL

Clears existing acne  
and helps prevent  
new breakouts

DERMATOLOGIST  
RECOMMENDED

Net wt. 6 oz (170g)

### Drug Facts

#### Active ingredient

Benzoyl peroxide 4%

#### Purpose

Acne medication

**Use** • for the treatment of acne

#### Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

#### Other information

- store at 20°–25°C (68°–77°F) [see USP Controlled Room Temperature].

#### Inactive ingredients

Aqua, Carbomer, Decyl Glucoside, Diethylhexyl Sodium Sulfosuccinate, Dimethicone, Glycerin, Oleic Acid, Palmitic Acid, PEG-40 Stearate, Polyacrylate Crosspolymer-6, Propanediol, Silica, Sodium Chloride, Sodium Citrate, Sodium Hydroxide, Sodium Laurylglucosides Hydroxypropylsulfonate, Sorbitan Stearate, Sorbitol, Stearic Acid, t-Butyl alcohol, Xanthan Gum

**Questions?** call 1-833-279-6522

Distributed by:  
Crown Laboratories, Inc.  
Johnson City, TN 37604 P11532.05

**Panoxyl 4% Carton**

**PanOxyl®**

**ACNE CREAMY WASH**

**for Face & Body**

4% Benzoyl Peroxide

Acne Treatment

Daily Control

Clears existing acne and helps prevent new breakouts

Formulated to be gentle on skin

Net wt. 6oz (170g)

**Drug Facts**

<b>Active ingredient</b> Benzoyl peroxide 4%	<b>Purpose</b> Acne medication
---	-----------------------------------

**Use**  
• for the treatment of acne

**Warnings**  
For external use only

**Do not use if you**

- have very sensitive skin
- are sensitive to benzoyl peroxide

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

**Stop use and ask a doctor if**

- irritation becomes severe

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wet area to be cleansed
- apply acne wash and gently massage area for 1–2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

**Other information**

- store at 20°–25°C (68°–77°F) [see USP Controlled Room Temperature].

**Inactive ingredients**  
Aqua, Carbomer, Decyl Glucoside, Diethylhexyl Sodium Sulfosuccinate, Dimethicone, Glycerin, Oleic Acid, Palmitic Acid, PEG-40 Stearate, Polyacrylate Crosspolymer-6, Propanediol, Silica, Sodium Chloride, Sodium Citrate, Sodium Hydroxide, Sodium Laurylglucosides Hydroxypropylsulfonate, Sorbitan Stearate, Sorbitol, Stearic Acid, t-Butyl alcohol, Xanthan Gum

**Questions?** call 1-833-279-6622

Distributed by: Crown Laboratories, Inc.  
Johnson City, TN 37604  
panoxyl.com  
P11730.05

**CLEANSE**



Helps remove dirt and oil



Unclogs and minimizes the appearance of pores



Contains moisturizers to help prevent dryness



Free from Parabens, Fragrances and Phthalates

**PanOxyl®**

**Acne Creamy Wash**

for Face & Body

4% BENZOYL PEROXIDE  
ACNE TREATMENT WASH  
DAILY CONTROL

Clears existing acne and helps prevent new breakouts

Formulated to be gentle on skin



Net wt. 6 oz (170 g)

<b>PANOXYL</b>			
benzoyl peroxide cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-0227
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>BENZOYL PEROXIDE</b> (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII:W9WZ N9A0GM)	BENZOYL PEROXIDE	58.7 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
PALMITIC ACID (UNII: 2V16EO95H1)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KO0R)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
PROPANEDIOL (UNII: 5965N8W85T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-0227-06	1 in 1 CARTON	12/01/2018	
1		170 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0316-0227-10	1 in 1 CARTON	12/31/2035	
2		85 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/25/2011	

**Labeler** - Crown Laboratories (119508400)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Crown Laboratories		119508400	manufacture(0316-0227)

Revised: 1/2026

Crown Laboratories