

## **COLD AND ALLERGY MAXIMUM STRENGTH- chlorpheniramine maleate, phenylephrine hcl tablet**

**AmerisourceBergen (Good Neighbor Pharmacy) 46122**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **DRUG FACTS**

#### **Active ingredients (in each tablet)**

Chlorpheniramine Maleate 4 mg

Phenylephrine HCl 10 mg

#### **Purpose**

Antihistamine

Nasal decongestant

#### **Uses**

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - nasal congestion
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing
  - nasal congestion

#### **Warnings**

##### **Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

##### **Ask a doctor before use if you have**

- high blood pressure
- heart disease
- glaucoma
- diabetes
- trouble urinating due to an enlarged prostate gland
- thyroid disease
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by a fever

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and older	take 1 tablet
children 6 to under 12 years of age	take 1/2 tablet
children under 6 years of age	consult a doctor
children under 4 years of age	<b>do not use</b>

**Other information**

- store at 15°-30°C (59°-86°F)

**Inactive ingredients**

colloidal silicon dioxide, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized corn starch, sodium starch glycolate and stearic acid

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

\*Compare to Maximum Strength Actifed® Cold & Allergy active ingredients

*Does not contain Pseudoephedrine*

Maximum Strength Cold & Allergy

chlorpheniramine maleate 4 mg & phenylephrine HCl 10 mg

*Antihistamine / Nasal Decongestant*

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Nasal Congestion

tablets / one table dose

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., owner of the registered trademark Actifed® Cold & Allergy

**TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed By AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

Visit us at [www.mygnp.com](http://www.mygnp.com)

**Product Label**

<b>Drug Facts</b>	
<b>Active ingredients (in each tablet)</b> Chlorpheniramine Maleate 4 mg.....Antihistamine Phenylephrine HCl 10 mg.....Nasal decongestant	
<b>Uses</b> ■ temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ nasal congestion ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing ■ nasal congestion	
<b>Warnings</b> Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have: ■ high blood pressure ■ heart disease ■ glaucoma ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ thyroid disease ■ a breathing problem such as emphysema or chronic bronchitis Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
When using this product ■ do not use more than directed	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	
<b>Inactive ingredients</b> colloidal silicon dioxide, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized corn starch, sodium starch glycolate, stearic acid.	
<b>Other information</b> ■ store at 15°-30°C (59°-86°F) (59°-86°F)	
<b>Directions</b> ■ take every 4 hours ■ do not take more than 6 doses in 24 hours adults and children 12 years of age and older take 1 tablet children 6 to under 12 years of age take 1/2 tablet children under 6 years of age consult a doctor children under 4 years of age do not use	
<b>Drug Facts (continued)</b> ■ drowsiness may occur ■ avoid alcoholic drinks ■ excitability may occur especially in children ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ Stop use and ask a doctor if ■ you get nervous, dizzy, or sleepless ■ symptoms do not get better within 7 days or are accompanied by a fever ■ If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	

TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT.

Lot / Exp. :  
Product of:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

# Maximum Strength Cold & Allergy

Antihistamine / Nasal Decongestant

\*Compare to Maximum Strength Actifed® Cold & Allergy active ingredients



NDC 46122-181-62

Does not contain Pseudoephedrine

# Maximum Strength Cold & Allergy

chlorpheniramine maleate 4 mg & phenylephrine HCl 10 mg

Antihistamine / Nasal Decongestant

- Runny Nose ● Sneezing
- Itchy, Watery Eyes ● Nasal Congestion

24 tablets | one tablet dose



\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc. owner of the registered trademark Actifed® Cold & Allergy

ABC#10000926

PLD-C681  
FC003322

Distributed By AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Concerns? Visit us at [www.mygnp.com](http://www.mygnp.com)



Good Neighbor Pharmacy Maximum Strength Cold & Allergy

COLD AND ALLERGY MAXIMUM STRENGTH

chlorpheniramine maleate, phenylephrine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46 122-18 1
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	T127
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-18 1-62	1 in 1 CARTON	04/02/2011	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	04/02/2011	

**Labeler** - AmerisourceBergen (Good Neighbor Pharmacy) 46122 (007914906)

Revised: 11/2019

AmerisourceBergen (Good Neighbor Pharmacy) 46122