

**EQUATE ALLERGY RELIEF D NASAL DECONGESTANT- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release  
WALMART INC.**

-----  
**Wal-Mart Allergy Relief D Nasal Decongestant Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

## Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets *USP Dissolution Test 2*

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

## Questions or comments?

call **1-888-287-1915**

## Package/Label Principal Display Panel

equate™

Compare to Zyrtec-D® active ingredients

Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended-Release Tablets,  
5 mg/120 mg

Antihistamine/Nasal Decongestant

INDOOR AND OUTDOOR ALLERGIES

12 HOUR

ALLERGY & CONGESTION

12 Hour Relief of:

- Sneezing
- Runny nose
- Sinus pressure
- Itchy, watery eyes
- Itchy throat or nose
- Nasal congestion

Original prescription strength

Actual Size

24 EXTENDED RELEASE TABLETS



equate™

# Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine  
Hydrochloride Extended-Release Tablets, 5 mg/120 mg  
Antihistamine/Nasal Decongestant



NDC 79903-126-14

equate™

Compare to  
Zyrtec-D®  
active ingredients\*

# Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine  
Hydrochloride Extended-Release Tablets, 5 mg/120 mg  
Antihistamine/Nasal Decongestant

**INDOOR AND OUTDOOR ALLERGIES**

## ALLERGY & CONGESTION

12 Hour Relief of:

- Sneezing
- Runny nose
- Sinus pressure
- Itchy, watery eyes
- Itchy throat or nose
- Nasal congestion

Original prescription strength



Actual Size



**24**  
EXTENDED  
RELEASE  
TABLETS

14769 2E C1

CODE AREA

### Drug Facts

**Active ingredients**  
(in each extended release tablet) **Purpose**

Cetirizine HCl 5 mg.....Antihistamine  
Pseudoephedrine HCl 120 mg.....Nasal decongestant

### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
  - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores free breathing through the nose

### Warnings

- Do not use**
- if you have ever had an allergic reaction to this product or any of its ingredients or to a nonhistamine-containing hydroxyzine.
  - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

### Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

- When using this product**
- do not use more than directed
  - drowsiness may occur
  - avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery

### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

### If pregnant or breast-feeding:

- if pregnant or breast-feeding: not recommended
  - if pregnant: ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is broken or torn

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.




how2recycle.info



DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
\*This product is not manufactured or distributed by UCS Biopharma SP, owner of the registered trademark Zyrtec-D®.

PAPER BOX  
MULTI-LAYER TRAY



## EQUATE ALLERGY RELIEF D NASAL DECONGESTANT

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79903-126
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 2165RE0K14)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDWL1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L147
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:79903-126-14	24 in 1 CARTON	10/01/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	10/01/2022	

**Labeler** - WALMART INC. (051957769)

Revised: 10/2022

WALMART INC.