

**EQUATE ALLERGY RELIEF D NASAL DECONGESTANT- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release  
WALMART INC.**

-----  
**Wal-Mart Allergy Relief D Nasal Decongestant Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

## Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets *USP Dissolution Test 2*

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

## Questions or comments?

call **1-888-287-1915**

## Package/Label Principal Display Panel

equate™

Compare to Zyrtec-D® active ingredients

Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended-Release Tablets,  
5 mg/120 mg

Antihistamine/Nasal Decongestant

INDOOR + OUTDOOR ALLERGIES

12 HOUR

ALLERGY + SINUS

12 Hour Relief:

- Sneezing
- Itchy, watery eyes
- Runny nose
- Itchy nose or throat

Nasal congestion + Sinus pressure

Original prescription strength

Actual Size

24 EXTENDED RELEASE TABLETS





**Drug Facts (continued)**  
**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide  
**Questions or comments?** call 1-888-287-1915

**Drug Facts (continued)**

**Warnings**  
 ■ Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine, trihydroxyflavanol (MAD) (central nervous system depressant), or for 2 weeks after stopping the MAD drug. If you do not know if you are taking any of these drugs, ask your doctor or pharmacist for more information.  
 ■ Ask a doctor before use if you have:  
 ■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland ■ liver or kidney disease. Your doctor should determine if you need a different dose.  
 ■ Before taking this product, prescription drug contains an MAD, ask a doctor or pharmacist after stopping the MAD drug. If you do not know if you are taking any of these drugs, ask your doctor or pharmacist for more information.  
 ■ If you are not taking a prescription medicine containing hydroxyzine, trihydroxyflavanol (MAD) (central nervous system depressant), or for 2 weeks after stopping the MAD drug, ask your doctor or pharmacist for more information.

**Uses**  
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ itchy, watery eyes ■ runny nose ■ sneezing ■ itchy nose or throat ■ nasal congestion  
 ■ reduces swelling of nasal passages  
 ■ temporarily relieves sinus congestion and pressure  
 ■ temporarily restores the breathing through the nose

**Directions**  
 ■ Do not break or chew tablet; swallow tablet whole  
 ■ adults and children take 1 tablet every 12 hours, do not take more than 2 tablets in 24 hours.  
 ■ adults 65 years and over ask a doctor  
 ■ children under 12 years of age ask a doctor  
 ■ consumes with liver or kidney disease ask a doctor

**Other information**  
 ■ store between 20° to 25° C (68° to 77° F) meets USP Dissolution Test 2  
 ■ see side panel for return and expiration date

**Drug Facts (continued)**  
**Purpose**  
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
 When using this product ■ do not use more than directed  
 ■ avoid alcoholic drinks  
 ■ drowsiness may occur  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 Stop use and ask a doctor if  
 ■ an allergic reaction to this product occurs. Seek medical help right away.  
 ■ you get nervous, dizzy, or sleepless  
 ■ symptoms do not improve within 7 days or are accompanied by fever  
 ■ pregnant or breastfeeding:  
 ■ breastfeeding: not recommended  
 ■ pregnant: ask a health professional or use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)



how2recycle.info

**DISTRIBUTED BY Wal-Mart Inc., Bentonville, AR 72716**  
 \*This product is not manufactured or distributed by UCB Biopharma SRL, owner of the registered trademark Zyrtec-D®.

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

Important: Read all product information before using. Keep this box for important information.

14762 2E C2



## Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended-Release Tablets, 5 mg/120 mg Antihistamine/Nasal Decongestant

NDC 79903-126-14



# Allergy Relief D Nasal Decongestant

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended-Release Tablets, 5 mg/120 mg Antihistamine/Nasal Decongestant

Compare to Zyrtec-D® active ingredients\*


**INDOOR + OUTDOOR ALLERGIES**

### ALLERGY + SINUS

- 12 Hour Relief:
- Sneezing
  - Runny nose
  - Itchy, watery eyes
  - Itchy nose or throat



Nasal congestion + Sinus pressure



## EQUATE ALLERGY RELIEF D NASAL DECONGESTANT

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79903-126
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 2165RE0K14)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L147
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:79903-126-14	24 in 1 CARTON	10/01/2022	
<b>1</b>		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA210719		10/01/2022	

**Labeler -** WALMART INC. (051957769)

Revised: 2/2025

WALMART INC.