

TRIPLE ANTIBIOTIC OINTMENT - bacitracin zinc, neomycin sulfate, polymyxin b ointment
NeoPharm Co., Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use if you are allergic to any of the ingredients

Ask a doctor before use if you have

- serious burns
- deep or puncture wounds
- animal bites

When using this product

- do not use in the eyes
- do not apply over large areas of the body

Stop use and ask a doctor if

- you need to use more than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week or clear up and occur again within a few days.
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age or older:
 - ◦ clean the affected area
 - ◦ apply a small amount of this product (an amount equal tot the surface area of the tip of a finer) on the area 1 to 3 times daily
 - ◦ may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 59° to 77°F

Inactive ingredients

Cetyl alcohol, Glycerin, Light mineral oil, Myristoyl/palmitoyl oxostearamide/ arachamide MEA, Steareth-w, Squalane, Stearic acid, Tocopheryl acetate, White petrolatum

Package label panel

Triple Antibiotic Ointment

SOOTHING OINTMENT

NDC No. 68374-001-04
Pure-Aid™

Compare to Original
Neosporin®
active ingredients*

First Aid Prevent Infection

✓ Cuts ✓ Scrapes ✓ Burns



KAREWAY

SOOTHING OINTMENT

Original

TRIPLE ANTIBIOTIC

Polymyxin B Sulfate-Bacitracin Zinc-Neomycin Sulfate

FIRST AID ANTIBIOTIC OINTMENT

NET 1 oz(28.3g)

Original

TRIPLE
ANTIBIOTIC
Polymyxin B Sulfate-Bacitracin
Zinc-Neomycin Sulfate

FIRST AID ANTIBIOTIC OINTMENT

Original

TRIPLE ANTIBIOTIC

Polymyxin B Sulfate-Bacitracin Zinc-Neomycin Sulfate

FIRST AID ANTIBIOTIC OINTMENT



LOT & EXP.

Made in Korea

<p>Drug Facts (continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ adults and children 2 years of age and older: <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 59° to 77°F <p>Inactive ingredients</p> <p>Cetyl alcohol, Glycerin, Light mineral oil, Myristoyl/palmitoyl oxostearamide/arachamide MEA, Steareth-2, Squalane, Stearic acid, Tocopheryl acetate, White petrolatum</p> <p>*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Original Neosporin®</p> <p>Exclusively distributed by: Kareway Product Inc. Compton, CA 90220</p>	<p>Drug Facts</p> <p>Active ingredients (in each gram)</p> <p>Bacitracin Zinc 400 units.....First aid antibiotic</p> <p>Neomycin Sulfate 3.5mg.....First aid antibiotic</p> <p>Polymyxin B Sulfate 5,000 units.....First aid antibiotic</p> <p>Purposes</p> <p>Uses First aid to help prevent infection in minor: <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns </p> <p>Warnings</p> <p>For external use only</p> <p>Do not use if you are allergic to any of the ingredients</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ serious burns ■ deep or puncture wounds ■ animal bites <p>When using this product</p> <ul style="list-style-type: none"> ■ do not use in the eyes ■ do not apply over large areas of the body <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use more than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week or clear up and occur again within a few days ■ rash or other allergic reaction develops
--	--

KAREWAY

TRIPLE ANTIBIOTIC
Polymyxin B Sulfate-Bacitracin Zinc-Neomycin Sulfate

TRIPLE ANTIBIOTIC OINTMENT

bacitracin zinc, neomycin sulfate, polymyxin b ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51141-0070	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN ZINC	400 [USPU] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)		NEOMYCIN SULFATE	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)		POLYMYXIN B SULFATE	5000 [USPU] in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
CETYL ALCOHOL (UNII: 936JST6JCN)				
GLYCERIN (UNII: PDC6A3C0OX)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
STEARETH-2 (UNII: V56DFE46J5)				
SQUALANE (UNII: GW89575KF9)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)				
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51141-0070-1	1 in 1 BOX		
1		28 g in 1 TUBE		
2	NDC:51141-0070-5	1 in 1 BOX		
2		14 g in 1 TUBE		
3	NDC:51141-0070-3	1 in 1 BOX		
3		9.4 g in 1 TUBE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	09/01/2010		

Labeler - NeoPharm Co., Ltd (631101883)

Registrant - NeoPharm Co., Ltd (631101883)

Establishment

Name	Address	ID/FEI	Business Operations
NeoPharm Co., Ltd		631101883	manufacture

