

MEIJER- mineral oil enema
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient

(in each 118 mL delivered dose)

Mineral oil 100%

Purpose

Lubricant laxative

Uses

- for relief of occasional constipation

Warnings

For rectal use only

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- notice a sudden change in bowel habits that persists over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after use of a laxative because this may indicate a serious condition
- you need to use a laxative for more than one week

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Single daily dose

adults & children 12 years and over	1 bottle once daily
children 2 to under 12 years	1/2 bottle once daily Discard unused portion
children under 2 years	do not use

How to use this enema:

REMOVE GREEN PROTECTIVE SHIELD BEFORE INSERTING; HOLD BOTTLE UPRIGHT, GRASPING BOTTLE CAP WITH FINGERS. GRASP PROTECTIVE SHIELD WITH OTHER HAND AND PULL GENTLY TO REMOVE.



Administering enema:

- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. This helps relax the muscles around the anus.
- **Do not force the enema tip into rectum as this can cause injury.**
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty the bottle completely, as it contains more liquid than needed.
- Remove enema tip from rectum.
- Retain enema in accordance with doctor's instructions.

Positioning:

Left-side position: Lie on left side with knee bent and arms at rest.



Knee-chest position:

Kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



Other Information

- store at room temperature 20-25 deg C (68-77 deg F)
- this product generally produces bowel movement in 2-15 minutes

Inactive ingredient

none

Questions or comments?

1-800-633-5463

Principal Display Panel

NDC 41250-112-11

Compare to Fleet® Mineral Oil Enema active ingredient*

Meijer

Ready-To-Use

Enema Mineral Oil

Sodium Free

Lubricant Laxative

For Relief of

Occasional Constipation

Latex Free

Protective Shield prevents contamination

Safety Seal for added protection

Comfortable, lubricated tip for insertion

One-way safety valve controls flow and prevents reflux

Easy, soft squeeze bottle

4.5 FL OZ (133ml)

NDC 41250-112-11

Compare to
**Fleet® Mineral
Oil Enema**
active ingredient*

meijer

Ready-to-Use

Enema Mineral Oil

Sodium free
lubricant laxative
for relief of
occasional
constipation

Latex Free

Protective shield
prevents
contamination

Safety seal for
added protection

Comfortable,
lubricated tip for
ease of insertion

One-way safety valve
controls flow and
prevents reflux

Easy, soft squeeze
bottle



4.5 FL OZ (133 ml)

**TAMPER EVIDENT:
BOTTLE SEALED FOR SAFETY.
DO NOT USE IF PRINTED SEAL
AROUND NECK OF BOTTLE IS
BROKEN OR MISSING.**

Drug Facts

Active ingredient
(in each 118 mL
delivered dose)

Mineral oil 100%Lubricant laxative

Purpose

Use

- for relief of occasional constipation

Warnings

For rectal use only

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- notice a sudden change in bowel habits that persists over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after use of a laxative because this may indicate a serious condition
- you need to use a laxative for more than one week

If pregnant or breast-feeding, ASK a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Single daily dose

adults & children 12 years and over	1 bottle
children 2 to under 12 years	1/2 bottle once daily discard unused portion
children under 2 years	DO NOT USE

Other information

- store at 20°-25°C (68°-77°F)
- this product generally produces a bowel movement in 2-15 minutes

Questions or comments?

1-800-633-5463



Back & Side Panel - Box

How to use this enema:

REMOVE GREEN PROTECTIVE SHIELD BEFORE INSERTING: HOLD BOTTLE UPRIGHT, GRASPING BOTTLE CAP WITH FINGERS. GRASP PROTECTIVE SHIELD WITH OTHER HAND AND PULL GENTLY TO REMOVE.



- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. This helps relax the muscles around the anus.
- Do not force the enema tip into rectum as this can cause injury.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty the bottle completely, as it contains more liquid than needed.
- Remove enema tip from rectum.
- Retain enema in accordance with doctor's instructions.

Positions for using this enema:



- **Left-side position:** Lie on left side with knee bent and arms at rest.



- **Knee-chest position:** Kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



DIST. BY MEIJER DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com

Made in USA RC15CTR

REF MJ-MO-1-12

*This product is not manufactured or distributed by C.B. Fleet Co., Inc., owner of the registered trademark Fleet®.

NDC 41250-112-11

Compare to
**Fleet® Mineral
Oil Enema**
active ingredient*

meijer

Ready-to-Use

Enema Mineral Oil

Sodium free
lubricant laxative
for relief of
occasional
constipation

Latex Free



4.5 FL OZ (133 ml)

MEIJER

mineral oil enema

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41250-112

Route of Administration RECTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	113.115 g in 118 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-112-11	1 in 1 BOX		
1		133 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/10/2013	

Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2015

Meijer Distribution Inc