MENTHOLATUM- dl-menthol, methyl salicylate lotion OASIS TRADING

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

- DL-Menthol, Methyl Salicylate
- temporary relief aches and pains of muscles and joints associated with:
- arthritis simple backache
- sprains strains bruises
- Keep out of reach of children
- Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Warnings

For external use only.

Flammable

• Keep away from fire, flame, sparks and heated surfaces. Tight cap firmly.

Stop use and ask a doctor if

■ Condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

When using this product

- Use only as direct
- Avoid contact with eyes
- Do not apply to wounds or damaged skin
- Do not bandage tightly

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children

acetone, chloroxylenol, water

For external use only

MENTHOLATUM

Drug Facts						
Active Ingredients (in 1g)	Purpose					
DL-Menthol 60mg	Topical analgesic					
Methyl Salicylate 200mg	Topical analgesic					
Uses						
temporary relief aches and pains of muscles and	nd joints					
associated with:						
arthritis • simple backache						
 sprains strains bruises 						
Warnings						
For external use only.						
Flammable						
Keep away from fire, flame, sparks and heated	surfaces. Tight					
cap firmly.						
Stop use and ask a doctor if						
Condition worsens or symptoms persist for me	ore than 7days or					
clear up and occur again within a few days						
When using this product						
Use only as direct						
Avoid contact with eyes						
Do not apply to wounds or damaged skin						
Do not bandage tightly						
If pregnant or breast-feeding, ask a health professional before use						
Keep out of reach of children						
Directions						
Adults and children 2 years of age and older: apply to the						
affected area no more than 3 to 4 times daily						
children under 2 years of age: consult a doctor						
Other Information						
Store at room temperature						
Inactive Ingredient						
acetone, chloroxylenol, water						
Questions or comments ?						
Call weekdays from 9 a.m to 5 p.m EST at (201) 6	69-8405					

Product Inform	ation	l						
Product Type			HUMAN OTC DRUG	Item Code (Source) NDC:72		NDC:726	2689-0014	
Route of Administ	ration	I	TOPICAL					
Active Ingredie	nt/A	stivo Moi	147					
Active Ingreute			redient Name			Basis of St	rength	Strength
RACEMENTHOL (U	NII: YS	-		XHA860)		RACEMENTH	-	60 mg in 1 mL
				METHYL SAL		200 mg in 1 mL		
	,							0
Inactive Ingred	ie nts							
			Ingredient Name				Strength	
ACETONE (UNII: 13)	54PS73	BAF)						
CHLORO XYLENOI	L (UNI	:0F32U78V2	2Q)					
Packaging								
# Item Code			Package Description		M	Marketing Start Marketing End Date Date		-
1 NDC:72689- 0014-1	75 ml Produ		.E, PLASTIC; Type 0: Not a Co	mbinatio n	11/16	/20 18		
Marketing In	Ifori	nation						
Marketing Categ	gory	Applicat	ion Number or Monograph	Citation	Marke	ting Start Dat	e Marl	keting End Date
OTC monograph not	FC monograph not final part348 11/15/20		1/15/201	8				

Labeler - OASIS TRADING (689991468)

Registrant - OASIS TRADING (689991468)

Establishment						
Name	Address	ID/FEI	Business Operations			
OASIS TRADING		689991468	manufacture(72689-0014)			

Revised: 11/2018

OASIS TRADING