

**LIVE TINTED HUEGUARD 3-IN-1 MINERAL SUNSCREEN MOISTURIZER PRIMER  
BROAD SPECTRUM SPF 30- zinc oxide cream**

**Live Tinted, Inc.**

-----  
**LIVE TINTED. Hueguard 3-in-1 Mineral Sunscreen Moisturizer Primer Broad  
Spectrum SPF 30**

***Drug Facts***

***Active Ingredient***

Zinc Oxide 18.23%

***Purpose***

Sunscreen

***Uses***

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only**

**Do not use**

on damaged or broken skin. Keep out of eyes. Rinse with water to remove.

**Stop use**

if rash occurs and ask a doctor.

**Keep out of reach of children**

if swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

• Apply on face and areas exposed to sun for everyday moisture and protection. • Can be worn alone or under makeup. • Reapply at least every two hours. • Pair with a waterresistant SPF when swimming or sweating.

Sun Protection Measures • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection methods such as: • Limit time in the sun, especially from 10 am – 2 pm. • Wear long-sleeve shirts, pants, hats, and sunglasses. • Children under 6 months, ask a doctor.

### ***Inactive Ingredient***

Water (Aqua), Caprylic / Capric Triglyceride, C13-15 Alkane, Propanediol, C15-19 Alkane, Bisdiglyceryl Polyacyladipate-2, Tocopherol, Octyldodecanol, Polyhydroxystearic Acid, Inositol, Hippophae Rhamnoides Oil, Silica, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Xanthan Gum, Coco-glucoside, Polyglycerin-3, Polyglyceryl-3 Lactate / Laurate, Bisabolol, Caprylhydroxamic Acid, Sodium Dilauramidoglutamide Lysine, Sodium Citrate, Citric Acid, Arachidyl Glucoside, Sodium Phytate, Glycerin, Physalis Alkekengi Calyx Extract, Biosaccharide Gum-1, Sodium Levulinate, Glyceryl Caprylate, Cetearyl Alcohol, T-butyl Alcohol, Sodium Anisate, Glucose, Betacarotene, Behenyl Alcohol, Arachidyl Alcohol, Iron Oxides (CI 77492), Iron Oxide (CI 77491).

### **Package Labeling:**

**Drug Facts**  
(continued)

**Directions**

- Apply liberally to face and neck for everyday moisture and protection.
- Can be worn alone or under makeup.
- Reapply at least every two hours.
- Pair with a water-resistant SPF when swimming or sweating.

**Sun Protection Measures**

- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection methods such as:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months, ask a doctor.

**Inactive Ingredients**

Water (Aqua), Caprylic / ▶

**Drug Facts**  
(continued)

Capric Triglyceride, C13-15 Alkane, Propanediol, C15-19 Alkane, Bisdiglyceryl Polyacrylate-2, Tocopherol, Octyldodecanol, Polyhydroxystearic Acid, Inositol, Hippophae Rhamnoides Oil, Silica, Polyacrylate Cross-Polymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyrinoleate, Xanthan Gum, Cocoglycoside, Polyglycerin-3, Polyglyceryl-3 Lactate / Laurate, Bisabolol, Caprylhydroxamic Acid, Sodium Dilauramidoglutamide Lysine, Sodium Citrate, Citric Acid, Arachidyl Glucoside, Sodium Phytate, Glycerin, Physalis Alkekengi Calyx Extract, Biosaccharide Gum-1, Sodium Levulinate, Glyceryl Caprylate, Cetearyl Alcohol, T-butyl Alcohol, Sodium Anisate, Glucose, Betacarotene, Behenyl Alcohol, Arachidyl Alcohol, Iron Oxides (CI 77492, CI 77491)

L I V E  
T I N T E D

**HUEGUARD**  
3-in-1 Mineral Sunscreen  
Moisturizer | Primer  
Broad Spectrum SPF 30  
0.5 FL OZ | 15 ML

HUEGUARD protects skin from harmful UVA / UVB rays and blue light with *no white cast.*

**Drug Facts**

**Active Ingredient**

Zinc Oxide 18.23%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**  
**Do not use** on damaged or broken skin.  
**Keep out of eyes.** Rinse with water to remove.  
**Stop use** if rash occurs and ask a doctor.  
**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center right away. ▶

Made in USA  
Distributed by LIVETINTED®  
Los Angeles, CA 90028  
WWW.LIVETINTED.COM



p0264



## LIVE TINTED HUEGUARD 3-IN-1 MINERAL SUNSCREEN MOISTURIZER PRIMER BROAD SPECTRUM SPF 30

zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82153-282
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	182.3 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R00K)	
<b>BETA CAROTENE</b> (UNII: 01YAE03M7J)	

<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>C15-19 ALKANE</b> (UNII: CI87N1IM01)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)
<b>INOSITOL</b> (UNII: 4L6452S749)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALKEKengi OFFICINARUM CALYX</b> (UNII: AL7F9NO9HR)
<b>BIOSACCHARIDE GUM-1</b> (UNII: BB4PU4V09H)
<b>SODIUM LEVULINATE</b> (UNII: VK44E1MQU8)
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)
<b>SODIUM ANISATE</b> (UNII: F9WFJ28MV9)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82153-282-00	1 in 1 CARTON	06/06/2023	
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/06/2023	

---

**Labeler** - Live Tinted, Inc. (118213769)

Revised: 10/2023

Live Tinted, Inc.