# OP PROTECT AND NOURISH SPF 50 SUNSCREEN- avobenzone, homosalate, octocrylene, octyl salicylate, oxybenzone lotion SolSkyn Personal Care LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **OP Protect Nourish Sunscreen Ltn SPF 50**

OP Protect & Nourish SPF 50 Sunscreen Lotion

#### **Active Ingredients**

Avobenzone 3.0%

#### **Active Ingredients**

Homosalate 15.0%

#### **Active Ingredients**

Octisalate 5.0%

#### **Active Ingredients**

Octocrylene 7.0%

#### Purpose

Sunscreen

#### Uses:

• Helps prevent sunburn.

• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings:

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product keep out of eyes. Rinse with water to remove.
- Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes prior to sun exposure.
- Re-apply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor.

#### **Inactive Ingredients**

Acrylates / C10-30 Alkyl Acrylate Crosspolymer, Acrylates Copolymer, Carbomer, Cholecalciferol, Diisopropyl Adipate, Dimethyl Capramide, Disodium EDTA, Fragrance, Hydroxypropyl Methylcellulose, Idopropynyl Butylcarbamate, Macrocystis Pyrifera Extract, Phenoxyethanol, Polyester-8, Propylene Glycol, Sorbitan, Oleate, Tocopheryl Acetate, Triethanolamine, Water

#### **Other Information:**

- For use on skin only. Avoid contact with fabric.
- Protect this product from excessive heat and direct sun.

#### PRINCIPAL DISPLAY PANEL

Ocean Potion Protect & Nourish Vitamin D3 SPF 50 8 fl oz (237 mL)







CREEN LOTION OXYBENZONE FREE PARABEN FREE

FAST-ABSORBING WATER RESISTANT (80 MINUTES)

Scent of Sunshine

8 FL 0Z (237mL) 80147F-DM01

Ocean Potion® Protect & Nourish fortified with Vitamin D3" and antioxidants, provides UVA/UVB sun protection while keeping skin healthy & youthful looking. This non-greasy, fast absorbing lotion with its signature scent is sunshine

| Drug Facts  | in a bottle. Trust the protection. Enjoy the experience! |  |  |  |  |
|---|--|--|--|--|--|
| Activo Inneodiante Dunnes   |  |  |  |  |  |
| Active Ingredients<br>Avobenzone 3.0%, Homosalate 15.0%,<br>Octisalate 5.0%, Octocrylene 7.0%   |  |  |  |  |  |
| Uses<br>helps prevent sunburn ■ if used as directed with other su<br>protection measures (see Directions), decreases the risk of<br>skin cancer and early skin aging caused by the sun  | of   |  |  |  |  |
| Warnings<br>For external use only.  |  |  |  |  |  |
| Do not use on damaged or broken skin  |  |  |  |  |  |
| Stop use and ask a doctor if rash occurs  | -  |  |  |  |  |
| When using this product keep out of eyes, Rinse with<br>water to remove.  |  |  |  |  |  |
| Keep out of reach of children. If swallowed, get  | 1  |  |  |  |  |
| medical help or contact a Poison Control Center right awa   | y.   |  |  |  |  |
| <ul> <li>Directions</li> <li>apply liberally 15 minutes before sun exposure</li> <li>reapply:         <ul> <li>after 80 minutes of swimming or sweating</li> <li>immediately after towel drying * at least every 2 hours</li> <li>Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:</li> <li>limit time in the sun, especially from 10 a.m 2 p.m.</li> <li>wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>children under 6 months: Ask a doctor</li> </ul> </li> <li>Inactive Ingredients         <ul> <li>Acrylates / C10-30 Alkyl Acrylate Crosspolymer, Acrylates Copolymer, Carborner, Cholecalciferol, Disopropyl Adipate, Dimethyl Capramide, Disodium EDTA, Fragrance, Hydroxypropyl Methylcellulose, Iodopropynyl Butylcarbarnate, Macrocystis Pyrifera Extract, Phenoxyettanol, Polyester-8, Propylene Glycol, Sorbitan Oleate, Tocopheryl Acetate, Triethanolamine, Water</li> <li>Other Information</li> <li>For use on skin only. Avoid contact with fabric protect this product from excessive heat and direct sun</li> </ul> </li> </ul> | 1  |  |  |  |  |
| <ul> <li>No Animal Testing<br/>Distributed by</li> <li>SolSkyn Personal Care LLC</li> <li>1725 North Brown Rd., Lawrenceville, GA 30043<br/>oceanpotion.com 800-715-3485</li> </ul>   |  |  |  |  |  |

## **OP PROTECT AND NOURISH SPF 50 SUNSCREEN**

avobenzone, homosalate, octocrylene, octyl salicylate, oxybenzone lotion

#### **Product Information**

**Product** Type

HUMAN OTC DRUG

#### Item Code (Source)

NDC:70281-218

**Route of Administration** 

TOPICAL

| Active Ingredient/Active             | e Moiety                                     |                        |                  |
|--------------------------------------|--|------------------------|------------------|
|                                      | Ingredient Name                              | Basis of Strei         | ngth Strength    |
| AVOBENZONE (UNII: G63QQF             | 2NOX) (AVOBENZONE - UNII:G63QQF2NOX)         | AVOBENZONE             | 3 g in 100 g     |
| HOMOSALATE (UNII: V06SV4             | M95S)(HOMOSALATE - UNII:V06SV4M95S)          | HOMOSALATE             | 15 g in 100 g    |
| OCTISALATE (UNII: 4X49 Y0 59         | 96W) (OCTISALATE - UNII:4X49Y0596W)          | OCTISALATE             | 5 g in 100 g     |
| <b>OCTOCRYLENE</b> (UNII: 5A68W      | 'GF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)   | OCTOCRYLENE            | 7 g in 100 g     |
| Inactive Ingredients                 |  |                        |                  |
|                                      | Ingredient Name                              |                        | Strength         |
| CARBOMER INTERPOLYMER                | TYPE A (55000 CPS) (UNII: 59TL3WG5CO)        |                        |                  |
| CARBO XYPO LYMETHYLENE               | (UNII: 0A5MM307FC)                           |                        |                  |
| CHOLECALCIFEROL (UNII: 10            | C6V77QF41)                                   |                        |                  |
| DIISOPROPYL ADIPATE (UNI             | I: P7E6 YFV72X)                              |                        |                  |
| DIMETHYL CAPRAMIDE (UNII             | : O29 Y6 X2JEZ)                              |                        |                  |
| EDETATE DISO DIUM ANHYDI             | ROUS (UNII: 8NLQ36F6MM)                      |                        |                  |
| HYPROMELLOSES (UNII: 3NX             | W29V3WO)                                     |                        |                  |
| IODOPROPYNYL BUTYLCAR                | BAMATE (UNII: 603P14DHEB)                    |                        |                  |
| MACROCYSTIS PYRIFERA (U              | NII: K31S3OG5C4)                             |                        |                  |
| PHENOXYETHANOL (UNII: HIE            | E492ZZ3T)                                    |                        |                  |
| POLYESTER-8 (1400 MW, CY             | ANO DIPHENYLPROPENO YL CAPPED) (UNII: T9     | 296U138P)              |                  |
| PROPYLENE GLYCOL (UNII: 6            | 5DC9Q167V3)                                  |                        |                  |
| SORBITAN (UNII: 6092ICV9RU           | J)   |                        |                  |
| OLEIC ACID (UNII: 2UMI9U37C          | EP)  |                        |                  |
| ALPHA-TOCOPHEROL ACET                | <b>ATE</b> (UNII: 9E8X80D2L0)                |                        |                  |
| TROLAMINE (UNII: 903K93S3            | TK)  |                        |                  |
| WATER (UNII: 059QF0KO0R)             |  |                        |                  |
|                                      |  |                        |                  |
| Packaging                            |  |                        |                  |
| # Item Code                          | Package Description                          | Marketing Start Date M | larketing End Da |
| <b>1</b> NDC:70281-218-24 227 g in 1 | CONTAINER; Type 0: Not a Combination Product | 09/15/2015             |                  |
|                                      |  |                        |                  |
| Marketing Informat                   | ion  |                        |                  |
|                                      |  |                        |                  |
| Marketing Category                   | Application Number or Monograph Citation     | Marketing Start Date   | Marketing End Da |

Labeler - SolSkyn Personal Care LLC (080010329)

Revised: 2/2018