

TRICLOSAN- triclosan liquid
Columbia Jobbing

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient:

Triclosan (0.35%)

Purpose:

Antiseptic Hand Cleanser

Uses

- Handwash to help reduce bacteria that potentially can cause disease.
- Recommended for repeated use.

Warning

- **For external use only**
- **Do not use near eyes**

- **Keep out of reach of children.**

Discontinue use if irritation and redness develop. If condition persists more than 72 hours, consult a doctor.

In case of eye contact, flush with water for 15 minutes. If irritation persists, get medical attention. In case of accidental ingestion, seek medical attention or contact a poison control center immediately.

Directions

- Wet hands and forearms
- Apply appropriate amount to hands and forearms
- Scrub hands and forearms thoroughly for 60 seconds
- Use scrub and/or nail brush to aid in cleaning.
- Rinse well
- Wipe dry with towel, repeat as necessary.

Other Information

- Assists with OSHA bloodborne pathogen standard compliance

Inactive Ingredients

Water, Sodium Laureth Sulfate, Sodium Lauryl Sulfate, Propylene Glycol, Lauramide DEA, Cocamide DEA, Cocamidopropyl betaine, Sodium Cumene Sulfonate, Citric Acid, Fragrance, DMDM Hydantoin, Sodium Chloride, FD&C Green #3.

Principal Display Panel

Bio CLEAN

Foaming Antiseptic Hand Cleaner

A powerful antiseptic cleanser for handwashing

- Enhanced with moisturizers
- Reduces bacteria on skin that can potentially cause disease
- Assists with OSHA bloodborne pathogen standard compliance

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Drug Facts for panel for additional information.



CLEAN



Foaming Antiseptic Hand Cleaner

A powerful antiseptic cleanser for handwashing

- Enhanced with moisturizers.
- Reduces bacteria on skin that can potentially cause disease
- Assists with OSHA bloodborne pathogen standard compliance

Drug Facts

ACTIVE INGREDIENT:

Triclosan (0.35%)

PURPOSE:

Antiseptic Hand Cleanser

USES: Handwash to help reduce bacteria that potentially can cause disease. Recommended for repeated use.

WARNING: For external use only. Do not use near eyes. Keep out of reach of children. Discontinue use if irritation and redness develop. If condition persists more than 72 hours, consult a doctor. In case of eye contact, flush with water for 15 minutes. If irritation persists, get medical attention. In case of accidental ingestion, seek medical attention or contact a poison control center immediately.

DIRECTIONS: Wet hands and forearms. Apply appropriate amount to hands and forearms. Scrub hands and forearms thoroughly for 60 seconds. Use scrub and/or nail brush to aid in cleaning. Rinse well. Wipe dry with towel. Repeat as necessary.

OTHER INFORMATION: Assists with OSHA bloodborne pathogen standard compliance.

INACTIVE INGREDIENTS: Water, Sodium Laureth Sulfate, Sodium Lauryl Sulfate, Propylene Glycol, Lauramide DEA, Cocamide DEA, Cocamidopropyl betaine, Sodium Cumene Sulfonate, Citric Acid, Fragrance, DMDM Hydantoin, Sodium Chloride, FD&C Green #3.

KEEP OUT OF REACH OF CHILDREN

575-001-106-A01

CAUTION

Net Contents: 1100 mL

See Drug Facts panel for additional information.

Distributed Exclusively by Columbia Jobbing Company, Inc.
1702 East 5th Ave. Tampa, FL 33605 Call (800) 818-0897 to Reorder

TRICLOSAN

triclosan liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53119-575
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRICLOSAN (UNII: 4NM5039Y5X) (TRICLOSAN - UNII:4NM5039Y5X)	TRICLOSAN	3.15 g in 1000 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
sodium laureth sulfate (UNII: BPV390UAP0)	
sodium lauryl sulfate (UNII: 368GB5141J)	
propylene glycol (UNII: 6DC9Q167V3)	
lauric diethanolamide (UNII: I29I2VHG38)	
cocamidopropyl betaine (UNII: 5OCF3O11KX)	
coco diethanolamide (UNII: 92005F972D)	
citric acid monohydrate (UNII: 2968PHW8QP)	
dmdm hydantoin (UNII: BYR0546TOW)	
sodium chloride (UNII: 451W47IQ8X)	
FD&C Green NO. 3 (UNII: 3P3ONR6O1S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53119-575-20	1100 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/11/2010	

Labeler - Columbia Jobbing (032769788)

Registrant - Canberra Corporation (068080621)

Establishment

Name	Address	ID/FEI	Business Operations
Canberra Corporation		068080621	MANUFACTURE(53119-575)

