

**BD E-Z SCRUB 107- chlorhexidine gluconate solution**  
**Becton Dickinson and Company**

-----  
**Drug Facts**

**Active ingredient**

4% Chlorhexidine gluconate w/v

**Purpose**

Antiseptic

**Use**

preoperative cleaning of healthcare personnel arms and hands.

**Warnings**

**For external use only.**

**Do not use**

- as a preoperative skin preparation of the face or head
- in eyes, ears and mouth
- if you have a sensitivity to chlorhexidine gluconate or its components.

**When using this product**

- avoid contact with meninges
- chlorhexidine gluconate has been reported to cause deafness when instilled in the middle ear through perforated ear drums
- chlorhexidine gluconate solution has been reported to cause serious and permanent eye injury when it has been permitted to enter and remain in the eye during surgical procedures
- if chlorhexidine gluconate solution should contact these areas, rinse out promptly and thoroughly with water.

**Stop use and ask a doctor** if adverse reactions occur. Irritation, sensitization and generalized allergic reactions have been reported with chlorhexidine-containing products, especially in the genital areas.

**Keep out of reach of children.** If swallowed, gets in eye or ear, get medical help or contact a Poison Control Center immediately.

**Directions**

- wet hands and forearms to the elbows with warm water
- use nail cleaner and apply scrub solution from sponge side

- work up lather
- scrub nails, cuticles and interdigital spaces thoroughly for 3 minutes with brush side and hands and forearms with the sponge side
- rinse with warm water
- repeat scrub for 3 more minutes, use the sponge side only. Add water as necessary to produce the desired level of suds.
- rinse hands and arms thoroughly
- dry thoroughly

### **Other information**

- avoid excessive heat 40°C (104°F)
- discard after single use.

### **Inactive ingredients**

FD&C red #40, hydrochloric acid, lauramide DEA, nonoxynol-12, peg-6000 distearate, peg-75 lanolin, purified water USP, sodium hydroxide

### **Questions?**

***1-800-453-4538 Monday to Friday, 8 a.m. to 5 p.m. MST***

Principal Display Panel – Carton Label

### **BD**

### **BD E-Z Scrub™ 107**

Surgical Scrub Brush/Sponge  
and Nail Cleaner with  
4% Chlorhexidine Gluconate

### **4% CHG**

CONTAINS:

**30**

**NOTE:** SEE BACK PANEL  
FOR EASY INSTRUCTIONS

REF 371073

NDC 17271-107-03

U.S. Patent 5, 164, 107

PUSH IN PERFORATED HOLE AND MOUNT ON SCREW  
OR CHECK A COMPETENT E-Z SCRUB™ DISTRIBUTOR  
BACK FROM YOUR BECTON DICKINSON REPRESENTATIVE

### BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge  
and Nail Cleaner with  
4% Chlorhexidine Gluconate

Filled with 10ml of 4% w/v Chlorhexidine Gluconate.  
Chlorhexidine gluconate provides rapid bactericidal  
action and has a persistent antimicrobial effect against  
a wide range of microorganisms.



#### Drug Facts

Active ingredient	Purpose
4% Chlorhexidine gluconate w/v	Antiseptic

**Use** preoperative cleaning of healthcare personnel arms and hands.

#### Warnings

For external use only.

#### Do not use

- in a preoperative skin preparation of the face or head
- in eyes, ears and mouth
- if you have a sensitivity to chlorhexidine gluconate or its components.

#### When using this product

- avoid contact with menses
- chlorhexidine gluconate has been reported to cause dizziness when instilled in the middle ear through perforated ear drums
- chlorhexidine gluconate solution has been reported to cause serious and permanent eye injury when it has been permitted to enter and remain in the eye during surgical procedures
- if chlorhexidine gluconate solution should contact these areas, rinse out promptly and thoroughly with water.

**Stop use and ask a doctor** if adverse reactions occur. Irritation, sensitization and generalized allergic reactions have been reported with chlorhexidine-containing products, especially in the genital areas.

**Keep out of reach of children.** If swallowed, gets in eye or on skin, get medical help or contact a Poison Control Center immediately.


#### Directions

- wash hands and forearms to the elbows with warm water
- use nail cleaner and apply scrub solution from sponge side
- work up leather
- scrub nails, cuticles and interdigital spaces thoroughly for 3 minutes with brush side and hands and forearms with the sponge side
- rinse with warm water
- repeat scrub for 3 more minutes, use the sponge side only. Add water as necessary to produce the desired level of suds.
- rinse hands and arms thoroughly
- dry thoroughly

**Other information** • avoid excessive heat 40°C (104°F) • discard after single use.

**Inactive ingredients** FD&C red #40, hydrochloric acid, lanolin/alco. CEA, monogel-12, poly-6000 diisobutyl, pep-75 lanolin, purified water USP, sodium hydroxide

**Questions?** 1-800-453-4538 Monday to Friday, 8 a.m. to 5 p.m. MST




Becton, Dickinson and Company, Franklin Lakes, NJ 07417-1884



### BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge  
and Nail Cleaner with  
4% Chlorhexidine Gluconate



**4% CHG**

CONTAINS:  
30

**NOTE: SEE BACK PANEL  
FOR EASY INSTRUCTIONS**

Remove to check level of contents.

Reorder When Brushes Reach This Level.



01006290310738

REF 371073


NDC 17271-107-03  
U.S. Patent 5,164,107

REMOVE FOR CONVENIENT DISPENSING OF PRODUCT  
SEE REVERSE SIDE FOR EASY MOUNTING INSTRUCTIONS



### BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge  
and Nail Cleaner with  
4% Chlorhexidine Gluconate



**4% CHG**

CONTAINS:  
30

**NOTE: SEE BACK PANEL  
FOR EASY INSTRUCTIONS**



BD, BD logo, and E-Z Scrub are trademarks of  
Becton, Dickinson and Company, 60321 BD.  
Made in U.S.A. F1509-5



## BD E-Z SCRUB 107

chlorhexidine gluconate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17271-107	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	40 g in 1000 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
FD&C RED NO. 40 (UNII: WZB9127XOA)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
LAURIC DIETHANOLAMIDE (UNII: I29I2VHG38)				
NONOXYNOL-12 (UNII: 6NR43D77O6)				
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)				
PEG-75 LANOLIN (UNII: 09179OX7TB)				
WATER (UNII: 059QF0K00R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:17271-107-03	10 in 1 BOX	10/24/1989	
1		30 in 1 CARTON		
1		18 mL in 1 PACKAGE; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA072525		10/24/1989	

**Labeler** - Becton Dickinson and Company (124987988)

### Establishment

Name	Address	ID/FEI	Business Operations
Becton Dickinson and Company		124987988	manufacture(17271-107) , analysis(17271-107) , label(17271-107) , pack(17271-107)