

BD E-Z SCRUB 107- chlorhexidine gluconate solution
Becton Dickinson and Company

Drug Facts

Active ingredient

4% Chlorhexidine gluconate w/v

Purpose

Antiseptic

Use

preoperative cleaning of healthcare personnel arms and hands.

Warnings

For external use only.

Do not use

- as a preoperative skin preparation of the face or head
- in eyes, ears and mouth
- if you have a sensitivity to chlorhexidine gluconate or its components.

When using this product

- avoid contact with meninges
- chlorhexidine gluconate has been reported to cause deafness when instilled in the middle ear through perforated ear drums
- chlorhexidine gluconate solution has been reported to cause serious and permanent eye injury when it has been permitted to enter and remain in the eye during surgical procedures
- if chlorhexidine gluconate solution should contact these areas, rinse out promptly and thoroughly with water.

Stop use and ask a doctor if adverse reactions occur. Irritation, sensitization and generalized allergic reactions have been reported with chlorhexidine-containing products, especially in the genital areas.

Keep out of reach of children. If swallowed, gets in eye or ear, get medical help or contact a Poison Control Center immediately.

Directions

- wet hands and forearms to the elbows with warm water
- use nail cleaner and apply scrub solution from sponge side

- work up lather
- scrub nails, cuticles and interdigital spaces thoroughly for 3 minutes with brush side and hands and forearms with the sponge side
- rinse with warm water
- repeat scrub for 3 more minutes, use the sponge side only. Add water as necessary to produce the desired level of suds.
- rinse hands and arms thoroughly
- dry thoroughly

Other information

- avoid excessive heat 40°C (104°F)
- discard after single use.

Inactive ingredients

FD&C red #40, hydrochloric acid, lauramide DEA, nonoxynol-12, peg-6000 distearate, peg-75 lanolin, purified water USP, sodium hydroxide

Questions?

1-800-453-4538 Monday to Friday, 8 a.m. to 5 p.m. MST

Principal Display Panel – Carton Label

BD

BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge
and Nail Cleaner with
4% Chlorhexidine Gluconate

4% CHG

CONTAINS:

30

NOTE: SEE BACK PANEL
FOR EASY INSTRUCTIONS

REF 371073

NDC 17271-107-03

U.S. Patent 5, 164, 107

PUSH IN PERFORATED HOLE AND MOUNT ON SCREW
OR CHECK A COMPETENT E-Z SCRUB™ DISTRIBUTOR
BACK FROM YOUR BECTON DICKINSON REPRESENTATIVE


BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge
and Nail Cleaner with
4% Chlorhexidine Gluconate

Filled with 10ml of 4% w/v Chlorhexidine Gluconate.
Chlorhexidine gluconate provides rapid bactericidal
action and has a persistent antimicrobial effect against
a wide range of microorganisms.



Drug Facts	
Active ingredient	Purpose
4% Chlorhexidine gluconate w/v	Antiseptic
Use preoperative cleaning of healthcare personnel arms and hands.	
Warnings	
For external use only.	
Do not use	
- in a preoperative skin preparation of the face or head	
- in eyes, ears and mouth	
- if you have a sensitivity to chlorhexidine gluconate or its components.	
When using this product	
- avoid contact with menses.	
- chlorhexidine gluconate has been reported to cause dizziness when instilled in the middle ear through perforated ear drums.	
- chlorhexidine gluconate solution has been reported to cause serious and permanent eye injury when it has been permitted to enter and remain in the eye during surgical procedures.	
- if chlorhexidine gluconate solution should contact these areas, rinse out promptly and thoroughly with water.	
Stop use and ask a doctor if adverse reactions occur. Irritation, sensitization and generalized allergic reactions have been reported with chlorhexidine-containing products, especially in the genital areas.	
Keep out of reach of children. If swallowed, get in eye or on skin, get medical help or contact a Poison Control Center immediately.	
Directions	
- wet hands and forearms to the elbows with warm water	
- use nail cleaner and apply scrub solution from sponge side	
- work up leather	
- scrub nails, cuticles and interdigital spaces thoroughly for 3 minutes with brush side and hands and forearms with the sponge side	
- rinse with warm water	
- repeat scrub by 3 more minutes, use the sponge side only. Add water as necessary to produce the desired level of suds.	
- rinse hands and arms thoroughly	
- dry thoroughly	
Other information - avoid excessive heat 40°C (104°F) - discard after single use.	
Inactive ingredients FD&C red #40, hydrochloric acid, laneth-10, CEA, hydrogen-12, poly-600 diisobutyl, pep-75 lanolin, purified water USP, sodium hydroxide	
Questions? 1-800-453-4538 Monday to Friday, 8 a.m. to 5 p.m. MST	



Becton, Dickinson and Company, Franklin Lakes, NJ 07417-1884



BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge
and Nail Cleaner with
4% Chlorhexidine Gluconate



4% CHG

CONTAINS:
30

**NOTE: SEE BACK PANEL
FOR EASY INSTRUCTIONS**

Remove to check level of contents.

Reorder When Brushes Reach This Level.



REF 371073


NDC 17271-107-03
U.S. Patent 5,164,107

REMOVE FOR CONVENIENT DISPENSING OF PRODUCT
SEE REVERSE SIDE FOR EASY MOUNTING INSTRUCTIONS



BD E-Z Scrub™ 107

Surgical Scrub Brush/Sponge
and Nail Cleaner with
4% Chlorhexidine Gluconate



4% CHG

CONTAINS:
30

**NOTE: SEE BACK PANEL
FOR EASY INSTRUCTIONS**


Remove to check level of contents.

Reorder When Brushes Reach This Level.



REF 371073

NDC 17271-107-03
U.S. Patent 5,164,107



BD, BD logo, and E-Z Scrub are trademarks of
Becton, Dickinson and Company, 60321 BD.
Made in U.S.A. F1509-5



BD E-Z SCRUB 107

chlorhexidine gluconate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17271-107	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	40 g in 1000 mL	
Inactive Ingredients				
Ingredient Name			Strength	
FD&C RED NO. 40 (UNII: WZB9127XOA)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
LAURIC DIETHANOLAMIDE (UNII: I29I2VHG38)				
NONOXYNOL-12 (UNII: 6NR43D77O6)				
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)				
PEG-75 LANOLIN (UNII: 09179OX7TB)				
WATER (UNII: 059QF0K00R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17271-107-03	10 in 1 BOX	10/24/1989	
1		30 in 1 CARTON		
1		18 mL in 1 PACKAGE; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA072525		10/24/1989	

Labeler - Becton Dickinson and Company (124987988)

Establishment

Name	Address	ID/FEI	Business Operations
Becton Dickinson and Company		124987988	manufacture(17271-107) , analysis(17271-107) , label(17271-107) , pack(17271-107)