

MAOKANG 10 POVIDONE IODINE- povidone-iodine ointment
Changzhou Maokang Medical Products Co., Ltd

10% Povidone Iodine Ointment

Drug Facts

Active ingredient

Povidone-Iodine USP 10%

Purpose

Antiseptic

Use:

First aid ointment, stop infection, no sting, antiseptic.

Warnings

- For external use only.

Do not use

- if allergic to iodine or in the eyes.

Ask a doctor before use

- if injuries are deep wounds, puncture wounds, or serious burns.

Stop use and ask a doctor if

- infection occurs or redness, irritation, swelling or pain persists or increases.

Keep out of reach of children.

- In case of accidental ingestion, seek professional assistance or consult a Poison Control Center immediately.
- Avoid excessive heat. Store at room temperature.

Directions

apply locally as needed.

Inactive ingredients

Glycerin, PEG-1450, Propylene glycol, Potassium iodide.

Package Labeling:

<div style="text-align: center;">  <p>NDC:59050-269-00 Reorder:110705001</p> <p>POVIDONE-IODINE OINTMENT</p> <p>Antiseptic/Non-Sterile</p> <p>Net Weight 1 gram 1% Titratable Iodine</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> NOT MADE WITH natural rubber latex </div> <p>MANUFACTURED BY</p> <p>Changzhou Maokang Medical Products Co., Ltd Add: No.88 of Longxi Avenue, Zhulin Town, Jintan District, Changzhou City, Jiangsu Province, China P.C.: 213200</p> <p>Made in China</p> <div style="text-align: center;">  <p>6 973093 350717</p> </div> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Drug Facts</th> </tr> <tr> <th style="text-align: left; padding: 5px;">Active ingredient</th> <th style="text-align: left; padding: 5px;">Purpose</th> </tr> <tr> <td style="padding: 5px;">Povidone-Iodine USP 10%</td> <td style="padding: 5px;">Antiseptic</td> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Use: First aid ointment, stop infection, no sting, antiseptic.</th> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Warnings</th> </tr> <tr> <td colspan="2" style="padding: 5px;"> <ul style="list-style-type: none"> ▪ For external use only. ▪ Do not use if allergic to iodine or in the eyes. ▪ Ask a doctor before use if injuries are deep wounds, puncture wounds, or serious burns. ▪ Stop use and ask a doctor if infection occurs or if redness, irritation, swelling or pain persists or increases. ▪ Keep out reach of children. In case of accidental ingestion, seek professional assistance or consult a poison control center immediately. ▪ Avoid excessive heat. Store at room temperature. </td> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Directions</th> </tr> <tr> <td colspan="2" style="padding: 5px;">Apply locally as needed.</td> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Inactive ingredients</th> </tr> <tr> <td colspan="2" style="padding: 5px;">Glycerin, PEG-1450, Propylene glycol, Potassium iodide.</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> <p>Lot:</p> <p>Exp:</p> </td> </tr> </table>	Drug Facts		Active ingredient	Purpose	Povidone-Iodine USP 10%	Antiseptic	Use: First aid ointment, stop infection, no sting, antiseptic.		Warnings		<ul style="list-style-type: none"> ▪ For external use only. ▪ Do not use if allergic to iodine or in the eyes. ▪ Ask a doctor before use if injuries are deep wounds, puncture wounds, or serious burns. ▪ Stop use and ask a doctor if infection occurs or if redness, irritation, swelling or pain persists or increases. ▪ Keep out reach of children. In case of accidental ingestion, seek professional assistance or consult a poison control center immediately. ▪ Avoid excessive heat. Store at room temperature. 		Directions		Apply locally as needed.		Inactive ingredients		Glycerin, PEG-1450, Propylene glycol, Potassium iodide.		<p>Lot:</p> <p>Exp:</p>	
Drug Facts																							
Active ingredient	Purpose																						
Povidone-Iodine USP 10%	Antiseptic																						
Use: First aid ointment, stop infection, no sting, antiseptic.																							
Warnings																							
<ul style="list-style-type: none"> ▪ For external use only. ▪ Do not use if allergic to iodine or in the eyes. ▪ Ask a doctor before use if injuries are deep wounds, puncture wounds, or serious burns. ▪ Stop use and ask a doctor if infection occurs or if redness, irritation, swelling or pain persists or increases. ▪ Keep out reach of children. In case of accidental ingestion, seek professional assistance or consult a poison control center immediately. ▪ Avoid excessive heat. Store at room temperature. 																							
Directions																							
Apply locally as needed.																							
Inactive ingredients																							
Glycerin, PEG-1450, Propylene glycol, Potassium iodide.																							
<p>Lot:</p> <p>Exp:</p>																							

MAOKANG 10 POVIDONE IODINE

povidone-iodine ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59050-269
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
POLYETHYLENE GLYCOL 1450 (UNII: OJ4Z5Z32L4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59050-269-00	1 g in 1 POUCH; Type 0: Not a Combination Product	08/30/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	08/30/2023	

Labeler - Changzhou Maokang Medical Products Co., Ltd (421317073)

Revised: 11/2024

Changzhou Maokang Medical Products Co., Ltd