

CEPACOL ANTIBACTERIAL- cetylpyridinium chloride liquid
RB Health (US) LLC

Cēpacol®
ANTIBACTERIAL
MULTI-PROTECTION MOUTHWASH

Drug Facts

Active ingredient

Cetylpyridinium chloride 0.05%

Purpose

Antigingivitis/Antiplaque

Uses

helps prevent and reduce plaque that leads to:

- gingivitis, an early form of gum disease
- bleeding gums

Warnings

Stop use and ask a dentist if

- gingivitis, bleeding, or redness persists for more than 2 weeks
- you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease.

Keep out of the reach of children under 6 years of age. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and older: vigorously swish 20 milliliters of rinse between your teeth twice a day for 30 seconds and then spit out. Do not swallow the rinse
- children 6 years to under 12 years of age: supervise use
- children under 6 years of age: do not use.

Other Information

- this rinse is not intended to replace brushing or flossing
- store at room temperature 20-25°C (68-77°F)

- protect from humidity

Inactive ingredients

purified water, alcohol 14% v/v, glycerin, sodium phosphate dibasic, eucalyptus oil, polysorbate 80, methyl salicylate, cinnamon oil, peppermint oil, saccharin sodium, sodium phosphate monobasic anhydrous, menthol, edetate disodium, FD&C Yellow #5

Questions?

1-888-963-3382You may also report side effects to this phone number.

Dist. by: Reckitt Benckiser
Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL - 710 mL Bottle Label

NDC 63824-790-80

Cēpacol®

ANTIBACTERIAL* MULTI-PROTECTION MOUTHWASH

CPC-Antigingivitis/Antiplaque Oral Rinse

*Kills Germs That Cause Bad Breath

- **Reduces Plaque**
- **Freshens Breath**

#1 BRAND IN HOSPITALS

TO OPEN:Squeeze both raised finger pads on cap and continue to squeeze while turning.

TO CLOSE:Turn cap until it locks completely.

24 FL. OZ. (710 mL)

0336220
062111

NDC 63824-790-80

Cēpacol[®]

ANTIBACTERIAL* MULTI-PROTECTION MOUTHWASH

CPC–Antigingivitis/Antiplaque Oral Rinse

*Kills Germs That Cause Bad Breath

- Reduces Plaque
- Freshens Breath

#1 BRAND IN HOSPITALS

TO OPEN: Squeeze both raised finger pads on cap and continue to squeeze while turning.
TO CLOSE: Turn cap until it locks completely.

24 FL. OZ. (710 mL)

0336220
062111

Drug Facts

Active ingredient Cetylpyridinium chloride 0.05%	Purpose Antigingivitis/Antiplaque
--	---

Uses helps prevent and reduce plaque that leads to:
 ■ gingivitis, an early form of gum disease ■ bleeding gums

Warnings
Stop use and ask a dentist if ■ gingivitis, bleeding, or redness persists for more than 2 weeks ■ you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease.
Keep out of the reach of children under 6 years of age. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults and children 12 years of age and older: vigorously swish 20 milliliters of rinse between your teeth twice a day for 30 seconds and then spit out. Do not swallow the rinse
 ■ children 6 years to under 12 years of age: supervise use
 ■ children under 6 years of age: do not use.

Other information ■ this rinse is not intended to replace brushing or flossing
 ■ store at room temperature 20-25°C (68-77°F) ■ protect from humidity

Inactive ingredients purified water, alcohol 14% w/v, glycerin, sodium phosphate dibasic, eucalyptus oil, polysorbate 80, methyl salicylate, cinnamon oil, peppermint oil, saccharin sodium, sodium phosphate monobasic anhydrous, menthol, edetate disodium, FD&C Yellow #5

Questions? 1-888-963-3382 You may also report side effects to this phone number.

Contains FD&C Yellow #5
TAMPER EVIDENT: Do not use if printed seal over cap is torn or missing.

Dist. by: Reckitt Benckiser
 Parsippany, NJ 07054-0224
 ©RB 2011 0336213 062111

N 3



CEPACOL ANTIBACTERIAL

cetylpyridinium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-790
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P) (CETYLPIRIDINIUM - UNII:CUB7J10JV3)	CETYLPIRIDINIUM CHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
CINNAMON OIL (UNII: E5GY4I6YCZ)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-790-80	1 in 1 CARTON	06/22/2011	09/03/2027
1		710 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/22/2011	09/03/2027

Labeler - RB Health (US) LLC (081049410)

Revised: 12/2025

RB Health (US) LLC